

Table 1. Laboratory confirmed gastrointestinal infection cases aged 16-65 years by recent travel status for pathogens, England, 2003-2013

<b>Organism</b>	<b>Known travel related (%)</b>	<b>Known not travel related (%)</b>	<b>Unknown (%)</b>	<b>Total known not travel related or unknown (%)</b>	<b>Total</b>
<i>Campylobacter</i> spp.	658 (0.2)	50,506 (13.2)	332,135 (86.7)	382,641 (99.8)	383,299
<i>Cryptosporidium</i> spp.	470 (2.6)	2,573 (14)	15,334 (83.4)	17,907 (97.4)	18,377
<i>Entamoeba histolytica</i>	333 (17.4)	126 (6.6)	1,455 (76)	1,581 (82.6)	1,914
<i>Giardia</i> spp.	1,473 (5.6)	3,389 (12.9)	21,387 (81.5)	24,776 (94.4)	26,249
Hepatitis A	78 (2.1)	206 (5.7)	3,358 (92.2)	3,564 (97.9)	3,642
Norovirus	18 (0.1)	1,290 (10.2)	11,348 (89.7)	12,638 (99.9)	12,656
<i>Salmonella</i> spp. (non-typhoidal)	17,794 (27.9)	14,871 (23.3)	31,039 (48.7)	45,910 (72.1)	63,704
<i>Salmonella</i> spp (typhoidal)	1,959 (56.9)	236 (6.9)	1,247 (36.2)	1,483 (43.1)	3,442
<i>Shigella</i> spp.	1,709 (14)	1,498 (12.3)	9,008 (73.7)	10,506 (86)	12,215
<i>Shigella flexneri</i>	450 (14)	462 (14.4)	2,291 (71.5)	2753 (86)	3,203
<i>Shigella sonnei</i>	1,047 (14.5)	844 (11.7)	5,327 (73.8)	6,171 (85.5)	7,218
<i>Shigella flexneri</i> PT2a	88 (27.3)	63 (19.6)	171 (53.1)	234 (72.7)	322
<i>Shigella flexneri</i> PT3a	66 (16.3)	116 (28.7)	222 (55)	338 (83.7)	404
VTEC	700 (18.3)	759 (19.9)	2,358 (61.8)	3,117 (81.7)	3,817
Total	25,192 (4.8)	75,454 (14.3)	428,669 (81.0)	504,123 (95.2)	529,315