The British Journal of Diabetes & Vascular Disease

http://dvd.sagepub.com/

Diabetic foot disease and oedema

Teik K Ho, Richard D Leigh and Janice Tsui

British Journal of Diabetes & Vascular Disease 2013 13: 45

DOI: 10.1177/1474651412472213

The online version of this article can be found at: http://dvd.sagepub.com/content/13/1/45

Published by:

\$SAGE

http://www.sagepublications.com

Additional services and information for The British Journal of Diabetes & Vascular Disease can be found at:

Open Access: Immediate free access via SAGE Choice

Email Alerts: http://dvd.sagepub.com/cgi/alerts

Subscriptions: http://dvd.sagepub.com/subscriptions

Reprints: http://www.sagepub.com/journalsReprints.nav

Permissions: http://www.sagepub.com/journalsPermissions.nav

>> Version of Record - Mar 5, 2013

What is This?



Diabetic foot disease and oedema

Teik K Ho, Richard D Leigh and Janice Tsui

The British Journal of
Diabetes & Vascular Disease
13(1) 45–50
© The Author(s) 2012
Reprints and permission:
sagepub.co.uk/journalsPermissions.nav
DOI: 10.117/1474651412472213
dvd.sagepub.com



Abstract

Diabetic foot ulcers (DFUs) are common and disabling, giving rise to significant morbidity and mortality as well as worldwide socioeconomic problems. Despite treatment, DFUs readily become chronic wounds and may lead to major lower limb amputations. The pathogenesis of DFUs is complex and the main aetiologies are peripheral neuropathy, ischaemia from peripheral arterial disease and biomechanical abnormalities. Microvascular disease is also a significant problem for people with diabetes and contributes to foot ulceration. Successful management of DFUs consists of debridement, infection control, the use of offloading appliances and revascularisation where necessary. Foot ulcers are usually associated with infection and inflammation which lead to surrounding oedema of the foot. Standard offloading devices such as total contact casts and removable cast walkers do not actively reduce foot oedema. There is promising evidence that active oedema reduction by intermittent pneumatic compression in the diabetic foot improves ulcer healing. The objective of this article is to review the association of foot oedema and DFUs, including the role of appliances which reduce oedema. The information presented is vital to those involved in the management of DFUs.

Keywords

diabetic foot ulcers; intermittent pneumatic compression; oedema

Introduction

The prevalence of diabetes worldwide was estimated at 131 million in 2000 and is forecast to increase to 366 million by 2030.1 In the UK, 2.8 million people were registered as having diabetes in 2010.² Patients with diabetes are at increased risk of developing neuropathy, peripheral arterial disease and infections and are therefore at high risk of developing foot pathologies including ulceration. The results of cross-sectional community surveys in the UK showed that 7.4% of patients with diabetes had a history of active or previous foot ulcers.3 They have up to 25% lifetime risk of developing foot ulcers,4 which have a high risk of deteriorating and ultimately leading to major lower limb amputation. DFUs precede 84% of amputations, and nearly one in six patients with DFUs eventually require an amputation.^{5,6} The incidence of major lower limb amputation in people with diabetes is between 0.5 and 5.0 per 1,000 people and survival after a major lower limb amputation is poor, with a perioperative mortality of 10–15% in the UK.³

Evaluation of DFUs includes vascular and neurological examinations as well as accurate wound assessment. Successful management of DFUs consists of offloading with appropriate devices, management of infection, wound care including debridement and revascularisation when indicated. DFUs are usually associated with infection and inflammation which lead to oedema of

Abbreviations:

DFU diabetic foot ulcer TCC total contact cast

the foot. Currently, most appliances use function only to alleviate mechanical load on ulcers and do not actively address the associated oedema, which can potentially be detrimental to ulcer healing. The objective of this article is to review the association of foot oedema and DFUs, including the role of appliances which reduce oedema.

Aetiology and classification of diabetic foot ulcers

The pathogenesis of DFUs is complex and has multiple contributing factors. The major underlying aetiologies of

¹Division of Surgery & Interventional Science, UCL (Royal Free Campus), London, UK

²Podiatry Department, The Royal Free Hospital, London, UK

Corresponding author:

Miss Janice Tsui, Division of Surgery & Interventional Science, University College London (Royal Free Campus), The Royal Free Hospital, Pond Street, London NW3 2QG, UK.

Email: janice.tsui@ucl.ac.uk

diabetic foot ulceration are peripheral neuropathy, ischaemia, foot deformity and infections⁷ caused by the production of advanced glycation end products secondary to hyperglycaemia. The incidence of neuroischaemic ulcers is 52.3%, neuropathic ulcers 36% and ischaemic ulcers 11.7%.⁸ Neuropathy includes sensory, motor and autonomic components. Deficient protective sensation leads to ulceration on high pressure areas; motor neuropathy results in biomechanical abnormalities and autonomic neuropathy causes decreased sweating and dry skin which is more prone to hyperkeratosis and ulceration. Ischaemia is caused by peripheral arterial disease, resulting in decreased blood supply and tissue perfusion, which significantly compromise ulcer healing.

Peripheral arterial disease in patients with diabetes tends to be multifocal and commonly affects the infrapopliteal vessels. Furthermore, disease progression is usually accelerated, and together with microvascular disease, results in poor outcomes. Endothelial dysfunction appears to be the main cause of both the macrovascular and microvascular disease and mechanisms which contribute to this include persistent hyperglycaemia, increased advanced glycation end-products, oxidative stress, endothelial inflammation and reduced nitric oxide activity. 10,11 In addition, an increase in thromboxane A2, a vasoconstrictor and platelet aggregation agonist, has been associated with hyperglycaemia in diabetes, leading to an increased risk of plasma hypercoagulability. 12

Impaired wound healing has also been implicated in patients with diabetes. The normal wound healing process entails a complex interplay between connective tissue formation, cellular activity, and growth factor activation. All three of these physiologic processes are altered in the diabetic state and contribute to the poor healing of DFUs.¹³ Instead of progressing through the normal stages of wound healing, it is now clear that diabetic ulcers remain in the inflammatory phase of the wound healing process. During this delay, there is a cessation of epidermal growth and migration over the wound surface.^{14,15}

Analysis of fluid from these chronic wounds has demonstrated elevated levels of matrix metalloproteinases directly resulting in increased proteolytic activity and inactivation of the growth factors that are necessary for proper wound healing. Additionally, these chronic wounds have been found to exhibit deficiencies in growth factors and cytokines along with elevated levels of inhibitory proteases. ¹³ Therefore, impaired wound healing is manifested in aberrant protein synthesis, cellular activity and growth factor secretion.

Classification systems have been developed to grade the severity of diabetic foot ulcers, provide prognosis on healing and aid in the formulation of treatment plans. The widely used Wagner classification for diabetic foot ulcers (table 1) assesses ulcer depth and the presence of

Table 1. Wagner classification for diabetic foot ulcers

Grade	Description of ulcer
0	intact skin in patients who are at risk
1	superficial ulcers with exposed subcutaneous tissue
II	exposed tendon and deep structures
III	ulcers extend to the deep tissue and have either associated soft tissue abscess or osteomyelitis
IV	ulcers include feet with partial gangrene
٧	feet ulcers with more extensive gangrenous tissue

Table 2. The University of Texas system

Grade	Description of ulcer
0	an epithelialised wound
I	superficial ulcers not involving tendon, capsule, or bone
2	ulcers penetrate to tendon or capsule
3	ulcers penetrate to bone or joint

Within each wound grade there are four stages: stage A are clean wounds which are not infected and non-ischaemic; stage B ulcers are infected but not ischaemic; stage C ulcers are ischaemic but not infected; and stage D ulcers are both infected and ischaemic. Increasing stage, regardless of grade, is associated with increased risk of amputation and prolonged ulcer healing time.

Table 3. Kobe classification

Туре	Aetiology and treatment of ulcer
I	ulcers are mainly caused by peripheral neuropathy and are treated by pressure relief
2	ulcers mainly result from peripheral arterial disease and the main treatment is revascularisation
3	ulcers have infection as the main aetiology and require early debridement
4	ulcers are caused by a combination of all three factors, i.e. peripheral neuropathy, peripheral arterial disease and infection, and are treated by revascularisation and debridement on a case-by-case basis

osteomyelitis or gangrene. ¹⁶ The University of Texas system assesses ulcer depth, the presence of wound infection, and the presence of clinical signs of lower-extremity ischaemia. ¹⁷ This system uses a matrix of grade on the horizontal axis and stage on the vertical axis (table 2). A prospective study of 194 patients comparing the two diabetic foot ulcer classifications concluded that the University of Texas classification is a better predictor of outcome. ¹⁸ Increasing stage, regardless of grade, is associated with increased risk of amputation and prolonged ulcer healing time. Recently, the Kobe classification has been proposed which focuses on the main aetiology of ulcers and proposes appropriate treatment (table 3) ¹⁹. These classification systems illustrate the complexity and multi-aetiological nature of diabetic foot ulcers.

Ho et al. 47

However, none of the many grading systems take into account any associated oedema of the foot, illustrating that this remains a poorly understood aspect of DFUs.

Diabetic foot ulcers and oedema

The involvement of the microcirculation in diabetic microangiopathy contributes to foot ulceration. In addition, diabetic microangiopathy, characterised by an increase in skin flux at rest, decreased veno-arteriolar response, and increased capillary permeability results in oedema, reduced skin partial oxygen tension and increased carbon dioxide tension.²⁰ In this condition, capillary exchange is altered and nutritional alterations eventually lead to skin lesions and ulcers.

The postural regulation of blood flow is impaired in patients with diabetic neuropathy. This disturbance is compatible with a loss of sympathetic vascular tone and arteriovenous shunting.^{21,22} In particular, the capability of effective precapillary vasoconstriction on standing is reduced. This exposes the capillary bed to a high hydrostatic load, resulting in hyperperfusion and increased shear force in the microcirculation on dependency which in turn leads to thickening of the capillary basement membrane and oedema of the feet and lower legs.²³

In a prospective study of 314 patients with DFUs, the presence of oedema indicated a poorer prognosis²⁴: peripheral oedema was more common in patients who required amputation (58%) or died (55%) than in patients with primary healing (26%, p<0.001). A tentative predisposing factor was identified in 95% of the patients, the most common factors being neuropathy, congestive heart failure, and previous deep venous thrombosis.

The principles of management of DFUs include proper assessment and treatment of different lesions of the foot, including infection control, debridement, wound management, revascularisation, other surgery, metabolic control and off-loading. Compression therapy may be used to reduce lower limb oedema to aid ulcer healing. Layered compression therapy and, more recently, diabetic socks with mild compression have been found to be safe and effective in diabetic patients with adequate or mildly reduced arterial blood supply.^{25,26} The following sections further discuss the two methods associated with oedema reduction, offloading and compression therapy, in the management of DFUs.

Offloading devices in the management of DFUs

Appropriate offloading is a key component in the management of diabetic foot disease. The use of TCCs has been reported to result in excellent ulcer healing rates and associated with faster healing compared to other

removable devices in a randomised controlled trial.²⁷ The TCC is considered to be the gold standard offloading device for plantar neuropathic ulcers, yet it is still not widely used in clinical practice.²⁸ It works by transmitting load from the forefoot to the heel and directly to the leg via the cast walls.²⁹ Its main disadvantage is that its application is time-consuming and often associated with a learning curve. Most centres do not have a physician or cast technician available with adequate training or experience to safely apply TCCs. Moreover, TCCs do not allow assessment of the foot or wound on a daily basis and are therefore often contraindicated in cases of soft tissue infections or osteomyelitis.

Iatrogenic ulceration where ulceration occurs whilst within the cast due to pressure or friction from cast materials is a concern, but the risks are reduced by proper casting techniques. ^{30,31} Other patient complaints include impaired activities of daily living, such as difficulty sleeping comfortably, and bathing difficulties while trying to avoid getting the cast wet, which reduce patient concordance. Certain designs of TCCs may also exacerbate postural instability.³²

Removable cast walkers are cast-like devices that are removable to allow inspection of the wound and application of topical therapies. Further, removable cast walkers can be easily converted into instant total contact casts by wrapping the removable cast walker with cohesive bandage or plaster of Paris.³³ Wound healing efficacy of instant TCCs has been demonstrated to be comparable to TCCs in several randomized controlled trials.^{34,35}

Although these standard offloading devices are believed to reduce oedema by enabling patients to remain relatively mobile, there has been no objective published data confirming this. Instead, immobilisation of the ankle with reduced function of the calf muscles which act as a venous pump, can theoretically impair venous return and potentially result in increased foot oedema.

Reducing oedema in the management of DFUs

In managing DFUs, foot elevation has generally been recommended to reduce oedema and prevent other sequential problems. However, foot elevation may decrease tissue oxygenation of the foot relative to the dependent position, which allows an increase in blood flow within the arterial system. The transcutaneous partial oxygen tension has been shown to be reduced on foot elevation of patients with DFUs.³⁶

In diabetic patients with lower limb oedema, mild compression therapy (18–25 mmHg) applied via socks or hosiery during the day was found to decrease calf and foot swelling by reducing oedema, without compromising vascularity in a study of 18 patients who have normal

arterial circulation.²⁶ In the treatment of DFUs, compression therapy has been used effectively and safely to reduce oedema in a diabetic population with adequate arterial circulation whilst reduced compression was beneficial in patients with arterial compromise in a prospective clinical case review involving 44 patients.²⁵ Patients with adequate arterial circulation were treated with a four-layer compression bandage system while the highly elastic third layer was excluded in the patients who had compromised peripheral arterial circulation. Healing occurred in 81% of patients with adequate peripheral arterial circulation and 67% of patients with compromised peripheral arterial circulation. There was no acute progression of lower limb ischaemia in the study. However, patients with diabetes have a high risk of developing peripheral arterial disease and many clinicians may be reluctant to use compression therapy.

The use of intermittent pneumatic compression by the A-V Impulse System has been shown to be safe and effective in other clinical areas such as the reduction of posttraumatic swelling and postoperative swelling following ankle and femoral neck fractures where the rate of proximal deep vein thrombosis was also reduced. The A-V Impulse System was developed to mimic the natural physiological processes which maintain blood flow and has been shown to improve venous return and arterial blood flow in the extremities. A0,41

The proposed mechanism of action is that intermittent pneumatic compression leads to improved emptying of the lower extremity veins and lowered venous pressure which in turn results in an increase in arterio-venous pressure gradient and an increase in lower extremity arterial blood flow. 42-44 In a cohort study of 40 lower limbs of 30 subjects, the application of intermittent pneumatic compression to calf and foot greatly enhanced popliteal artery blood flow. It was suggested that the flow increase is due to a dramatic drop in the peripheral vascular resistance as the peak systolic and end diastolic flow velocities increase and the reverse-flow component diminishes. 45 A direct reduction in peripheral resistance has also been postulated with intermittent pneumatic compression via release of nitric oxide, secondary to shear stress increase in the venous radicles. The action of diffused nitric oxide on adjacent arteriolar resistance vessels causes them to dilate transiently with concurrent flow enhancement.46

As discussed previously, there is evidence that in patients with diabetes, peripheral arterial disease is more aggressive, difficult to manage and associated with poorer outcomes.⁴⁷ A systematic review demonstrated that an intermittent pneumatic compression programme appeared promising and may be used in patients with severe peripheral arterial disease who were not candidates for surgical or endovascular revascularization. Claudication distance, rest pain, and rates of limb salvage

were improved across the spectrum of trials performed, associated with increased arterial blood flow, peak systolic velocity, end diastolic velocity and pulse volume.⁴⁸ A small randomized study with 12 months follow-up (n=30) in patients with stable intermittent claudication concluded that walking distance improved in these patients.⁴⁹ In addition to improved walking distance in stable claudicants, a prospective randomised controlled study with 1 year follow-up found an improvement in the ankle brachial pressure index, which is a measurement of peripheral haemodynamics, and improvement in quality of life.⁵⁰

A more recent study in patients with chronic lower limb ischaemia found a significant improvement in wound healing and limb salvage rates in the treated group. The intermittent pneumatic compression was delivered at an inflation pressure of 85–95mmHg, applied for 2 seconds with rapid rise (0.2 seconds), three cycles per minute, for three 2-hourly sessions per day.⁵¹

In DFUs, a double blind randomised controlled trial with 12 weeks follow-up also showed that oedema reduction by a pneumatic foot compression system increased the proportion of wound healing.⁵² Fifty-nine patients with diabetes were allocated to receive a functioning pulsatile pneumatic foot compression system achieved by way of a pump and wrap system following debridement of infected foot ulcers. The system included a bladder containing a foot wrap and a pump that intermittently fired bursts of air through tubing to the wrap, thereby emptying the foot veins. This group was compared against a placebo group of 56 patients who received a non-functioning device. Patients were asked to use the device 8 hours a day, in addition to weekly standard wound care that included wound debridement and offloading. Patients treated with active foot compression had a 75% healing rate compared with 51% in the placebo group (p<0.02; odds ratio, 2.9; 95% confidence interval, 1.2-6.8) and a greater degree of oedema reduction as shown by mean foot circumference measurements (23.8 vs. 25.7 cm, p<0.001) than those in the placebo group. However, a substantial number of patients in both groups found that it was inconvenient to have the device on and elevate their legs for 8 hours a day.

It would therefore appear that an intermittent pneumatic compression device with offloading property will have a potential combined effect of oedema reduction and offloading of high pressure areas, both of which are likely to improve diabetic foot ulcer healing. Randomised clinical trials, looking at a range of DFUs, are warranted to assess these effects on ulcer healing.

Conclusion

Treatment of oedema may further improve the outcomes of DFUs, over and above standard therapy. A device which is comfortable to increase concordance, able to Ho et al. 49



Key messages

- Diabetic foot ulcers are commonly associated with oedema
- Oedema reduction may improve healing of these ulcers

provide intermittent pneumatic compression to actively reduce oedema, and allow offloading can be useful for this purpose but further investigation will be required to provide a strong level of evidence.

Funding

This research received no specific grant from any funding agency in the public, commercial, or not-for-profit sectors.

Conflict of interest Statement

J.T. and R.D.L. provide clinical advice to the Diabetic Boot Company Ltd.

References

- Wild S, Roglic G, Green A et al. Global prevalence of diabetes: estimates for the year 2000 and projections for 2030. Diabetes Care 2004; 27: 1047-53.
- Diabetes UK. Reports and statistics. 2010. http://www.diabetes.org.uk/Professionals/Publications-reports-and-resources/Reports-statistics-and-case-studies/Reports/Diabetes-prevalence-2010/ (accessed 28 August 2011).
- 3. Walters DP, Gatling W, Mullee MA *et al.* The distribution and severity of diabetic foot disease: a community study with comparison to non-diabetic group. *Diabet Med* 1992; 9: 354-8.
- 4. Singh N, Armstrong DG, Lipsky BA. Preventing foot ulcers in patients with diabetes. *JAMA* 2005; 293: 217–28.
- 5. Pecoraro RE, Reiber GE, Burgess EM. Pathways to diabetic limb amputation. Basis for prevention. *Diabetes Care* 1990; 13: 513-21.
- Ramsey SD, Newton K, Blough D et al. Incidence, outcomes, and cost of foot ulcers in patients with diabetes. Diabetes Care 1999; 22: 382-7.
- 7. Bowering CK. Diabetic foot ulcers: pathophysiology, assessment, and therapy. *Can FamPhys* 2001; 47: 1007-16.
- 8. Oyibo SO, Jude EB, Voyatzoglou D, Boulton AJM. Clinical characteristics of patients with diabetic foot problems: changing patterns of foot ulcer presentation. *Practical Diabetes* 2002; 19: 10-12.
- Dormandy J, Heeck L, Vig S. Predicting which patients will develop chronic critical leg ischemia. Semin Vasc Surg 1999; 12: 138-41.
- Coccheri S. Approaches to prevention of cardiovascular complications and events in diabetes mellitus. *Drugs* 2007; 67: 997-1026.

- 11. Zochodone DW. Diabetic polyneuropathy: an update. *Curr Opin Neurol* 2008; 21: 527-33.
- Paraskevas KI, Baker DM, Pompella A, Mikhailidis DP. Does diabetes mellitus play a role in restenosis and patency rates following lower extremity peripheral arterial revascularization? A critical overview. *Ann Vasc Surg* 2008; 22: 481-91.
- 13. Dinh TL, Veves A. A review of the mechanisms implicated in the pathogenesis of the diabetic foot. *Lower Extremity Wounds* 2005; 4: 154-9.
- 14. Jude EB, Boulton AJ, Ferguson MW, Appleton I. The role of nitric oxide synthase isoforms and arginase in the pathogenesis of diabetic foot ulcers: possible modulatory effects by transforming growth factor beta 1. *Diabetologia* 1999; 42: 748-57.
- 15. Loots MA, Lamme EN, Zeegelaar J et al. Differences in cellular infiltrate and extracellularmatrix of chronic diabetic and venous ulcers versus acute wounds. J Invest Dermatol 1998; 111: 850-7.
- 16. Wagner FW. The dysvascular foot: a system of diagnosis and treatment. *Foot Ankle* 1981; 2: 64-122.
- 17. Lavery LA, Armstrong DG, Harkless LB. Classification of diabetic foot wounds. *J Foot Ankle Surg* 1996; 35: 528-31.
- 18. Oyibo SO, Jude EB, Tarawneh I *et al*. A comparison of two diabetic foot ulcer classification systems: the Wagner and the University of Texas wound classification systems. *Diabetes Care* 2001; 24: 84-8.
- 19. Terashi H, Kitano I, Tsuji Y. Total management of diabetic foot ulcerations: Kobe classification as a new classification of diabetic foot wounds. *Keio J Med* 2011; 60: 17-21.
- 20. Belcaro G, Bollinger A, Hoffman U, Nicolaides AN (eds.). *Laser Doppler Flowmetry*. London: Med-Orion, 1994.
- 21. Rayman G, Hassan A, Tooke JE. Blood flow in the skin of the foot related to posture in diabetes mellitus. *Br Med J* (*Clin Res Ed*) 1986; 292: 87-90.
- 22. Watkins PJ. The diabetic foot. BMJ 2003; 326: 977-9.
- 23. Belcaro G, Nicolaides AN, Volteas N, Leon M. Skin flow the venoarteriolar response and capillary filtration in diabetics. A 3-year follow-up. *Angiology* 1992; 43: 490-5.
- Apelqvist J, Larsson J, Agardh CD. The importance of peripheral pulses, peripheral oedema and local pain for the outcome of diabetic foot ulcers. *Diabet Med* 1990; 7: 590-4.
- 25. Bowering CK. Use of layered compression bandages in diabetic patients. Experience in patients with lower leg ulceration, peripheral edema, and features of venous and arterial disease. Adv Wound Care 1998; 11: 129-35.
- 26. Wu SC, Crews RT, Najafi B *et al.* Safety and efficacy of mild compression (18–25 mmHg) therapy in patients with diabetes and lower extremity edema. *J Diabetes Sci Technol* 2012; 6: 641-7.
- 27. Armstrong DG, Nguyen HC, Lavery LA *et al.* Off-loading the diabetic foot wound: a randomized clinical trial. *Diabetes Care* 2001; 24: 1019-22.

- 28. Wu SC, Jensen JL, Weber AK *et al.* Use of pressure off-loading devices in diabetic foot ulcers: do we practice what we preach? *Diabetes Care* 2008; 31: 2118-9.
- Shaw JE, Hsi WL, Ulbrecht JS et al. The mechanism of plantar unloading in total contact casts: implications for design and clinical use. Foot Ankle Int 1997; 18: 809-17.
- 30. Guyton GP. An analysis of iatrogenic complications from the total contact cast. *Foot Ankle Int* 2005; 26: 903-7.
- 31. Wukich DK, Motko J. Safety of total contact casting in high-risk patients with neuropathic foot ulcers. *Foot Ankle Int* 2004; 25: 556-60.
- 32. Lavery LA, Fleishli JG, Laughlin TJ *et al.* Is postural instability exacerbated by off-loading devices in high risk diabetics with foot ulcers? *Ostomy Wound Manage* 1998; 44: 26-32.
- Armstrong DG, Short B, Espensen EH et al. Technique for fabrication of an "instant total-contact cast" for treatment of neuropathic diabetic foot ulcers. J Am PodiatrMed Assoc 2002; 92: 405-8.
- Armstrong DG, Lavery LA, Wu S, Boulton AJ. Evaluation of removable and irremovable cast walkers in the healing of diabetic foot wounds: a randomized controlled trial. *Diabetes Care* 2005; 28: 551-4.
- 35. Katz IA, Harlan A, Miranda-Palma B *et al.* A randomized trial of two irremovable off-loading devices in the management of plantar neuropathic diabetic foot ulcers. *Diabetes Care* 2005; 28: 555-9.
- 36. Park DJ, Han SK, Kim WK. Is the foot elevation the optimal position for wound healing of a diabetic foot? *J Plast Reconstr Aesthet Surg* 2010; 63: 561-4.
- Caschman J, Blagg S, Bishay M. The efficacy of the A-V Impulse System in the treatment of posttraumatic swelling following ankle fracture: a prospective randomized controlled study. *J Orthop Trauma* 2004; 18: 596-601.
- 38. Stranks GJ, MacKenzie NA, Grover ML, Fail T. The A-V Impulse System reduces deep-vein thrombosis and swelling after hemiarthroplasty for hip fracture. *J Bone Joint Surg Br* 1992; 74: 775-8.
- Gardner AM, Fox RH, Lawrence C et al. Reduction of post-traumatic swelling and compartment pressure by impulse compression of the foot. J Bone Joint Surg Br 1990; 72: 810-5.

- 40. Andrews B, Sommerville K, Austin S *et al*. Effect of foot compression on the velocity and volume of blood flow in the deep veins. *Br J Surg* 1993; 80: 198-200.
- 41. Morgan RH, Carolan G, Psaila JV *et al.* Arterial flow enhancement by impulse compression. *J Vasc Surg* 1991; 25: 8-15.
- 42. Gaskell P, Parrott JCW. The effects of a mechanical venous pump on the circulation of the feet in the presence of arterial obstruction. *Surg Gynecol Obstet* 1978; 146: 583-92.
- 43. Delis KT, Azizi ZA, Stevens RGJ *et al.* Determining the optimum intermittent pneumatic compression stimulus for lower limb venous emptying using direct pressure measurements. *Eur J Vasc Endovasc Surg* 2000; 19: 261-270.
- 44. van Bemmelen PS, Mattos MA, Faught WE et al. Augmentation of blood flow in limbs with occlusive arterial disease by intermittent calf compression. J Vasc Surg 1994; 19: 1052-8.
- 45. Labropoulos N, Watson WC, Mansour MA *et al.* Acute effects of intermittent pneumatic compression on popliteal artery blood flow. *Arch Surg* 1998; 133: 1072-5.
- 46. Editorials. Endothelins. Lancet 1991; 12: 79-81.
- 47. Beckman JA, Creager MA, Libby P. Diabetes and atherosclerosis: epidemiology, pathophysiology, and management. *JAMA* 2002; 287: 2570-81.
- Labropoulos N, Wierks C, Suffoletto B. Intermittent pneumatic compression for the treatment of lower extremity arterial disease: a systematic review. *Vasc Med* 2002; 7: 141-8.
- Ramaswami G, D'Ayala M, Hollier LH et al. Rapid foot and calf compression increases walking distance in patients with intermittent claudication: Results of a randomized study. J VascSurg 2005; 41: 794-801.
- 50. Delis KT, Nicolaides AN. Effect of intermittent pneumatic compression of foot and calf on walking distance, hemodynamics, and quality of life in patients with arterial claudication: a prospective randomized controlled study with 1-year follow-up. *Ann Surg* 2005; 241: 431-41.
- Kavros SJ, Delis KT, Turner NS et al. Improving limb salvage in critical ischemia with intermittent pneumatic compression: a controlled study with 18-month followup. J VascSurg 2008; 47: 543-9.
- Armstrong DG, Nguyen HC. Improvement in healing with aggressive edema reduction after debridement of foot infection in persons with diabetes. *Arch Surg* 2000; 135: 1405-9.