

Editorial: Quaternary palaeoenvironmental proxies and processes – papers in honour of Professor Alayne Street-Perrott

Jonathan A. Holmes¹, Philip A. Barker² and Melanie J. Leng³

¹Environmental Change Research Centre, Department of Geography, University College London, Gower Street, London, WC1E 6BT, UK

²Lancaster Environment Centre, Lancaster University, Lancaster, LA1 4YQ, UK

³NERC Isotope Geosciences Facilities, British Geological Survey, Keyworth, Nottingham, NG12 5GG, UK and Centre for Environmental Geochemistry, School of Geography, University of Nottingham, Nottingham, NG7 2RD, UK

This special issue comprises a series of papers written by former PhD students, as well as friends and colleagues, to celebrate the career of Alayne Street-Perrott, who is currently Professor of Physical Geography at Swansea University. Alayne's research career has been exceptional, marked by novel, cutting-edge research of the very highest quality in several disciplines, which addresses 'big' questions in Quaternary Science. She has promoted the importance of tropical environments through international cooperation and leadership, and developed fundamental concepts. She has made an immense contribution to our understanding of global change in the Quaternary, raising the discipline to new levels of scientific rigour.

Alayne started her academic career with a degree in Geography from the University of Cambridge, followed by an MA in Geography & Geology from the University of Colorado. Her long interest in lakes and palaeoclimate began when she returned to Cambridge to undertake a PhD on Late Quaternary palaeohydrology of East Africa based on lake-level change in the Ziway-Shala Basin, Ethiopia, under the supervision Dick Grove. During her time at Cambridge, Alayne was also a visiting scholar at Addis Ababa University, Ethiopia, holder of a Royal Society Leverhulme Studentship and Attachée de Recherche, Laboratoire de Géologie du Quaternaire, CNRS, France. After her PhD, Alayne moved to the University of Oxford's School of Geography, eventually becoming Programme Leader in Palaeoclimatology at the Environmental Change Unit. She took up her current post of Research Professor (Physical Geography) in Swansea in 1995.

Alayne's work is focused on palaeoclimatology and biogeochemical cycling, mainly in low latitude regions and with particular emphasis on lake-sediment and peat records, but also involving comparisons of palaeoclimate data with modeling experiments. Her ground-breaking research has employed, and indeed developed, a wide variety of sedimentological, geochemical, isotopic and palaeoecological indicators for a diverse array of problems. Her early work on tropical lake-level variations (e.g. Grove et al., 1975; Street and Grove, 1976, 1979) inspired new directions in the use of databases in Quaternary science (Street-Perrott and Roberts, 1983; Street-Perrott and Harrison, 1984, 1985; Street-Perrott et al., 1989a) and as well as moving forward our understanding of the Quaternary in the tropics, which had hitherto been largely overlooked (Street, 1981). Her work on Milankovitch forcing of tropical monsoons undoubtedly paved the way for our understanding of long-term cycles of effective moisture in low-latitude regions, and involved broad international cooperation (e.g., within the Cooperative Holocene Mapping Project, COHMAP) with other palaeoclimatologists and with climate modelers (Kutzbach

and Street-Perrott, 1985; COHMAP Members, 1988. Kutzbach and Street-Perrott (1985) is especially noteworthy as being very highly cited, with more than 600 citations at the time of writing.

During the late 1980s and early 1990s, Alayne began to turn her attention to abrupt climate change. She was amongst the first scientists to identify the existence and significance of sub-Milankovitch scale climate changes in low latitude regions and the role of North Atlantic circulation in their forcing (Street-Perrott and Perrott, 1990; Street-Perrott, 1991). Subsequently, Alayne was a co-investigator in the NERC-Funded RAPID project on isotopes in precipitation as tracers for abrupt Holocene climate change events in the circum-North Atlantic region (Daley et al., 2011), playing a key role in the development oxygen-isotopes in peat cellulose (e.g. Daley et al., 2009, 2010; Loader et al., 2015), a methodology that has since been applied in South America (Daley et al., 2013). She has also long had interests in the role of humans and natural environmental processes in environmental change. The work of Alayne and her students in Mexico has helped to identify the complex interplay between climate change and human activity in driving landscape change during the Holocene (O'Hara et al., 1993). More recently, Alayne has turned her attention to palaeoenvironmental records of elemental cycling, using novel molecular isotopic indicators. In the high-altitudes of East Africa, Alayne revealed important findings about carbon cycling, and the role of $p\text{CO}_2$ as a driver of vegetation change on glacial-interglacial cycles from her lake studies (Street-Perrott et al., 1997, 1998a, 2004, 2007; Ficken et al., 1998; Huang et al., 2001; Barker et al., 2001). Her work on the silicon cycle (Street-Perrott and Barker 2008; Street-Perrott et al., 2008a,b) in lacustrine environments is at the cutting edge. After her 2014 EGU presentation, she was invited to review orbital forcing on the silicon cycle that she discovered in East African lakes, for *Quaternary Science Reviews*. The resulting paper (Cockerton et al., 2015) is an

internationally-significant contribution to this emerging science area. Alayne's regional specialisms have been in challenging parts of the world including East, West and North Africa (Street and Grove, 1976, Olago et al., 1999, 2000; Wooller et al., 2000; Street-Perrott et al., 2000; Cockerton et al., 2013), Mexico (Metcalfe et al., 1989; Street-Perrott et al., 1989b; O'Hara et al., 1994) the Himalayas (Street-Perrott and Goudie, 1984; Derbyshire et al., 1984; Goudie et al., 1984; Holmes and Street-Perrott, 1989; Holmes et al., 1989) and Jamaica (Street-Perrott et al., 1993; Holmes et al., 1995a,b). Until very recently, she has supported students, accompanying them in the field in these difficult regions, a testament to her career-long dedication to the advancement of her science. She has also been involved in the scientific supervision of students working in New Zealand (Stephens et al., 2012a,b).

Alayne has made countless contributions to the national and international research community throughout her career including NERC, the Royal Society, the QRA and RGS/IBG within the UK, and has represented UK global change science within COHMAP, PMIP, IPCC, IAMAP, IDEAL and INQUA. She has attracted prestigious amounts of funding from RCUK and other sources. She has recently been the recipient of a Lifetime Achievement Award from the International Paleolimnology Association (IPA) and was the 2015 winner of the Croll Medal of the UK Quaternary Research Association (QRA).

The papers in this volume reflect the breadth of Alayne's interests. Parker et al. (2016) examine sediment fluxes in early to mid-Holocene palaeo-lake deposits from the Arabian Peninsula and assess their palaeohydrological significance. Although Alayne has not worked in this part of the world, the study parallels the work that she led in the mid-1990s on Holocene interdunal lake sediments in West Africa, which formed a major part of the NERC-funded SAHEL (Subsaharan Africa; Hydrology, Environment, Limnology) project

(Holmes et al., 1997, 1998, 1999; Street-Perrott et al., 2000; Cockerton et al., 2014). It also makes a contribution to our understanding of the Holocene evolution of the African-Arabian monsoon system, which has formed a major part of Alayne's interests.

Webb et al. (2016) undertake a systematic assessment of the uptake of carbon isotopes into diatom frustules and the extent to which diatoms can provide natural archives of information about carbon cycling in lakes. This work echoes Alayne's interests in lacustrine archives of carbon cycling (e.g. Street-Perrott et al., 1997) and her pivotal role in the use of isotope tracers in biogenic silica in order to understand nutrient cycles and continental weathering (e.g. Leng et al., 2008). Alayne was the spearhead of the now well-established Isotopes in Biogenic Silica (IBiS) working group, who have met regularly over the last decade to discuss advances in biogenic silica research (e.g. Leng et al. 2008)

Alayne has long had research interest in Central Mexican climate and environment, first undertaking fieldwork there more than thirty years ago. The papers by Holmes et al. (2016) and Metcalfe et al. (2016) both relate to sites in Mexico. The former paper is based on a late Pleistocene palaeolimnological record from La Piscina de Yuriria, a crater lake from the Transmexican Volcanic Belt. It uses a multiple-indicator approach to reconstructing climate and catchment history during the late Pleistocene. Results show that whereas earlier phases of catchment disturbance were probably climatic in origin, increased catchment erosion during the Holocene was increasingly mediated by human activity. Alayne herself was involved in the coring of La Piscina de Yuriria and led the initial work at that site (as well as many others in Central Mexico), supervising or co-supervising three of the PhD students who worked there in the 1980s-1990s. The paper by Metcalfe et al. (2016) presents an early to mid-Pleistocene palaeolimnological record from Valsequillo Basin, also in Central Mexico. The authors present multiple lines of evidence to

characterise the past lacustrine system at this important megafaunal and palaeoanthropological site. The paper by Carson et al. (2016), which is focused on the Bolivian Amazon, uses a mid-to-late Holocene lake-sediment record in order to investigate pre-Columbian impacts on the environment using palaeoecological evidence. The study has strong parallels with work done by Alayne and her former students on anthropogenic modifications of the Central Mexican landscape (e.g. Metcalfe et al., 1989, 1994; O'Hara et al. 1993).

Roberts et al. (2016) present multiple-indicator records from two lake-sediment sequences in Cappadocia, Turkey. By comparing multiple climatic and environmental proxies from two lake sequences they are able to disentangle regional climate signals from those related to basin-specific processes, thus demonstrating the importance of careful site-specific evaluation of individual palaeolimnological records and the potential value of multiple-site approaches in palaeolimnology. This work echoes Alayne's characteristic approach of investigating painstaking detail at each site, whilst striving to identify regional patterns of change in the wider climate and environment from the site-specific records.

Alayne has long held interests in comparisons between climate modelling experiments and palaeoclimate data (Street-Perrott, 1991) arising initially from her work with the Oxford lake-level databank (e.g. Street-Perrott and Harrison, 1985), which was applied to understanding orbital forcing of monsoons (e.g. Kutzbach and Street-Perrott, 1985; Street-Perrott et al., 1990; Street-Perrott, 1991) and made an important contribution to the COHMAP project (COHMAP members, 1988). Harrison et al. (2016) provide a comprehensive overview of the contributions that palaeoclimate data have made to climate modelling experiments.

Robertson et al. (2016) present an analysis of adaptation of African trees to increasing CO₂ levels over the recent past and into the future. Although Alayne's work has not directly focussed on trees, this paper complements her research in two ways. First, her work on the East African mountain lakes over the last glacial cycle has led to important discoveries about the impact of changing pCO₂ on tropical forests. Second, Robertson's study focuses on Ethiopia, in which Alayne worked for her PhD, albeit on lakes.

Stephens et al. (2016) present a paper that examines the chronology of loess deposits in China and the role of monsoon forcing. This work relates to Alayne's work on monsoons and insolation forcing. Closer to home, Macleod and Davies (2016) present a critical interpretation of tephra in Slaggan Bog, a coastal site in Northwest Scotland. These authors take on a controversial topic and through development of the methodology. One of the characteristics of Alayne's work is to challenge orthodox interpretations and propose alternative explanations, for example in her papers on the silicon cycle.

Alayne has also been involved in the forefront in developing new isotope tracers, for example her work on *Sphagnum* cellulose from peat bogs. Two papers presented here by Daley et al. (2016) and Loader et al. (2016) are concerned with Holocene climate variability from Newfoundland and Patagonia. In the former, the authors present the first combined oxygen and hydrogen isotopic palaeoenvironmental record from *Sphagnum* cellulose from a peatland and show that the $\delta D/\delta^{18}O$ bi-plot correlates directly with existing measurements of the modern isotopic composition of precipitation from GNIP stations in Nova Scotia and Labrador, implying a close relationship between the estimated isotopic composition of source water used by the mosses and that of the source precipitation. In the latter the authors explored the potential of a site-specific 'space-for-time' approach, which they applied to a hummock-hollow transect on an ombrotrophic raised bog. Results reveal a range of environmental responses and the authors thus recommend conducting

site-specific characterisation of plant responses prior to the development of peat isotope records for palaeoenvironmental research.

The papers in this volume are a reflection of an exceptionally broad and diverse scientific career. Moreover, they also reveal a clear direction of travel in the subject from a relatively descriptive science with a focus on temperate and high latitudes to a global system perspective in which tropical processes propagate broad-scale changes and biogeochemistry connects atmospheric, terrestrial and aquatic environments. Future studies by Quaternary scientists using molecular, genetic and even Big Data approaches will benefit from Alayne's pioneering ability to harness state of the art techniques for the understanding of changes in Earth systems during the Quaternary period.

Alayne's exceptional career to date has included the authoring of more than 130 publications (see her Google Scholar listing for further information). Moreover, she has inspired and mentored a second and third generation of men and women in Quaternary science, including a good number who are now professors and scientific leaders in their own right. Alayne's research has been supported by her family. Her husband Alan Perrott's formidable logistical and field skills were the foundation of their major research projects in East and West Africa, Jamaica and Mexico. Alan very sadly died in 2002. Their daughter Marie has, over the years, been well known to the scientific community as an accompanying member on various field campaigns and conferences.

References

Barker PA, Street-Perrott FA, Leng MJ, Greenwood PB, Swain DL, Perrott RA, Telford RJ, Ficken KJ. 2001. A 14 ka oxygen-isotope record from diatom silica in two alpine lakes on Mt. Kenya. *Science*, **292**: 2307-2310.

Cockerton, HE, Street-Perrott FA, Leng MJ, Barker PA, Horstwood MS, Pashley V. 2013. Stable-isotope (H, O, and Si) evidence for seasonal variations in hydrology and Si cycling from modern waters in the Nile Basin: implications for interpreting the Quaternary record. *Quaternary Science Reviews*, **66**: 4-21,

Cockerton HE, Holmes JA, Street-Perrott FA, Ficken KJ. 2014. Holocene dust records from the West African Sahel and their implications for changes in climate and land-surface conditions. *Journal of Geophysical Research (Atmospheres)*, doi: 10.1002/2013JD021283.

Cockerton, HE, Street-Perrott FA, Barker PA, Leng MJ, Sloane HJ, Ficken KJ. 2015. Orbital forcing of glacial/interglacial variations in chemical weathering and silicon cycling within the upper White Nile basin, East Africa: Stable-isotope and biomarker evidence from Lakes Victoria and Edward. *Quaternary Science Reviews*, **130**: 57-71.

COHMAP Members. 1988. Major climatic changes since 18,000 yr BP: Observations and model simulations. *Science*, **241**: 1043-1052.

Daley TJ, Street-Perrott FA, Loader NJ, Barber KE, Hughes PM, Fisher EH, Marshall JD. 2009. Terrestrial climate signal of the "8200-yr cold event" in the Labrador Sea region. *Geology*, **37**: 831-834.

Daley TJ, Barber KE, Street-Perrott FA, Loader NJ, Marshall JD, Crowley SF, Fisher EH. 2010. Holocene climate variability revealed in *Sphagnum* cellulose oxygen-isotope and palaeoecological analyses from Walton Moss, northern England. *Quaternary Science Reviews*, **29**: 1590-1601.

Daley TJ, Thomas ER, Holmes JA, Street-Perrott FA, Chapman MR, Tindall JC, Valdes PJ, Loader NJ, Marshall JD, Wolff EW, Hopley PJ, Atkinson T, Barber KE, Fisher EH, Robertson I, Hughes PDM. 2011. The 8200 yr BP event in stable isotope records from the North Atlantic region. *Global and Planetary Change*, **79**: 288-302.

Daley TJ, Mauquoy D, Chambers FM, Street-Perrott FA, Hughes PDM, Loader NJ, Roland T, Garcia-Meneses P. 2013. Investigating late Holocene variations in hydroclimate and the stable isotope composition of precipitation using southern South American peatlands: an hypothesis. *Climate of the Past*, **8**: 1457-1471.

Daley TJ, Mauquoy D, Chambers FM, Street-Perrott FA, Hughes PDM, Loader NJ, Roland T, Garcia-Meneses P. 2013. Investigating late Holocene variations in hydroclimate and the stable isotope composition of precipitation using southern South American peatlands: an hypothesis. *Climates of the Past*, **8**: 1457-1471.

Derbyshire E, Li Jijun, Perrott F, Xu Shuying, Waters R. 1984. Quaternary glacial history of the Hunza Valley, Karakoram mountains, Pakistan. In: *International Karakoram Project volume two* [Miller KJ. (Ed.) Cambridge University Press: Cambridge; pp. 456-495.

Ficken KJ, Street-Perrott FA, Perrott RA, Swain D, Eglinton G. 1998. Glacial/interglacial variations in carbon cycling revealed by molecular and isotopic stratigraphy of Lake Nkunga, Mt. Kenya. *Organic Geochemistry*, **29**: 1701-1719.

Goudie AS, Brunnsden D, Collins D, Derbyshire E, Ferguson R, Hashmet Z, Jones DK Perrott F, Said M, Waters R, Whalley W. 1984. The geomorphology of the Hunza Valley,

Karakoram mountains, Pakistan. In: *International Karakoram Project volume two* [Miller KJ. (Ed.) Cambridge University Press: Cambridge; pp. 359-410.

Grove AT, Street FA, Goudie AS. 1975. Former lake levels and climatic change in the Rift Valley of Southern Ethiopia. *Geographical Journal*, **141**: 175-194.

Holmes JA, Street-Perrott FA. 1989. The Quaternary glacial history of Kashmir, north-west Himalaya. *Zeitschrift für Geomorphologie Supplementband*, **76**: 195-212.

Holmes JA, Allen MJ, Street-Perrott FA, Barber NGH, Ivanovich M, Perrott RA, Waller MP. 1999. Late Holocene palaeolimnology of Bal Lake, Northern Nigeria, a multidisciplinary study. *Palaeogeography, Palaeoclimatology, Palaeoecology*, **148**: 169-185.

Holmes JA, Fothergill PA, Street-Perrott FA, Perrott RA. 1998. A high-resolution Holocene ostracod record from the Sahel zone of Northeastern Nigeria. *Journal of Paleolimnology*, **20**: 369-380.

Holmes JA, Street-Perrott FA, Hales PE. 1992. Trace-element chemistry of non-marine ostracods as a means of palaeolimnological reconstruction: An example from the Quaternary of Kashmir, northern India. *Chemical Geology*, **95**: 177-186.

Holmes JA, Street-Perrott FA, Allen MJ, Fothergill PA, Harkness DD, Kroon D, Perrott RA. 1997. Holocene palaeolimnology of Kajemarum Oasis, Northern Nigeria: an isotopic study of ostracodes, bulk carbonate and organic carbon. *Journal of the Geological Society of London*, **154**: 311-319.

Holmes JA, Street-Perrott FA, Heaton THE, Darbyshire DPF, Davies NC, Hales PE. 1995a. Chemical and isotopic composition of karstic lakes in Jamaica, West Indies *Hydrobiologia*, **312**: 121-138.

Holmes JA, Street-Perrott FA, Ivanovich M, Perrott RA. 1995b. A late Quaternary palaeolimnological record from Jamaica based on trace-element chemistry of ostracod shells. *Chemical Geology*, **124**: 143-160.

Holmes JA, Street-Perrott FA, Perrott RA, Stokes S, Waller MP, Huang Y, Eglinton G, Ivanovich M. 1999. Holocene landscape evolution of the Manga Grasslands, NE Nigeria: Evidence from palaeolimnology and dune chronology. *Journal of the Geological Society of London*, **156**: 357-368.

Huang Y, Street-Perrott FA, Metcalfe SE, Brenner M, Moreland M, Freeman KH. 2001. Climate change as the dominant control on glacial-interglacial variations in C₃ and C₄ plant abundance. *Science*, **293**: 1647-1651.

Kutzbach JE, Street-Perrott FA. 1985. Milankovitch forcing of fluctuations in the level of tropical lakes from 18 to 0 kyr BP. *Nature*, **317**: 130-134.

Leng MJ, Street-Perrott FA, Barker PA. 2008. Isotopes in biogenic silica (IBiS). *Journal of Quaternary Science*, **23**: 311-312.

Loader NJ, Street-Perrott FA, Daley TJ, Hughes PDM, Kimak A, Levanič T, Mallon G, Mauquoy D, Robertson I, Roland TP, van Bellen S, Ziehmer MM, Leuenberger M. 2015.

Simultaneous determination of carbon, oxygen and hydrogen isotopes in cellulose.

Analytical Chemistry, **87**: 376-380.

Metcalfe SE, Street-Perrott FA, Brown RB, Hales PE, Perrott RA, Steininger FM. 1989.

Late Holocene human impact on lake basins in central Mexico *Geoarchaeology*, **4**: 119-141.

Metcalfe SE, Street-Perrott FA, O'Hara SL, Hales PE, Perrott RA. 1994. The

palaeolimnological record of environmental change: examples from the arid frontier of

Mesoamerica In: *Effects of Environmental Change in Drylands: Biogeographical and*

Geomorphological Perspectives [Millington AC, Pye K. (Eds.)], Wiley: Chichester; pp. 131-145.

O'Hara SL, Metcalfe SE, Street-Perrott FA. 1994. On the arid margin: the relationship

between climate, humans and the environment. A review of evidence from the highlands of central Mexico. *Chemosphere*, **29**: 965-981.

O'Hara SL, Street-Perrott FA, Burt TP. 1993. Prehispanic soil erosion around Lake

Pátzcuaro, Mexico. *Nature*, **362**: 48-51.

Olago DO, Street-Perrott FA, Perrott RA, Ivanovich M, Harkness DD. 1999. Late

Quaternary glacial-interglacial cycle of climatic and environmental change on Mt. Kenya,

Kenya. *Journal of African Earth Sciences*, **29**: 593-618.

Olago DO, Street-Perrott FA, Perrott RA, Ivanovich M, Harkness DD, Odada EO. 2000. Long-term temporal characteristics of palaeomonsoon dynamics in equatorial Africa. *Global and Planetary Change*, **26**: 159-171.

Stephens T, Atkin D, Augustinus P, Shane P, Lorrey A, Street-Perrott FA, Nilsson A, Snowball I. 2012a. A late glacial Antarctic climate teleconnection and variable Holocene seasonality at Lake Pupuke, Auckland, New Zealand. *Journal of Paleolimnology*, **48**: 785–800.

Stephens T, Atkin D, Cochran U, Augustinus P, Reid M, Lorrey A, Shane P, Street-Perrott FA. 2012b. A diatom-inferred record of reduced effective precipitation during the Last Glacial Coldest Phase (28.8–18.0 cal kyr BP) and increasing Holocene seasonality at Lake Pupuke, Auckland, New Zealand. *Journal of Paleolimnology*, **48**: 801–817.

Street FA. 1981. Tropical palaeoenvironments. *Progress in Physical Geography*, **5**: 157-185.

Street FA, Grove AT. 1976. Environmental and climatic implication of late Quaternary lake-level fluctuations in Africa. *Nature*, **261**: 385-390.

Street FA, Grove AT. 1979. Global maps of lake-level fluctuations since 30,000 BP. *Quaternary Research*, **12**: 83-118.

Street-Perrott FA. 1991. GCM modelling of palaeoclimates: A critique. *The Holocene*, **1**: 74-80.

Street-Perrott FA, Barker PA. 2008. Biogenic silica, a neglected component of the coupled global biogeochemical cycles of carbon and silicon: potential for investigation using Quaternary lake-sediment records. *Earth Surface Processes and Landforms*, **33**: 1436-1457.

Street-Perrott FA, Goudie AS. 1984. Techniques for the study of glacial fluctuations In: *International Karakoram Project volume one*. [Miller KJ. (Ed.) Cambridge University Press: Cambridge; pp. 94-100.

Street-Perrott FA, Harrison SP. 1984. Temporal variations in lake levels since 30,000 yr BP - An index of the global hydrological cycle. *Geophysical Monograph, American Geophysical Union*, **29**: 118-120.

Street-Perrott FA, Harrison SP. 1985. Lake-level fluctuations. In: *Paleoclimate Data and Modeling* [Hecht AD, (Ed.)]. John Wiley: New York; pp. 291-340.

Street-Perrott FA, Perrott RA. 1990. Abrupt climatic changes in the tropics - Influence of Atlantic Ocean circulation. *Nature*, **343**: 607-612.

Street-Perrott FA, Roberts N. 1983. Fluctuations in closed-basin lakes as an indicator of past atmospheric circulation patterns. In: *Variations in the Global Water Budget* [Street-Perrott A, Beran, M, Ratcliffe R. (Eds.)]. D Reidel: Dordrecht; pp. 331-345.

Street-Perrott FA, Marchand DS, Roberts N, Harrison SP. 1989a. Global Lake-Level Variations from 18,000 to 0 Years Ago: A Palaeoclimatic Analysis. *U.S. Department of Energy Technical Report, TRO46*, 213 pp.

Street-Perrott FA, Perrott RA, Harkness DD. 1989b. Anthropogenic soil erosion, Lake Pátzcuaro, Michoacán, Mexico, during the Preclassic and Late Postclassic - Hispanic Periods *American Antiquity*, **54**: 759-765.

Street-Perrott FA, Mitchell JFB, Marchand DS, Brunner JS. 1990. Milankovitch forcing of the tropical monsoons: A comparison of geological evidence and numerical simulations for 9,000 yBP. *Transactions of the Royal Society of Edinburgh, Earth Sciences*, **81**: 407-427.

Street-Perrott FA, Hales PE, Perrott RA, Fontes J-Ch, Pearson A. 1993. Limnology and palaeolimnology of a tropical karstic lake: Wallywash Great Pond, Jamaica. *Journal of Paleolimnology*, **9**: 3-22.

Street-Perrott FA, Huang Y, Perrott RA, Eglinton G, Barker, PA, Ben Khelifa L, Harkness, DD, Olago, DO. 1997. Impact of lower atmospheric CO₂ on tropical mountain ecosystems. *Science*, **278**: 1422-1426.

Street-Perrott FA, Huang Y, Perrott RA, Eglinton G. 1998. Carbon isotopes in lake sediments and peats of last glacial age: implications for the global carbon cycle. In: *Stable Isotopes: Integration of Biological, Ecological and Geochemical Processes*. [Griffiths H. (Ed.)] BIOS Scientific Publishers: Oxford; pp. 381-396.

Street-Perrott FA, Holmes JA, Allen MJ, Barber NGH, Fothergill PA, Harkness DD, Ivanovich M, Kroon D, Perrott RA, Waller MP. 2000. Drought and dust deposition in the West African Sahel: a 5500-year record from Kajemarum Oasis, Northeastern Nigeria. *The Holocene*, **10**: 293-302.

Street-Perrott FA, Ficken KJ, Huang Y, Eglinton G. 2004. Late Quaternary changes in carbon cycling on Mt. Kenya, East Africa: an overview of the $\delta^{13}\text{C}$ record in lacustrine organic matter. *Quaternary Science Reviews*, **23**: 861-879.

Street-Perrott FA, Barker PA, Swain DL, Ficken KJ, Wooller MJ, Olago DO, Huang Y. 2007. Late Quaternary changes in ecosystems and carbon cycling on Mt. Kenya, East Africa: a landscape-ecological perspective based on multi-proxy lake-sediment influxes. *Quaternary Science Reviews*, **26**: 1838-1860.

Street-Perrott FA, Barker PA, Leng MJ, Sloane HJ, Wooller MJ, Ficken KJ, Swain DL. 2008. Towards an understanding of Late Quaternary variations in the continental biogeochemical cycle of silicon: multi-isotope and sediment-flux data for Lake Rutundu, Mt. Kenya, East Africa, since 38 ka BP. *Journal of Quaternary Science*, **23**: 375-387.

Wooller MJ, Street-Perrott FA, Agnew ADQ. 2000. Late Quaternary fires and grassland palaeoecology of Mt. Kenya, East Africa: evidence from charred grass cuticles in lake sediments. *Palaeogeography, Palaeoclimatology, Palaeoecology*, **164**: 207-230.

List of figures

Fig. 1. Alayne Street-Perrott, standing in Lake Cuitzeo, Central Mexico, April 1981 (Photo credit: Sarah Metcalfe, University of Nottingham).