### SUPPLEMENTARY MATERIAL

### Socio-Economic Differences in Children's Growth Trajectories from Infancy into Early Adulthood: Evidence from four European countries

Authors: \*Cathal McCrory<sup>1</sup>, Neil O'Leary<sup>1</sup>, Silvia Fraga<sup>2</sup>, Ana Isabel Ribeiro<sup>2</sup>, Henrique Barros<sup>2</sup>, Noora Kartiosuo<sup>3</sup>, Olli Raitakari<sup>3</sup>, Mika Kivimäki<sup>4</sup>, Paolo Vineis<sup>5</sup> Richard Layte<sup>6</sup>, for the Lifepath Consortium.

Affiliation:

<sup>1</sup>The Irish Longitudinal Study on Ageing (TILDA), Trinity College Dublin, Ireland

<sup>2</sup>EPIUNIT, Institute of Public Health University of Porto, Porto, Portugal

<sup>3</sup>Research Centre of Applied and Preventive Cardiovascular Medicine (CAPC),, University of Turku

<sup>4</sup>Department of Epidemiology & Public Health, University College London, WC1E 6BT London, UK

<sup>5</sup>MRC-PHE Centre for Environment and Health, School of Public Health, Department of Epidemiology and Biostatistics, Imperial College London, Norfolk Place W21PG London UK

<sup>6</sup>Department of Sociology, Trinity College Dublin, Ireland

\* The members of the LIFEPATH Consortium are (alphabetic order): Harri Alenius, Mauricio Avendano, Henrique Barros, Murielle Bochud, Cristian Carmeli, Luca Carra, Raphaele Castagné, Marc Chadeau-Hyam, Françoise Clavel-Chapelon, Giuseppe Costa, Emilie Courtin, Cyrille Delpierre, Angelo D'Errico, Pierre-Antoine Dugué, Paul Elliott, Silvia Fraga, Valérie Gares, Graham Giles, Marcel Goldberg, Dario Greco, Allison Hodge, Michelle Kelly Irving, Piia Karisola, Mika Kivimäki, Vittorio Krogh ,Thierry Lang,Richard Layte, Benoit Lepage,Johan Mackenbach, Michael Marmot, Cathal McCrory, Roger Milne, Peter Muennig, Wilma Nusselder, Salvatore Panico, Dusan Petrovic, Silvia Polidoro, Martin Preisig, Olli Raitakari, Ana Isabel Ribeiro, Fulvio Ricceri, Oliver Robinson, Jose Rubio Valverde, Carlotta Sacerdote, Roberto Satolli, Gianluca Severi, Martin J Shipley, Silvia Stringhini, Rosario Tumino, Paolo Vineis, Peter Vollenweider, and Marie Zins.

*Corresponding author	: Dr. Cathal McCrory
Address:	The Irish Longitudinal Study on Ageing (TILDA)
	Lincoln Gate
	Trinity College Dublin
	Dublin 2
Email:	mccrorc@tcd.ie
Tel:	+353 1 8964263

### **DESCRIPTION OF THE COHORTS**

**Generation 21 (G21)** comprises a cohort of 8647 newborns recruited in 2005–2006 in the Porto Metropolitan Area, in northern Portugal. Recruitment occurred at the 5 public maternity units, which are responsible for 95% of all births in the region (remaining births occurred at private hospitals) <sup>1</sup>. During the hospital stay, women delivering live births were invited to participate, and 92% of mothers agreed. All who agreed were invited to be re-evaluated at 4 years of age (2009-2011) and then again at 7 years of age (2012-2014). Of the original enrolments, 7459 participants (86.3%) participated at the second wave and 5841 participants with measured height remained in the study at wave 3 (67.5%). The study was approved by the University of Porto Medical School/ Hospital S. João Ethics Committee and signed informed consent was required for all participants. Further information concerning the study is available in Correia et al.<sup>1</sup>

**The Growing Up in Ireland Study (GUI)** comprises two cohorts. The infant cohort comprises a nationally representative sample of 11,134 children who were aged 9 months upon recruitment into the study in 2008-2009 and were re-evaluated at 3 years (2010-2011) and 5 years of age (2013). The child cohort comprises a nationally representative sample of 8,568 children who were aged 9 years upon recruitment into the survey (2007-2008) and were re-evaluated at 13 years of age (2011-2012). The younger cohort were sampled from the Child Benefit Register whilst the older cohort was a two-stage sample with schools randomly sampled from the national sampling frame and the nine year old children randomly sampled in schools. The study has good retention rates with 9793 (88.0%) and 9001 (80.8%) of the original sample of the infant cohort consenting to participate at Waves 2 and 3 respectively; and 7525 (87.8%) of the child cohort consenting to participate in the second wave. Ethical approval for the Growing Up in Ireland child cohort was provided by the Health Research Board (HRB) of Ireland's standing Research Ethics committee. Ethical approval for the Growing Up in Ireland child cohorts are provided by the Department of Health and Children. Further details concerning the infant and child cohorts are provided in McCrory and Murray<sup>2</sup> and McCrory & Layte<sup>3</sup> respectively.

2

**The Millennium Cohort Study (MCS)** is a longitudinal study of child health and development that tracks the progress of a national sample of the UK population born throughout the United Kingdom (England, Scotland, Wales and Northern Ireland) between September 2000 and January 2002. There have been five sweeps of data collection at ages 9 months, 3 (2003-2004), 5 (2006-2007), 7 (2008-2009), and 11 years of age (2012-2013). Of the original Wave 1 enrolment of 18,818 children, 15,808 (84.0%), 15,459 (82.2%), 14,043 (74.6%), and 13,187 (70.0%) remained in the study at waves 2, 3, 4, & 5 respectively. As with GUI, MCS was sampled from the Child Benefit Register with children from disadvantaged wards and from minority populations intentionally oversampled. Ethical approval for the study was provided by the NHS Research Ethnics Committee (MREC). Informed consent is obtained from parents, as well as from the children themselves as they grow up. See Connelly & Platt<sup>4</sup> for more detail.

The EPITeen study - Epidemiological Health Investigation of Teenagers in Porto, is a random sample of 2159 thirteen-year-olds enrolled at public and private schools in Porto, Portugal during 2003-2004<sup>5</sup>. Wave two was completed in 2007-2008 when participants were aged 17 years of age, and a third evaluation in 2011-2013 when participants were aged 21 years of age. Of the 2159 original enrolments, 1716 participants (79.5%) participated at the second wave and 1318 participants (61.0%) remained in the study at the third wave. The Ethics Committee of the Hospital S. João and the Ethics Committee of the Institute of Public Health from the University of Porto approved this project, and appropriate standard procedures were developed to guarantee data confidentiality and protection. Written informed consent was obtained from parents, or legal guardians, and participants at 13 and 17 years, and from participants at 21 years. See Ramos et al.<sup>5</sup> for more detail.

**The Cardiovascular Risk in Young Finns Study (YFS)** collected data on 4320 children and adolescents aged 3, 6, 9, 12, 15 and 18 years at baseline who were randomly chosen from the population register of five Finnish cities with universities with medical schools to produce a representative sample of Finnish children. Of those invited (n=4320), 3596 (83%) participated in the

first cross-sectional study in 1980. Between 1980 and 1992, these cohorts were followed up at 3-year intervals. The follow-up field studies were performed for the whole study population in 1983 and 1986, when 2991 (83.2%) and 2799 (78.3%) subjects participated. In 1989 and 1992 questionnaires were sent to every individual, but only a subset of individuals had their height measured in these survey years so we omit these observations from the analysis. In 2001, 2283 subjects (63.5%) of the original cohort participated in clinical examinations. A detailed description of the sample can be found elsewhere <sup>6</sup>. Participants gave written informed consent and the study was approved by local ethics committees. Further information concerning the study is reported in Raitakari et al.<sup>6</sup>

Supplementary Table 1: Coding Schema Used to Derive the 3-Level Maternal Educational Variable within Each Cohort and Country and Percentage of the Sample within each Educational Grouping

	MCS	GUI-Infant	GUI-Child	G21	EPITeen	Young Finns
	(1) GCSE grades D-G	(1) No formal education	(1) Primary or less	(1) First cycle of basic	(1) 0-9 years formal	(1) Primary school
	(2) O level / GCSE grades A-	(2) Primary	(2) Lower secondary	education (4 <sup>th</sup> year)	schooling	(2) Primary school
	С	(3) Lower secondary		(2) Second cycle of		unfinished
				basic education (6 <sup>th</sup>		
Primary				year)		
				(3) Third cycle of basic		
				education (9 <sup>th</sup> year)		
	(56.9%)	(11.7%)	(17.6%)	(56.6%)	(54.9%)	(61.9%)
	(3) A / AS / S levels	(4) Upper secondary	(3) Upper secondary	(4) Secondary school	(3) 10-12 years of	(3) Secondary school
		(5) Technical or		(12 <sup>th</sup> grade)	formal schooling	finished / High school
		vocational qualification				unfinished
		(6) Both upper secondary				(4) Graduated from high
Secondary		and technical/vocational				school
		qualification				
	(14.1%)	(32.7%)	(31.5%)	(20.9%)	(23.4%)	(16.9%)
	(5) Diplomas in higher	(7) Non-degree	(4) Diploma /	(5) Bachelor degree	(4) 13+ years of formal	(5) Vocational degree
	education	(8) Degree	Certificate	(6) Degree	schooling	(6) Higher education
	(6) First degree	(9) Professional	(5) Primary degree	(7) Masters degree		degree
Tertiary	(7) Higher degree	qualification	(6) Postgraduate /	(8) Doctorate		
		(10) Degree and	Higher degree			
		professional qualification				
		(11) Postgraduate diploma				

	(12) Postgraduate Masters				
	degree				
	(13) Doctorate				
(29.0%)	(55.6%)	(50.9%)	(22.5%)	(21.8%)	(21.2%)

		Generation 21		
	Primary	Secondary	Tertiary	Total
	N (%)	N (%)	N (%)	N (%)
Birth	4827 (100.0)	1792 (100.0)	1933 (100.0)	8552 (100.0)
4 years	3097 (64.2)	1309 (73.0)	1519 (78.6)	5925 (69.3)
7 years	2951 (61.1)	1302 (72.7)	1573 (81.4)	5826 (68.1)
	G	rowing Up in Ireland	d	
	Primary	Secondary	Tertiary	Total
Infant cohort	N (%)	N (%)	N (%)	N (%)
9 months	1279 (100.0)	3588 (100.0)	6101 (100.0)	10968 (100.0)
3 years	1037 (81.1)	3085 (86.0)	5457 (89.4)	9579 (87.3)
5 years	934 (73.0)	2822 (78.7)	5138 (84.2)	8894 (81.1)
Child Cohort				
9 years	1431 (100.0)	2571 (100.0)	4155 (100.0)	8157 (100.0)
13 years	1192 (83.3)	2330 (90.6)	3851 (92.7)	7373 (90.4)
	Mi	llennium Cohort Stu	dy	
	Primary	Secondary	Tertiary	Total
	N (%)	N (%)	N (%)	N (%)
9 months*	10516 (100.0)	2611 (100.0)	5372 (100.0)	18499 (100.0)
3 years	7460 (70.9)	2007 (76.9)	4377 (81.5)	13844 (74.8)
5 years	7453 (70.9)	2003 (76.7)	4377 (81.5)	13833 (74.8)
7 years	6985 (66.4)	1937 (74.2)	4264 (79.4)	13186 (71.3)
11 years	6674 (63.5)	1841 (70.5)	4088 (76.1)	12603 (68.1)
		EPIteen		
	Primary	Secondary	Tertiary	Total
	N (%)	N (%)	N (%)	N (%)
13 years	1064 (100.0)	456 (100.0)	424 (100.0)	1944 (100.0)
17 years	839 (78.9)	395 (86.6)	378 (89.2)	1612 (82.9)
21 years	591 (55.5)	333 (73.0)	327 (77.1)	1251 (64.4)
		Young Finns		
	Primary	Secondary	Tertiary	Total
3 at baseline	N (%)	N (%)	N (%)	N (%)
1980 (3 years)	255 (100.0)	132 (100.0)	147 (100.0)	534 (100.0)
1983 (6 years)	240 (94.1)	121 (91.7)	128 (87.0)	489 (91.6)
1986 (9 years)	233 (91.4)	124 (93.9)	127 (86.4)	484 (90.6)
6 at baseline				
1980 (6 years)	278 (100.0)	115 (100.0)	157 (100.0)	550 (100.0)
1983 (9 years)	251 (90.3)	108 (93.9)	153 (97.5)	512 (93.0)
1986 (12 years)	248 (89.2)	92 (80.0)	139 (88.5)	479 (87.1)
9 at baseline				
1980 (9 years)	384 (100.0)	87 (100.0)	127 (100.0)	598 (100.0)
1983 (12 years)	357 (93.0)	84 (96.6)	118 (92.9)	559 (93.5)
1986 (15 years)	300 (78.1)	73 (83.9)	105 (82.7)	478 (79.9)

# Supplementary Table 2: Number of Height Measurements at Each Wave and Retention Rates by Maternal Educational Status.

12 at baseline				
1980 (12 years)	398 (100.0)	81 (100.0)	99 (100.0)	578 (100.0)
1983 (15 years)	363 (91.2)	76 (93.8)	89 (89.9)	528 (91.3)
1986 (18 years)	270 (67.8)	59 (72.8)	69 (69.7)	398 (68.9)
15 at baseline				
1980 (15 years)	340 (100.0)	70 (100.0)	83 (100.0)	493 (100.0)
1983 (18 years)	291 (85.6)	61 (87.1)	72 (86.7)	424 (86.0)
1986 (21 years)	221 (65.0)	45 (64.3)	45 (54.2)	311 (63.1)
18 at baseline				
1980 (18 years)	302 (100.0)	47 (100.0)	59 (100.0)	408 (100.0)
1983 (21 years)	244 (80.8)	34 (72.3)	41 (69.5)	319 (78.2)

\*Length / Height was not measured at baseline (i.e. 9 months of age) in the Millennium Cohort Survey

	Column A	Column B	Column C	Column D	Column E
	Primary	Secondary	Tertiary	Difference	Difference
				(Primary vs	(Primary vs
				Tertiary)	Tertiary)
	Mean (95% CI)	Mean (95% CI)	Mean (95% CI)	Mean (95% CI)	Log height
G21 (n=4377)					
Birth (2005/2006)	48.93 [48.83, 49.03]	49.18 [49.02, 49.34]	48.99 [48.83, 49.14]	-0.06 [-0.24, 0.13]	-0.12%
4 years (2009/2011)	102.45 [102.28, 102.62]	102.85 [102.58, 103.11]	102.93 [102.67, 103.18]	-0.48 [-0.78, -0.17]	-0.68%
7 years (2012/2014)	123.44 [123.19, 123.70]	123.63 [123.25, 124.01]	123.73 [123.37, 124.09]	-0.29 [-0.73, 0.16]	-0.16%
GUI (n=9782)					
9 months (2008/2009)	72.05 [71.79, 72.31]	72.26 [72.09, 72.43]	72.35 [72.21, 72.49]	-0.30 [-0.58, -0.02]	-0.42%
3 years (2010/2011)	93.16 [92.93, 93.39]	93.59 [93.44, 93.73]	93.74 [93.63, 93.86]	-0.59 [-0.84, -0.33]	-0.62%
5 years (2013)	110.35 [110.08, 110.63]	110.98 [110.81, 111.16]	111.18 [111.05, 111.31]	-0.83 [-1.13, -0.53]	-0.77%
9 years (2007/2008)	140.34 [139.96, 140.72]	141.37 [141.12 141.62]	141.61 [141.42, 141.80]	-1.27 [-1.69, -0.85]	-0.99%
13 years (2011/2012)	164.44 [163.84, 165.05]	165.88 [165.46, 166.30]	166.10 [165.78, 166.42]	-1.66 [-2.33, -0.99]	-1.11%
MCS (n=8294)					
3 years (2003/2004)	94.93 [94.81, 95.05]	95 19 [94.96, 95.42]	95.54 [95.38, 95.70]	-0.61 [-0.81, -0.41]	-0.64%
5 years (2006/2007)	109.21 [109.08, 109.34]	109.64 [109.39, 109.89]	110.14 [109.96,110.31]	-0.93 [-1.14, -0.71]	-0.83%
7 years (2008/2009)	122.26 [122.11, 122.41]	122.79 [122.49, 123.08]	123.42 [123.21,123.62]	-1.16 [-1.41, -0.90]	-0.95%
11 years (2012/2013)	144.65 [144.44, 144.85]	145.16 [144.77, 145.56]	146.02 [145.75, 146.30]	-1.38 [-1.72, -1.03]	-0.95%
EPITeen (n=931)					
13 years (2003/2004)	157.55 [156.82, 158.29]	159.11 [158.05, 160.17]	159.54 [158.45, 160.62]	-1.99 [-3.30, -0.67]	-1.28%
17 years (2007/2008)	173.41 [172.78, 174.04]	174.26 [173.36, 175.15]	174.48 [173.57, 175.40]	-1.07 [-2.19, 0.04]	-0.63%
21 years (2011/2013)	176.10 [175.43, 176.77]	176.86 [175.95, 177.76]	176.94 [176.03, 177.85]	-0.84 [-1.97, 0.29]	-0.48%

## Supplementary Table 3: Expected Length/Height in Centimetres at each age across Categories of Maternal Education by Cohort (Boys Only) - UNWEIGHTED

### Column A Column B Column C Column D Column E Primary Secondary Tertiary Difference Difference (Primary vs (Primary vs Tertiary) Tertiary) Mean (95% CI) Mean (95% CI) Mean (95% CI) Mean (95% CI) Log height G21 (n=4201) 48.20 48.30 48.24 -0.04 Birth (2005/2006) -0.09% [48.10, 48.30] [48.12, 48.47] [48.08, 48.40] [-0.23, 0.15]101.28 101.94 101.38 -0.11 4 years (2009/2011) -0.27% [101.10 101.46] [-0.42, 0.21] [101.66, 102.23] [101.13, 101.64] 122.36 123.12 122.38 -0.01 7 years (2012/2014) 0.04% [-0.46, 0.43] [122.11, 122.62] [122.71, 123.52] [122.01, 122.74] GUI (n=9798) 70.09 70.52 70.65 -0.56 9 months (2008/2009) -0.79% [69.82,70.36] [70.35, 70.69] [70.51, 70.79] [-0.84, -0.27] 91.82 92.25 92.53 -0.71 3 years (2010/2011) -0.76% [91.59, 92.04] [92.10, 92.40] [92.41, 92.65] [-0.96, -0.46] 109.33 109.78 110.18 -0.85 5 years (2013) -0.77% [109.08, 109.58] [109.62, 109.95] [110.05,110.31] [-1.13, -0.57] 139.28 139.83 140.42 -1.13 9 years (2007/2008) -0.80% [138.96, 139.61] [139.60, 140.05] [140.24, 140.59] [-1.49, -0.77] 162.48 163.17 163.89 -1.42 13 years (2011/2012) -0.87% [162.00, 162.96] [162.81, 163.52] [163.61, 164.18] [-1.96, -0.87] MCS (n=7917) 93.81 94.07 94.27 -0.46 3 years (2003/2004) -0.49% [93.69, 93.94] [93.83, 94.32] [94.11, 94.44] [-0.66, -0.25] 108.11 108.46 108.87 -0.77 5 years (2007/2008) -0.70% [107.98, 108.24] [108.20, 108.72] [108.70, 109.05] [-0.99, -0.55] 121.49 121.88 122.45 -0.95 7 years (2008/2009) -0.80% [121.57, 122.19] [-1.21, -0.69] [121.34, 121.65] [122.23, 122.66] 145.57 145.83 146.51 -0.95 11 years (2012/2013) -0.65% [145.35, 145.78] [145.40, 146.27] [146.22, 146.81] [-1.31, -0.58] EPITeen (n=1012) 156.47 157.65 158.93 -2.46 13 years (2003/2004) -1.59% [155.96, 156.98] [156.82, 158.48] [158.07, 159.80] [-3.47, -1.45] 160.45 161.45 162.98 -2.53 17 years (2007/2008) -1.59% [159.95, 160.94] [160.65, 162.25] [162.14, 163.81] [-3.50, -1.55] -2.45 161.20 162.18 163.65 21 years (2011/2013) -1.53% [160.70, 161.70] [161.38, 162.98] [162.81, 164.49] [-3.43, -1.48]

## Supplementary Table 4: Expected Length/Height in Centimetres at each age across Categories of Maternal Education by Cohort (Girls Only) - UNWEIGHTED

## Supplementary Table 5: Expected Length/Height in Centimetres at each age across Income Tertiles by Cohort (Boys Only)

	Column A	Column B	Column C	Column D	Column E
	Lowest	Intermediate	Highest	Difference	Difference
	Tertile	Tertile	Tertile	(Lowest vs	(Lowest vs
				Highest)	Highest)
	Mean (95% Cl)	Mean (95% CI)	Mean (95% CI)	Mean (95% CI)	Log height
G21 (n=3788)		· _ /			
	48.91	49.13	48.92	-0.02	0.050/
Birth (2005/2006)	[48.78, 49.04]	[49.01, 49.24]	[48.72, 49.13]	[-0.26, 0.23]	-0.05%
A	102.34	102.87	102.79	-0.45	0.00%
4 years (2009/2011)	[102.08, 102.59]	[102.66, 103.09]	[102.41, 103.16]	[-0.91, 0.00]	-0.63%
7 years (2012/2014)	123.17	123.78	123.54	-0.37	0.28%
7 years (2012/2014)	[122.83.01, 123.51]	[123.49, 124.06]	[123.04, 124.03]	[-0.97, 0.23]	-0.28%
GUI (n=9060)					
9 months (2008/2009)	71.91	72.24	72.17	-0.26	-0.33%
5 months (2000/2005)	[71.71 ,72.12]	[72.06, 72.42]	[71.98, 72.36]	[-0.50, -0.02]	0.3370
3 years (2010/2011)	93.23	93.50	93.64	-0.42	-0.43%
0 / 00.0 (2020/2022)	[93.04, 93.41]	[93.33, 93.66]	[93.48, 93.81]	[-0.64, -0.19]	0.4370
5 years (2013)	110.64	110.83	111.14	-0.50	-0.49%
- , ,	[110.43, 110.85]	[110.64, 111.01]	[110.96, 111.32]	[-0.77, -0.23]	0.4570
9 years (2007/2008)	141.14	141.06	141.66	-0.52	-0.51%
- / / /	[140.86, 141.42]	[140.80, 141.32]	[141.42, 141.91]	[-0.89, -0.16]	
13 years (2011/2012)	165.86	165.39	166.21	-0.35	-0.41%
	[165.31, 166.41]	[164.88, 165.90]	[165.73, 166.69]	[-1.06, 0.36]	
MCS (n=7612)					
	94.73	95.17	95.46	-0.73	
3 years (2003/2004)	[94.56, 94.90]	[95.02, 95.32]	[95.30, 95.61]	[-0.96, -0.50]	-0.76%
	108.94	109.63	110.05	-1.11	
5 years (2007/2008)	[108.76, 109.13]	[109.46, 109.80]	[109.88, 110.23]	[-1.37, -0.85]	-1.01%
	121.93	122.81	123.32	-1.38	
7 years (2008/2009)	[121.71, 122.16]	[122.61, 123.01]	[123.10, 123.53]	[-1.69, -1.07]	-1.15%
	144.25	145.31	145.83	-1.59	
11 years (2012/2013)	[143.96, 144.53]	[145.05, 145.57]	[145.56, 146.10]	[-1.98, -1.20]	-1.09%
EPITeen (n=554)					
13 years (2003/2004)	158.36	157.89	159.06	-0.70	-0.49%
- , (=, =	[156.31, 160.42]	[156.63, 159.15]	[157.94, 160.18]	[-3.04, 1.64]	,
17 years (2007/2008)	173.90	172.81	174.23	-0.33	-0.18%
, (=-0, , =000)	[172.54, 175.27]	[171.89, 173.73]	[173.35, 175.11]	[-1.95, 1.29]	
21 years (2011/2013)	176.41	175.53	176.80	-0.39	-0.21%
,00.0 (2011, 2010)	[174.94, 177.88]	[174.57, 176.49]	[175.89, 177.71]	[-2.11, 1.34]	0.21/0

## Supplementary Table 6: Expected Length/Height in Centimetres at each age across Income Tertiles by Cohort (Girls Only)

	Column A	Column B	Column C	Column D	Column E
	Lowest	Intermediate	Highest	Difference	Difference
	Tertile	Tertile	Tertile	(Lowest vs	(Lowest vs
				Highest)	Highest)
	Mean (95% CI)	Mean (95% CI)	Mean (95% CI)	Mean (95% CI)	Log height
G21 (n=3612)		()			
	48.04	48.39	48.35	-0.31	
Birth	[47.90, 48.18]	[48.27, 48.50]	[48.14, 48.56]	[-0.56, -0.06]	-0.67%
	101.20	101.66	101.49	-0.28	
4 years	[100.95 101.46]	[101.42, 101.90]	[101.12, 101.85]	[-0.73, 0.16]	-0.47%
	122.29	122.70	122.50	-0.21	
7 years	[121.96, 122.63]	[122.39, 123.00]	[122.03, 122.97]	[-0.78, 0.37]	-0.18%
GUI (n=9059)					
9 months	70.37	70.48	70.68	-0.30	-0.46%
∂ months	[70.17 ,70.58]	[70.28, 70.69]	[70.50, 70.85]	[-0.53, -0.08]	
3 vears	92.15	92.29	92.48	-0.33	-0.47%
5 years	[91.96, 92.35]	[92.12, 92.45]	[92.32, 92.65]	[-0.57, -0.09] -0	0.4770
5 vears	109.71	109.88	110.11	-0.40	-0.48%
s years	[109.49, 109.93]	[109.70, 110.07]	[109.92, 110.30]	[-0.69, -0.11]	
9 vears	139.73	140.01	140.40	-0.67	-0.52%
5 700.0	[139.48, 139.99]	[139.77, 140.25]	[140.17, 140.63]	[-1.00, -0.33]	
13 years	162.96	163.40	164.07	-1.11	-0.59%
,	[162.54, 163.39]	[163.05, 163.76]	[163.71, 164.43]	[-1.62, -0.60]	
MCS (n=7279)					
	93.52	93.96	94.28	-0.76	
3 years	[93.35, 93.69]	[93.80, 94.12]	[94.13, 94.43]	[-0.98, -0.53]	-0.80%
4 years 7 years GUI (n=9059) 9 months 3 years 5 years 9 years 13 years MCS (n=7279) 3 years 5 years 7 years 11 years EPITeen (n=571) 13 years 17 years	107.83	108.37	108.92	-1.09	1.0101
5 years	[107.65, 108.01]	[108.19, 108.55]	[108.75, 109.10]	[-1.34, -0.84]	-1.01%
7	121.23	121.83	122.49	-1.26	1.000/
7 years	[121.01, 121.46]	[121.61, 122.04]	[122.28, 122.70]	[-1.56, -0.95]	-1.06%
11	145.33	145.85	146.43	-1.10	0.70%
11 years	[145.03, 145.63]	[145.55, 146.14]	[146.14, 146.71]	[-1.52, -0.68]	-0.76%
EDIToon (n=571)					
LF116611 (11-3/1)	157.10	156.67	158.51	-1.41	
13 years	[156.03, 158.18]	[155.75, 157.59]	[157.60, 159.42]	-1.41 [-2.81, 0.00]	-0.92%
	160.72	160.78	162.35	-1.62	
17 years	[159.71,161.73]	[159.95, 161.62]	[162.35]		-1.02%
	161.46	161.59	163.02	[-2.96, -0.29] -1.55	
21 years	[160.43, 162.49]	[160.75, 162.43]	[163.02] [162.15, 163.89]	-1.55 [-2.90, -0.20]	-0.97%

### **Supplementary References**

- 1. Correia S, Rodrigues T, Barros H. Socioeconomic variations in female fertility impairment: a study in a cohort of Portuguese mothers. *BMJ open.* 2014;4(1):e003985.
- McCrory C, Murray A. The effect of breastfeeding on neuro-development in infancy. *Maternal and child health journal*. 2013;17(9):1680-1688.
- McCrory C, Layte R. Prenatal exposure to maternal smoking and childhood behavioural problems: a quasi-experimental approach. *Journal of abnormal child psychology*. 2012;40(8):1277-1288.
- Connelly R, Platt L. Cohort profile: UK millennium Cohort study (MCS). *International Journal of Epidemiology*. 2014;43(6):1719-1725.
- 5. Ramos E, Barros H. Family and school determinants of overweight in 13-year-old Portuguese adolescents. *Acta Paediatrica*. 2007;96(2):281-286.
- Raitakari OT, Juonala M, Rönnemaa T, et al. Cohort profile: the cardiovascular risk in Young Finns Study. *International Journal of Epidemiology*. 2008;37(6):1220-1226.