



Measurement of differential cross sections of isolated-photon plus heavy-flavour jet production in pp collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector

The ATLAS Collaboration *



ARTICLE INFO

Article history:

Received 26 October 2017

Received in revised form 21 November 2017

Accepted 22 November 2017

Available online 5 December 2017

Editor: W.-D. Schlatter

ABSTRACT

This Letter presents the measurement of differential cross sections of isolated prompt photons produced in association with a b -jet or a c -jet. These final states provide sensitivity to the heavy-flavour content of the proton and aspects related to the modelling of heavy-flavour quarks in perturbative QCD. The measurement uses proton–proton collision data at a centre-of-mass energy of 8 TeV recorded by the ATLAS detector at the LHC in 2012 corresponding to an integrated luminosity of up to 20.2 fb^{-1} . The differential cross sections are measured for each jet flavour with respect to the transverse energy of the leading photon in two photon pseudorapidity regions: $|\eta^\gamma| < 1.37$ and $1.56 < |\eta^\gamma| < 2.37$. The measurement covers photon transverse energies $25 < E_T^\gamma < 400 \text{ GeV}$ and $25 < E_T^\gamma < 350 \text{ GeV}$ respectively for the two $|\eta^\gamma|$ regions. For each jet flavour, the ratio of the cross sections in the two $|\eta^\gamma|$ regions is also measured. The measurement is corrected for detector effects and compared to leading-order and next-to-leading-order perturbative QCD calculations, based on various treatments and assumptions about the heavy-flavour content of the proton. Overall, the predictions agree well with the measurement, but some deviations are observed at high photon transverse energies. The total uncertainty in the measurement ranges between 13% and 66%, while the central $\gamma + b$ measurement exhibits the smallest uncertainty, ranging from 13% to 27%, which is comparable to the precision of the theoretical predictions.

© 2017 The Author. Published by Elsevier B.V. This is an open access article under the CC BY license (<http://creativecommons.org/licenses/by/4.0/>). Funded by SCOAP³.

1. Introduction

The production of isolated prompt photons in association with a jet containing a b - or c -hadron provides a testing ground for perturbative quantum chromodynamics (pQCD), the content of the proton and the treatment of heavy quarks in matrix element (ME) and parton shower (PS) computations. Prompt photons, which refer to those not arising from hadron decays, are targeted by requiring that their signals are isolated, i.e. well separated from other energetic signals. The most recent measurements of these final states were performed at the Tevatron proton–antiproton collider by the D0 [1,2] and CDF [3] collaborations. The Large Hadron Collider (LHC) produces proton–proton (pp) collisions at much higher centre-of-mass energies. Compared to the proton–antiproton collisions of the Tevatron, these collisions exhibit smaller contributions from t -channel quark–antiquark processes, allowing other processes sensitive to the heavy-quark content of the proton to play a more significant role.¹

Prompt photons (γ) can be used as a colourless non-hadronizing probe of parton dynamics that yields a clean experimental signature [4–16]. Processes containing final state b - or c -quarks play an important role in many LHC physics analyses and therefore the accuracy of the description of this heavy-flavour (HF) content of the proton must be investigated [17–21]. HF jets are defined as jets which contain either a b - or c -hadron.

At the LHC, prompt photons arise mainly through the Compton process, initiated by a quark (q) and a gluon (g), $qg \rightarrow q\gamma$. HF quarks arise in the proton through either extrinsic or intrinsic mechanisms. Extrinsic refers to HF quarks arising through perturbative mechanisms in the proton, while intrinsic refers to non-perturbative mechanisms. Presently, global parton distribution function (PDF) fits show that HF quarks in the proton are almost entirely extrinsic, however non-zero values of the intrinsic contribution have not been ruled out [22]. The photon transverse energy observable provides sensitivity to these effects, by taking advantage of its precise calibration while integrating over the less precise jet kinematic observables. The effect of intrinsic HF quarks in the PDF would be manifest at large Bjorken- x , which in the context of this measurement would give rise to larger cross-section values at large absolute photon pseudorapidities, $|\eta^\gamma|$, with high photon

* E-mail address: atlas.publications@cern.ch.

¹ In the context of a photon + jet final state, s -channel quark–antiquark processes are suppressed due to the isolation requirement imposed on the photon.

transverse energy, E_T^γ .² Due to their smaller mass, c -quarks are more sensitive to these effects than b -quarks.

As the value of the mass of the b -quark, m_b , is much greater than the non-perturbative scale of QCD, it can be included explicitly in pQCD calculations. The calculations of the $\gamma + b$ cross sections can thus be done in two different schemes: the four-flavour scheme (4F) and the five-flavour scheme (5F) [23]. In the 4F scheme, the u -, d -, s - and c -quarks are treated as massless in the ME, while the b -quark is treated as massive. PDFs describing the proton with only the lightest four quarks are used in the calculations. Most of the b -quarks are dynamically generated in the matrix element through the splitting of a gluon. In the 5F scheme, the b -quark is also treated as massless and PDFs describing the proton with these five quarks are used in the calculations. The b -quark can thus be an initial-state quark in the matrix element. As such, the diagrams considered at a particular order in pQCD differ between the 4F and 5F schemes. In the 4F scheme, the mass of the b -quark gives rise to terms proportional to $\log(Q^2/m_b^2)$. At energies far above m_b , these logarithmic terms are large and spoil the convergence of the perturbative series. The 5F scheme avoids this issue since these logarithmic terms are resummed into the b -quark PDF. As such the 5F scheme is expected to give a better description of processes at energies far above m_b . In a calculation to all orders in pQCD, however, both schemes should yield the same result.

Theoretical predictions using leading-order (LO) and next-to-leading-order (NLO) pQCD matrix element calculations, interfaced to a PS, are computed using different PDF sets and compared to the measurement. In addition to the nominal sets with no intrinsic charm component in the 5F scheme, predictions are made using sets in the 4F scheme for $\gamma + b$ and sets that incorporate various degrees of intrinsic charm contribution for $\gamma + c$.

This Letter presents a fiducial differential measurement of the production cross section of a prompt isolated photon in association with a b -jet or a c -jet in pp collisions using the ATLAS detector. The transverse photon energy, E_T^γ , is required to satisfy $E_T^\gamma > 25$ GeV, the jet transverse momentum, p_T^{jet} , is required to satisfy $p_T^{\text{jet}} > 20$ GeV and the absolute pseudorapidity of the jet, $|\eta^{\text{jet}}|$, is required to satisfy $|\eta^{\text{jet}}| < 2.5$. In each bin of the measurement a background-enriched sideband technique is used to extract the prompt photon signal, while a template fit of a neural-network jet flavour-tagging discriminant is used to extract the HF signal. The measured signal is then corrected for detector effects, mapping it from the detector level to the particle level. The measurement is performed in bins of E_T^γ for two regions of $|\eta^\gamma|$: the central region with $|\eta^\gamma| < 1.37$ reaching up to 400 GeV in E_T^γ and the forward region with $1.56 < |\eta^\gamma| < 2.37$ reaching up to 350 GeV in E_T^γ . The ratios of the cross sections in the central to the forward regions are also presented for each flavour, as systematic and theoretical uncertainties that are correlated between the two regions then cancel out.

2. ATLAS detector

The ATLAS detector [24] is designed to measure the particles produced by the collisions provided by the LHC with almost complete solid angle coverage of the collision point. The inner de-

tector (ID), immersed in a 2 T axial magnetic field provided by an encompassing thin superconducting solenoid, is located nearest to the beam pipe and comprises a high-granularity pixel detector, a silicon microstrip tracker and a straw-tube transition radiation tracker. The ID provides tracking and vertexing information, which plays a crucial role in this measurement identifying photons and HF decay vertices associated with jets. Its acceptance, up to $|\eta| = 2.5$, imposes the upper bound on the $|\eta|$ acceptance of the analysis. The electromagnetic calorimeter (ECAL) surrounds the ID and is used to measure electromagnetic showers. Within the $|\eta|$ acceptance of this analysis, the ECAL is a high-granularity lead/liquid-argon sampling calorimeter using an accordion geometry that provides complete azimuthal coverage and comprises three radial layers augmented by a thin presampler. The presampler, which covers $|\eta| < 1.8$ and is located in front of the ECAL strips, is used to measure early electromagnetic showers. The innermost ECAL layer is the thinnest and uses highly segmented strips in η , which help to characterize shower shapes. The second layer is the thickest with a coarser granularity and collects most of the photon energy. The third layer is the least granular and is used to correct high-energy signals for leakage. Between the ECAL barrel and endcap detectors there is a transition region, located at $1.37 < |\eta| < 1.56$, where the photon reconstruction and identification are poorer. The hadronic calorimeter (HCAL) encloses the ECAL and is used to measure hadronic showers. The HCAL consists of a steel/plastic-scintillator sampling calorimeter for $|\eta| < 1.7$ and a copper/liquid-argon sampling calorimeter for $1.5 < |\eta| < 3.2$. Surrounding the HCAL is the muon spectrometer, equipped with large superconducting air-core toroidal magnets and comprising separate sets of detectors for triggering and for precision muon track reconstruction. A three-level trigger system is used to select photon signals. The first-level trigger is a coarse-granularity hardware-based trigger that limits the event rate to 75 kHz. The second- and third-level triggers are software-based and make use of the full detector granularity, reducing the event rate to about 400 Hz.

3. Monte Carlo simulations and theoretical predictions

The SHERPA 1.4.5 [25] and PYTHIA 8.160 [26] Monte Carlo (MC) event generators are used to simulate signal events of prompt photons accompanied by jets at LO in pQCD. The cross sections predicted by both these MC generators are compared to the measured values. SHERPA is also used to derive correction factors used in the data analysis while PYTHIA is used to assess some modelling uncertainties.

SHERPA is used in the ME + PS prescription [27] to generate events containing a photon and a parton, with up to three additional partons. All photon emissions are effectively simulated by the combination of the tree-level matrix elements including additional partons and the parton shower [28]. Collinear divergences from the photon are regularized by requiring a minimum angular separation of $\Delta R = \sqrt{(\Delta\eta)^2 + (\Delta\phi)^2} = 0.3$ between the photon and any parton. PYTHIA is used to generate $2 \rightarrow 2$ events containing either a photon and a parton or two partons, where photons in the latter case are produced in the initial- and final-state radiation. The non-perturbative QCD models used for the parton shower, the hadronization and the hadron decays are different between SHERPA [29,30] and PYTHIA [31,32]. Both generators also include the effects of the underlying event. For the event generation with SHERPA, the five-flavour CT10 PDF set [33] is used in conjunction with dedicated parton shower tuning developed by the SHERPA authors. For the event generation with PYTHIA, the five-flavour LO CTEQ6L1 PDF set [34] is used with the AU2 set of tuned MC parameters [35]. In the calculation of the matrix element, SHERPA uses massive quarks, thus its calculations are in a massive 5F

² ATLAS uses a right-handed coordinate system with its origin at the nominal interaction point (IP) in the centre of the detector and the z -axis along the beam pipe. The x -axis points from the IP to the centre of the LHC ring and the y -axis points upward. Cylindrical coordinates (r, ϕ) are used in the transverse plane, ϕ being the azimuthal angle around the z -axis. The pseudorapidity is defined in terms of the polar angle θ as $\eta = -\ln \tan(\theta/2)$. The rapidity is defined as $y = (1/2) \cdot \ln((E + p_z)/(E - p_z))$.

scheme, while PYTHIA uses massless quarks, thus its calculations are in a standard 5F scheme. Both generators use massive b - and c -quarks in the parton showers. A GEANT4 simulation [36] of the ATLAS detector [37] is used to simulate the interactions between the particles and the detector. During the simulation, the signal events are overlaid with multiple pp collisions generated with the soft QCD processes of PYTHIA using the A2 set of tuned MC parameters [35] and the MSTW2008LO PDF set [38]. The resulting events are scaled to the integrated luminosity measured in the data. They are also weighted to reproduce the observed distribution in data of the number of reconstructed primary vertices and the size of the luminous region along the beam axis.

In addition, NLO pQCD particle-level predictions calculated using MADGRAPH5_aMC@NLO 2.3.3 [39] in the 5F scheme, interfaced to PYTHIA 8.212 [40] in the NLO + PS prescription, are used to interpret the measurement. For the $\gamma + b$ cross section, the 4F scheme is also considered. In the 5F scheme, events containing a photon and a jet are generated. After hadronization, only events with a jet containing a HF hadron are considered. In the 4F scheme, b -quarks are pair-produced from a gluon, hence events containing a photon and two b -quarks are generated. In contrast to the 5F scheme, all generated events are considered as they all contain at least one b -quark at parton level. In both schemes, the photon collinear divergences are regularized in the matrix element by requiring the photons to pass a Frixione isolation cut [41]: $E_T^{\text{iso}}(\delta) < \epsilon E_T^\gamma ((1 - \cos \delta)/(1 - \cos \delta_0))^n$ with parameters $\delta_0 = 0.4$, $n = 1$ and $\epsilon = 1$, where $E_T^{\text{iso}}(\delta)$ is the sum of the transverse energies of the particles around the photon up to an angular separation of δ in the η - ϕ space. The renormalization and factorization scales, μ_R and μ_F respectively, are chosen to be equal to the transverse mass of the clustered jets, obtained after all final-state particles from the matrix element are k_t -clustered [42] into jets. This choice follows the recommendations in Ref. [39] when interfacing the MADGRAPH5_aMC@NLO calculations to PYTHIA. The $\gamma + b$ predictions use the NNPDF3.0nlo³ 4F and 5F PDF sets [43], while the $\gamma + c$ predictions use NNPDF3.1nlo [44] and CT14nnlo [45]. The NNPDF3.1nlo sets include a set with a charm contribution fitted to data in the global PDF fit, equivalent to intrinsic charm contributing 0.26% of the proton momentum, and another with only perturbative charm. CT14nnlo provides two sets using the BHPS model [46] that include intrinsic charm contributions [47]: one with 0.6% of the proton momentum assigned to intrinsic charm, BHPS1, and one with 2.1%, BHPS2. The PDF sets include the running of the strong coupling constant, using a value at the energy scale of the mass of the Z boson of $\alpha_S(M_Z) = 0.118$. This treatment of α_S is used in both the PDFs and the matrix elements. The electromagnetic coupling constant is set to $\alpha = 1/137$ and its running is not included in the calculations [48].

Three types of uncertainties are considered in the NLO predictions. The scale uncertainty is assessed by multiplying or dividing by a factor of two μ_R and μ_F , separately and simultaneously. The envelope of the deviations from the nominal prediction is taken as the uncertainty. The uncertainty in the PDF sets is propagated to the cross sections using the prescribed eigenvector reduction approach for the CT14nnlo sets, which gives an uncertainty at the 90% confidence level. For the NNPDF3.0nlo and NNPDF3.1nlo PDF sets, the PDF uncertainty is assessed through the use of PDF replicas. The uncertainty due to the α_S value used in the predictions is assessed by varying up or down its value at the energy scale of the mass of the Z boson by 0.002 simultaneously in the matrix el-

ement and the PDF sets, resulting in an uncertainty in the cross sections at the 90% confidence level. In all cases, the uncertainties are reported at the 68% confidence level in the comparisons to data. The total theoretical uncertainty in the NLO predictions is the sum in quadrature of these three uncertainties. The scale uncertainty dominates the total uncertainty in the cross sections. The total uncertainty decreases with E_T^γ for the $\gamma + b$ and $\gamma + c$ cross sections, from around 25% to around 15% in the measured range. These uncertainties are also evaluated for the ratio of the cross section in the central photon pseudorapidity region to that in the forward region by separately propagating each uncertainty variation to the ratio, assuming full correlations between the two regions. The uncertainties are then assessed in a similar way as those in the cross sections. The total uncertainty in the cross-section ratios is nearly constant with E_T^γ and is about 5%. The scale uncertainty dominates the total uncertainty in the cross-section ratios, except in the case of the predictions using the fitted charm PDF set from NNPDF3.1nlo, for which the PDF uncertainty dominates. The total uncertainty in the cross-section ratios using this fitted charm PDF increases with E_T^γ , from about 5% at 25 GeV to about 15% at 350 GeV. No uncertainties are assessed for the LO predictions as the scale uncertainties are expected to be large and unreliable.

4. Event selection and calibration

This measurement makes use of the full dataset of pp collisions at a centre-of-mass energy of 8 TeV, recorded by the ATLAS detector in 2012. Only events taken during stable beam conditions when the ATLAS detector operation satisfied data-quality conditions are considered. Single-photon triggers with E_T^γ thresholds of 20, 40, 60, 80, 100 and 120 GeV, which have efficiencies measured to be greater than 99% with respect to the offline selection requirements, were used to record events. Below 125 GeV, each bin of the measurement is populated by a single trigger, while the remaining bins are all populated by the highest threshold trigger. Due to their higher rates and considering the available bandwidth, all but the 120 GeV trigger were prescaled, such that only some of the events satisfying the trigger requirement were recorded. Events recorded by a prescaled trigger are weighted by the ratio of the unprescaled recorded luminosity to the recorded luminosity of the respective trigger. The integrated luminosity of the data ranges from $4.58 \pm 0.09 \text{ pb}^{-1}$ for the 20 GeV trigger to $20.2 \pm 0.4 \text{ fb}^{-1}$ for the unprescaled 120 GeV trigger [49].

Events are required to have a hard reconstructed primary vertex consistent with the nominal interaction point and at least two associated tracks with transverse momentum, p_T , greater than 400 MeV. In events where more than a single vertex satisfies these criteria, the vertex with the highest $\sum p_T^2$ of associated tracks is considered as the hard vertex. The dataset exhibits an average of 19 pp interactions per bunch crossing, where the interactions not associated to the hard vertex are referred to as *pile-up*, an effect that is taken into account in the reconstruction. Effects related to events containing more than one hard vertex are estimated to be negligible, below the percent level, and are not considered.

Detector-level photon candidates are built from ECAL cell clusters with transverse energies greater than 2.5 GeV. They fall into two categories: unconverted and converted photons. Unconverted photons have no tracks associated with the cluster. Converted photons have associated tracks that are consistent with the signature of a photon interacting upstream. The overall photon reconstruction efficiency is 96% for prompt photons with $E_T^\gamma > 25 \text{ GeV}$ [50]. Converted and unconverted photons are calibrated separately, making use of both the calorimeter and the tracking information to correct the calorimeter response for upstream energy losses and leakage [51]. In the simulation, only detector-level photons that

³ NNPDF3.1nlo PDF sets with a 4F description of the proton were not available when this analysis was conducted. The PDF sets with a 5F description of the proton were found to produce consistent results between NNPDF3.0nlo and NNPDF3.1nlo.

match a particle-level prompt photon using a cone of $\Delta R = 0.2$ are considered. Detector-level photon candidates are subject to a two-stage shower-shape-based identification criterion. The first stage scrutinizes the leakage into the hadronic calorimeter, the lateral size and shape of the cluster in the second ECAL layer and the shower width in the first ECAL strip layer [50]. The second stage imposes additional criteria that are sensitive to the lateral shape of the shower in the ECAL strip layers, providing discrimination against neutral hadron decays into pairs of photons. This stage can be inverted to populate background enriched sideband regions. These two stages, which together are referred to as the *tight* criteria, are used in previous ATLAS prompt-photon analyses [4–11]. In the simulation, the distributions of the shower-shape variables used for photon identification are corrected to reproduce those observed in the data. Further, event weights are applied to simulated events whose leading photon satisfies the tight selection criteria such that the identification efficiency matches that of the data for both the converted and unconverted photons. These event weights are typically within 3% of unity.

Both the detector-level and particle-level photon candidates are required to exhibit an isolated signal, a requirement that targets prompt-photon production and discriminates against jets misidentified as photons. This criterion is imposed through the definition of the calorimeter isolation variable E_T^{iso} . This variable is defined at the detector level as the sum of the transverse energies recorded in clusters within a distance of $\Delta R = 0.4$ around the photon, excluding the contributions in a fixed-size window centred on the photon candidate of size 0.125×0.1715 in $\Delta\eta \times \Delta\phi$. The variable is then corrected for contributions from the pile-up and the underlying-event [7]. In the simulations, corrections are also applied to account for mismodelling of the mean and the spread of the detector-level E_T^{iso} distribution. These corrections are derived by matching the simulated E_T^{iso} distribution to the signal photon E_T^{iso} distribution extracted from data using a data-driven template fit. In the simulation, the particle-level E_T^{iso} is calculated by adding the transverse energy of all particles with a lifetime greater than 10 ps within a distance of $\Delta R = 0.4$ around the photon. Muons and neutrinos, however, are excluded since they deposit little or no energy in the calorimeter. The E_T^{iso} is then corrected for the energy density of the underlying event [52]. A sliding E_T^{iso} requirement is used to impose the isolation criterion at both the detector level and the particle level: $E_T^{\text{iso}} < 4.8 \text{ GeV} + 0.0042 \times E_T^\gamma$. The E_T^γ dependent nature of the requirement improves the acceptance of high- E_T^γ signal photons, yielding a roughly constant 92% signal efficiency. The efficiency for isolated detector-level unconverted (converted) photons in the data to satisfy the tight criteria is approximately 75% (75%) for an E_T^γ of 25 GeV and 95% (98%) for 400 GeV [50]. The E_T^{iso} requirement is inverted with a 2 GeV gap, $E_T^{\text{iso}} > (4.8+2) \text{ GeV} + 0.0042 \times E_T^\gamma$, to populate regions used for the photon background sideband subtraction. The 2 GeV gap is used to reduce the amount of signal in the sideband regions.

Detector-level jets are built using the anti- k_t algorithm [53], implemented in the FastJet package [54], taking as input calibrated topological clusters [55] in the calorimeter and a parameter of $R = 0.4$. The jets undergo a five-stage sequential calibration [56]. This calibration includes corrections based on the cluster shape and location, the jet area and pile-up [52], the response of simulated particle-level jets, the combined shower-structure and tracking information and finally the data-driven $\gamma + \text{jet}$, $Z + \text{jet}$ and multijet p_T -balance of the energy scale [57]. Detector-level jets are required to satisfy quality criteria that ensure they are not affected by, or are the result of, detector defects and noise, cosmic rays or non-collision beam-related backgrounds [57,58]. To reduce the impact of jets coming from pile-up interactions, detector-level

jets with $p_T^{\text{jet}} < 50 \text{ GeV}$ and $|\eta^{\text{jet}}| < 2.4$ are also required to have at least 50% of the momentum of associated tracks to originate from the hard vertex [59]. Simulated particle-level jets used in the analysis are built using the anti- k_t algorithm taking as input all particles with a lifetime greater than 10 ps and a radius parameter of $R = 0.4$.

Simulated particle-level and detector-level jets are assigned a flavour based on the following hadron matching scheme. If a b -hadron with $p_T > 5 \text{ GeV}$ is found within $\Delta R = 0.3$ of a jet then it is considered to be a b -jet. If a jet that is not a b -jet is found to have a c -hadron with $p_T > 5 \text{ GeV}$ within $\Delta R = 0.3$ then it is considered to be a c -jet. If a jet that is not a b - or a c -jet is found to have a τ -lepton with $p_T > 5 \text{ GeV}$ within $\Delta R = 0.3$ then it is considered to be a τ -jet. If a jet is found to be neither a b -jet, a c -jet nor a τ -jet it is considered to be a light jet. The contribution of τ -jets in the measurement is negligible.

At the detector level, only the highest- E_T (leading) photon that satisfies the first stage of the photon identification criteria is considered. The photon candidate is then required to have $E_T^\gamma > 25 \text{ GeV}$ and $|\eta^\gamma| < 2.37$, excluding the transition region between the barrel and endcap ECAL modules $1.37 < |\eta^\gamma| < 1.56$. The photon candidate must then satisfy the second stage of the identification criteria. If it fails, it is instead used to populate regions used for the photon background sideband subtraction. The photon candidate must then satisfy the E_T^{iso} criterion. If it fails, but satisfies the inverted E_T^{iso} criterion, it is instead used to populate regions used for the photon background sideband subtraction. Next, only the leading jet with $\Delta R > 0.4$ from the photon candidate is considered. This jet is required to have $p_T^{\text{jet}} > 20 \text{ GeV}$, $|\eta^{\text{jet}}| < 2.5$ and to be separated from the photon candidate by $\Delta R > 1$. This last angular separation requirement ensures that the measured signals of the leading jet and the leading photon do not overlap.

At the particle level, only the leading photon is considered. The fiducial requirements imposed at particle level are similar to those used at the detector level, but using the jet rapidity instead of its pseudorapidity, and are summarized in Table 1.

Detector-level jets are assigned a b -tagging discriminant value by the MV1c algorithm. The MV1c algorithm is a neural network that takes as input the discriminants of three tagging algorithms, analogous to the MV1 algorithm [60], but is trained to identify b -jets with enhanced rejection of c -jets. The three tagging algorithms input to the MV1c tagger are based on different aspects of jet tracking information that are sensitive to the presence of secondary vertices originating from HF decays: the IP3D algorithm is sensitive to the displacement of the tracks associated to the jet from the primary vertex, the SV1 algorithm reconstructs secondary vertices and the JetFitter algorithm is sensitive to secondary and tertiary vertices that are kinematically consistent with the decay chain of a b - or c -hadron. The MV1c tagger discriminant distribution is divided into five bins delimited by four cuts corresponding to the b -jet identification efficiencies in simulated top quark pair ($t\bar{t}$) events of 80%, 70%, 60% and 50%, and bounded by the trivial 100% and 0% cut values. The discriminant distribution in the simulation is calibrated using event weights according to the jet flavour and kinematics, such that the overall efficiency of each cut value in the simulation matches that of the data. This calibration considers the correlations between the discriminant bins and has been used in a prior ATLAS measurement [61]. The efficiency of these cuts in simulated events satisfying the $\gamma + \text{jet}$ selection used for this measurement is typically 2–5% lower than that measured in the $t\bar{t}$ calibration analysis. For the event weights, since they are ratios, this difference is mostly cancelled. No statistically significant difference is expected between the event weights in $\gamma + \text{jet}$ and in $t\bar{t}$. These event weights deviate from unity by up to 30%.

Table 1

Particle-level requirements defining the fiducial region. The determination of the jet flavour and the calculation of E_T^{iso} are described in the text.

Particle-level selection	Leading γ	Leading jet with $\Delta R^{\gamma\text{-jet}} > 0.4$
Transverse momentum	$E_T^{\gamma} > 25 \text{ GeV}$	$p_T^{\text{jet}} > 20 \text{ GeV}$
Rapidity	$ \eta^{\gamma} < 1.37 \text{ or } 1.56 < \eta^{\gamma} < 2.37$	$ y^{\text{jet}} < 2.5$
Isolation	$E_T^{\text{iso}} < 4.8 \text{ GeV} + 0.0042 \times E_T^{\gamma}$	—
Angular separation		$\sqrt{(\Delta y)^2 + (\Delta\phi)^2} > 1$




Fig. 1. (a) Example of a template fit to the MV1c tagger discriminant distribution used to measure the $\gamma + b$ and $\gamma + c$ fractions. The data yield is shown after subtraction of background photons. The error bars on the data correspond to the statistical uncertainty. The systematic uncertainty band takes into account the uncertainty correlations between the data and the MC templates. The numbers in the legend are the fractions of each template after the fit and their statistical uncertainties. (b) The heavy-flavour jet fractions obtained from the template fits as a function of the photon transverse energy, E_T^{γ} . The fractions are relative to the yield of selected $\gamma +$ jet data events after subtraction of background photons. The error bars correspond to the total uncertainty, including the statistical uncertainty and the complete set of systematic uncertainties. The central and forward regions are defined respectively as $|\eta^{\gamma}| < 1.37$ and $1.56 < |\eta^{\gamma}| < 2.37$. (For interpretation of the references to color in this figure legend, the reader is referred to the web version of this article.)

Separate b -, c - and light-jet calibrations are used to correct the efficiency of the discriminant cuts to better match the data. The b -jet calibration [62] uses an unbinned maximum-likelihood fit of simulated templates to extract the b -jet tagging efficiency distribution in data using a $t\bar{t}$ selection, which has a high b -jet purity. The fit considers the individual probability for each jet in a given event to be tagged, thereby exploiting per-event jet-flavour correlations. The c -jet calibration [63] uses a sample of reconstructed $D^{*\pm}$ mesons to extract the c -jet tagging efficiency by fitting simultaneously the $D^{*\pm}$ yield with and without applying a cut on the MV1c discriminant. As b -hadrons can also produce $D^{*\pm}$, a fit of the D^0 pseudo-proper lifetime is used to subtract the b -jet background. The inclusive c -jet tagging efficiency is then derived using existing dedicated decay measurements [64] and simulations based on EvtGEN [65] to extrapolate it from the measured $D^{*\pm}$ c -jet efficiency. Light jets can be tagged as b -jets mainly due to the finite tracking resolution. The light-jet calibration [63] involves inverting the sign of some of the criteria imposed on the impact parameter and the decay-length significance in the MV1c algorithm. The resulting discriminant distribution for all flavours is similar to that of the nominal MV1c discriminant distribution for light jets. Consequently, the jet tagging efficiency obtained using this method is taken as the light-jet tagging efficiency after correcting it for the effects of HF jets, long-lived particles and material interactions.

5. Signal extraction

A data-driven two-dimensional sideband technique [4,6–10] is applied to estimate and subtract photon background contamination from the data yield in each MV1c tagger discriminant bin, in every bin of the measurement. By this means, any correlation between jets misidentified as photons and the flavour of the accompanying

jet is taken into account. The technique relies on the use of three background-dominated control regions: two of them created by individually inverting separate aspects of the signal photon selection criteria and a third region created by inverting these two aspects simultaneously. The first aspect is the inversion of the second stage of the photon identification criteria based on shower shapes. The second aspect is the inversion of the E_T^{iso} selection requirement. Both of these aspects provide discrimination against jets faking photons and photons arising from hadron decays. The three background regions in the data are then used to estimate the prompt photon yield in the signal region, taking into account the estimated leakage of signal into these regions using the simulations. The procedure hinges on the assumption that the two inverted aspects of the selection criteria are uncorrelated for background events. Deviations from this assumption are small and are taken into account as an uncertainty. The photon purity, i.e. the fraction of signal photons, is typically 55% in the lowest bin of E_T^{γ} , rising steadily to greater than 95% around 400 GeV. The largest correlation between the photon purity and the MV1c discriminant is observed in the 25–45 GeV bin of E_T^{γ} in the central region where the photon purity exhibits a relative increase of roughly 15% from the 100–80% MV1c b -jet efficiency bin to the 50–0% bin.

Following the photon background subtraction, the MV1c tagger distribution of the signal photon yield is used to extract the b -jet and c -jet fractions in each bin of the measurement. Simulated discriminant shapes for b -jets, c -jets and light jets, which are corrected using factors derived from the aforementioned tagging calibration analyses, are used to perform a template fit. The shape uncertainty in the simulated templates is derived from the uncertainties in the tagging calibration, taking into account correlations between the discriminant bins. The template fit is performed as a binned maximum-likelihood fit. Fig. 1(a) shows the template fit for

the 300–350 GeV bin of E_T^γ in the forward region, which is particularly sensitive to intrinsic charm. The quality of this fit is similar to that of the others. The general features are that light jets populate the high b -jet efficiency side of the discriminant, b -jets populate the low b -jet efficiency side and c -jets lie between the two. Since the jet-flavour fractions are measured simultaneously, they are correlated in each bin of the measurement. Fig. 1(b) shows the measured b - and c -jet fractions for central and forward photons. The fraction of c -jets displays a maximum between 50 and 80 GeV while that of b -jets displays a slight monotonic increase. These features are predicted in the particle-level simulations.

6. Cross-section measurement procedure

The following equation outlines the procedure, making use of the SHERPA simulation, used to compute the cross section from the data yield:

$$\left(\frac{d\sigma^{\gamma+\text{HF-jet}}}{dE_T^\gamma} \right)_i = \frac{1}{(\Delta E_T^\gamma)_i} \frac{1}{(\mathcal{L}_{\text{int}}^{\text{trig}})_i} \frac{1}{\epsilon_i^{\text{trig}}} C_i f_i^{\text{HF-jet}} \sum_{j \in \text{MV1c}} p_{ij}^\gamma N_{ij}^{\text{Data}}.$$

The left side of this equation is the measured cross section corrected back to the particle level in bin i of E_T^γ , $(\Delta E_T^\gamma)_i$ is the bin width, $(\mathcal{L}_{\text{int}}^{\text{trig}})_i$ is the integrated luminosity of the trigger, ϵ_i^{trig} is the trigger efficiency, C_i is the particle-level correction factor, $f_i^{\text{HF-jet}}$ is the measured HF-jet fraction, p_{ij}^γ is the measured signal-photon purity in a tagger discriminant bin j and N_{ij}^{Data} is the yield of selected $\gamma +$ jet data events. The particle-level correction factor accounts for detector effects, including the detector resolution and the signal reconstruction efficiency, using the one-dimensional bin-by-bin approach, yielding a measurement that is directly comparable to other experimental results and theoretical predictions. The bin-by-bin approach, used in previous ATLAS photon results [4,6–10], uses factors defined as the ratio of the particle-level to the detector-level E_T^γ distributions derived using the simulation for each bin of the measurement:

$$C_i = \frac{N_i^{\text{particle}, \gamma+\text{HF-jet}}}{N_i^{\text{detector}, \gamma+\text{HF-jet}}}.$$

The accuracy of this approach relies on the detector-level bin-migration effects being well described by the simulation since correlations between adjacent bins are neglected. As the cross sections are measured differentially with respect to E_T^γ , this condition is met since the E_T^γ resolution is much smaller than the bin width. In the central region, migrations are less than 5%, while in the forward region they are less than 10%. The values of the correction factors decrease with E_T^γ , driven by the improving photon identification efficiency, from typically 1.9 (1.7) at 25 GeV to 1.2 (1.2) at 400 GeV for $\gamma + b$ ($\gamma + c$) events. They do not have a strong dependence on $|\eta^\gamma|$.

7. Measurement uncertainties

Uncertainties affecting the measurement which originate from the finite numbers of data and MC events are considered together with systematic uncertainties related to the detector calibration and analysis techniques. The bootstrap resampling technique [66] is used to assess the statistical uncertainties by creating an ensemble of statistically equivalent measurements using event weights, randomly chosen for each event from a Poisson distribution with a mean of one, applied to either the data or MC events. The 68% confidence interval of the distribution of these measurements is

taken as the statistical uncertainty. The systematic uncertainties are derived by varying a parameter in the simulated events, repeating the complete analysis with this varied parameter and taking the difference between the new measured value and the nominal measurement as the uncertainty. The bootstrap resampling technique is then used to evaluate the statistical uncertainty in each systematic variation. Variations that are not statistically significant undergo a bin-merging procedure over an increasing number of E_T^γ bins to improve their significance. Following this procedure, only statistically significant variations are considered as systematic uncertainties. This procedure, however, gives rise to an interplay between the MC statistical uncertainty and the systematic uncertainties.

Sources related to the detector calibration include the photon energy scale and resolution [51], the photon identification efficiency [50], the jet energy scale and resolution [57], the inefficiency of the pile-up jet removal cut [59] and the MV1c tagger discriminant for the three jet flavours [62,63]. The energy scale and resolution of the photon and the jet have several uncertainty components that encompass both the imperfect knowledge of the detector response and the analysis techniques used to derive the calibration. The calibration is varied according to its uncertainties to assess the impact on the measurement. The calibrations of the photon identification efficiency and of the MV1c tagger discriminant have uncertainties related to the analysis techniques in which they were derived. For the case of the MV1c discriminant, the uncertainties are mostly related to the modelling of the track multiplicity and the misidentification of the hadron flavours. These factors are varied according to their uncertainties. However, some of their uncertainty components, such as those of the jet energy scale and resolution, are correlated with those of this measurement. As such, these components are varied coherently both in the discriminant calibration and in this analysis. To assess the uncertainty due to the pile-up jet removal cut, the 50% requirement on track momentum from the hard vertex is varied to 53% and 47%. The magnitude of the variation is motivated by the cut efficiency difference between the data and the simulation.

The uncertainties related to the analysis techniques are similar to those in the ATLAS inclusive photon and $\gamma +$ jet analyses at 8 TeV [8,9]. Specifically, the assumption that the photon background regions are uncorrelated in the two-dimensional sideband method is assessed by varying the correlation by 10%. The magnitude of this variation corresponds to the size of the measured correlation in control regions of the data. The two definitions of the background regions in the sideband method are varied as follows. The photon identification reversal is varied by adding, or by removing, an identification criterion based on the first layer of the calorimeter. The inverted photon isolation energy cut is increased and decreased by 2 GeV, motivated by the difference seen in the isolation energy resolution between data and the simulations. An uncertainty related to the photon isolation energy corrections is obtained by varying them according to the differences seen between SHERPA and PYTHIA. A prompt-photon modelling uncertainty is assessed by varying the relative fraction of hard-scatter photons and radiated photons generated in PYTHIA. Similarly, the change in the measurement when using simulated samples from PYTHIA instead of SHERPA is taken as an uncertainty, assessing the differences between the non-perturbative QCD models used by the generators. Possible migration effects in the bin-by-bin particle-level correction factors are also taken as an uncertainty.

The uncertainties in the cross-section ratios are obtained by propagating the individual systematic variations of the central and forward cross sections to the ratio and taking the resulting variations as the uncertainties. As most systematic uncertainties are positively correlated between these two pseudorapidity regions,

Table 2

Range of the size of the relative uncertainties in the measured cross sections along E_T^γ for the different uncertainty sources. The central region refers to the cross sections in the range $|\eta^\gamma| < 1.37$, the forward region refers to the cross sections in the range $1.56 < |\eta^\gamma| < 2.37$ and the ratio refers to the ratio of the cross section in the central region to that in the forward region. The systematic variations must be statistically significant to be considered as systematic uncertainties. Uncertainties with values listed as < 0.1 are not statistically significant.

Uncertainty source	Uncertainty [%]					
	$\gamma + b$			$\gamma + c$		
	Central	Forward	Ratio	Central	Forward	Ratio
MC statistical uncertainty	1.9–6.4	3.1–14	3.6–17	2.5–24	6.0–33	6.1–39
Photon energy scale	0.2–2.5	0.7–5.3	0.9–1.9	0.2–1.0	0.0–0.2	0.5
Photon identification efficiency	0.2–1.2	0.4–1.8	0.1–0.5	0.2–1.3	0.4–1.7	0.1–0.5
Jet energy scale	0.6–4.8	0.7–4.6	0.1–0.2	0.2–2.3	0.2–2.8	0.1–0.5
Jet energy resolution	0.0–2.4	0.0–1.0	0.0–0.1	0.0–16	0.2–5.7	0.4–2.5
b -jet tagging efficiency	2.4–17	2.5–15	0.1–0.6	0.4–12	0.5–8.3	0.2–2.3
c -jet tagging efficiency	5.7–18	5.3–11	2.3–6.9	6.0–18	6.4–18	0.4–2.7
Light-jet tagging efficiency	4.9–15	6.1–31	1.6–8.3	12–46	21–57	8.4–28
Sideband definition	0.2–3.0	0.2–2.9	0.1–0.8	0.2–3.4	0.2–1.2	0.1–0.6
Sideband correlation	0.2–4.5	0.4–13	0.2–10	0.2–4.2	0.5–5.2	0.3–1.2
Prompt-photon modelling	2.2–2.5	2.4	4.2–6.7	1.5–2.8	< 0.1	< 0.1
Non-perturbative QCD models	2.3	7.3	11	< 0.1	< 0.1	< 0.1
Particle-level migration effects	0.8–2.9	0.4	1.2–4.3	0.9–3.1	< 0.1	0.6–3.0
Luminosity	1.9	1.9	0	1.9	1.9	0
Total systematic uncertainty	12–25	13–38	14–22	15–56	25–61	11–48
Data statistical uncertainty	1.5–13	2.1–37	2.5–58	1.1–27	2.9–33	3.2–47
Total uncertainty	13–27	14–54	14–62	15–62	26–66	14–66

Table 3

Measured values for the $\gamma + b$ and $\gamma + c$ differential cross sections, and their ratios, in the central and forward regions defined respectively as $|\eta^\gamma| < 1.37$ and $1.56 < |\eta^\gamma| < 2.37$. They are accompanied by their total measurement uncertainties.

E_T^γ bin [GeV]	25–45	45–65	65–85	85–105	105–125	125–150	150–175	175–200	200–250	250–300	300–350	350–400
$\frac{d\sigma}{dE_T^\gamma}$ [pb/GeV]	$\times 10^0$	$\times 10^0$	$\times 10^{-1}$	$\times 10^{-1}$	$\times 10^{-2}$	$\times 10^{-2}$	$\times 10^{-2}$	$\times 10^{-3}$	$\times 10^{-3}$	$\times 10^{-4}$	$\times 10^{-4}$	$\times 10^{-4}$
$\gamma + b$ central	32^{+7}_{-7}	$4.6^{+0.7}_{-0.7}$	$11.5^{+1.5}_{-1.5}$	$4.0^{+0.5}_{-0.5}$	$14.7^{+2.2}_{-2.2}$	$6.8^{+1.0}_{-1.0}$	$3.5^{+0.5}_{-0.5}$	$14.9^{+2.6}_{-2.7}$	$6.8^{+1.2}_{-1.2}$	26^{+5}_{-5}	$8.3^{+2.1}_{-2.2}$	$6.0^{+1.5}_{-1.4}$
$\gamma + b$ forward	9^{+5}_{-5}	$1.7^{+0.5}_{-0.4}$	$5.5^{+0.9}_{-0.9}$	$1.86^{+0.27}_{-0.27}$	$7.4^{+1.1}_{-1.1}$	$2.9^{+0.4}_{-0.4}$	$1.38^{+0.22}_{-0.23}$	$5.9^{+1.0}_{-1.0}$	$2.5^{+0.4}_{-0.4}$	$6.9^{+1.5}_{-1.4}$	$2.1^{+0.6}_{-0.6}$	–
$\gamma + c$ central	92^{+35}_{-31}	24^{+5}_{-5}	65^{+10}_{-10}	$20.4^{+3.2}_{-3.1}$	80^{+13}_{-13}	32^{+6}_{-6}	$11.8^{+2.7}_{-2.6}$	61^{+15}_{-15}	23^{+6}_{-6}	59^{+23}_{-23}	36^{+13}_{-13}	9^{+6}_{-6}
$\gamma + c$ forward	49^{+20}_{-21}	$10.1^{+2.7}_{-2.6}$	19^{+6}_{-6}	$6.2^{+1.8}_{-1.8}$	22^{+7}_{-7}	$9.3^{+3.1}_{-3.1}$	$3.5^{+1.3}_{-1.3}$	16^{+8}_{-8}	$3.9^{+2.4}_{-2.4}$	15^{+9}_{-8}	6^{+4}_{-4}	–
$\sigma_{\text{central}}^{\gamma+b}/\sigma_{\text{forward}}^{\gamma+b}$	$3.8^{+2.3}_{-1.3}$	$2.7^{+0.7}_{-0.6}$	$2.09^{+0.34}_{-0.33}$	$2.17^{+0.35}_{-0.34}$	$1.99^{+0.32}_{-0.31}$	$2.31^{+0.33}_{-0.33}$	$2.5^{+0.4}_{-0.4}$	$2.6^{+0.4}_{-0.4}$	$2.7^{+0.4}_{-0.4}$	$3.7^{+0.7}_{-0.7}$	$3.9^{+1.2}_{-1.0}$	–
$\sigma_{\text{central}}^{\gamma+c}/\sigma_{\text{forward}}^{\gamma+c}$	$1.9^{+0.9}_{-0.5}$	$2.4^{+0.5}_{-0.4}$	$3.3^{+0.5}_{-0.5}$	$3.3^{+0.7}_{-0.5}$	$3.7^{+0.9}_{-0.7}$	$3.5^{+0.8}_{-0.5}$	$3.4^{+0.9}_{-0.6}$	$3.7^{+1.4}_{-1.0}$	$5.9^{+2.2}_{-1.5}$	$3.8^{+1.7}_{-1.2}$	6^{+4}_{-3}	–

their effect on the ratios is smaller than on the cross sections. However, some components of the photon energy scale and of the light-jet tagging efficiency uncertainties are uncorrelated between the two regions. As the two regions considered are exclusive in $|\eta^\gamma|$, the data and MC statistical uncertainties in the ratio exceeds those in the cross sections.

The ranges of the size of the relative uncertainties in the measurement as a function of E_T^γ due to the various sources are provided in Table 2. The dominant uncertainties are due to the finite number of data events and the calibration of the MV1c tagger discriminant. This latter source of uncertainty primarily impacts the measurement through the HF jet fraction determined in the MV1c template fit. Uncertainties arising from the photon energy resolution, the data-driven photon isolation energy corrections and the pile-up jet removal cut are negligible and not listed in Table 2, nor are they considered further. The remaining uncertainties are added in quadrature to give the total uncertainty. The total uncertainty is largest at low and high E_T^γ , reaching a minimum at about 100 GeV. At higher E_T^γ values than those measured, the total relative uncertainty becomes excessively large and the MV1c template fit becomes unstable, curtailing the reach of the measurement. The total relative uncertainty is larger in the forward region than in the central region due to the higher data and MC statistical uncertainties. The $\gamma + c$ measurement is affected by larger relative uncertainties than the $\gamma + b$ measurement since the MV1c tagger discriminates better b -jets than c -jets.

8. Results

The values for the measured differential $\gamma + b$ and $\gamma + c$ cross sections and their ratios are given in Table 3. These values are plotted in Fig. 2 for the cross sections and in Fig. 3 for the ratios, with the relevant theory predictions. In general, considering the LO predictions in pQCD, those from SHERPA agree well with the measured values and provide a better description of the data than those from PYTHIA.

Comparisons of the $\gamma + b$ measurement to NLO + PS predictions from MADGRAPH5_aMC@NLO in both the 5F and 4F schemes are shown in Figs. 2(a) and 2(b), for the central and forward regions respectively. At low E_T^γ , both the 4F and 5F predictions agree with the data. Above 125 GeV, however, the 4F predictions underestimate the data. This is consistent with the expectation that 4F is better suited for energies close to the b -quark mass. The 5F scheme describes the data better than the 4F scheme at high E_T^γ , with a good description for $E_T^\gamma < 200$ GeV. However, the 5F scheme underestimates the data at higher E_T^γ values, by up to a factor of two. This is where the gluon-splitting contribution is expected to become more significant relative to the Compton contribution, as the latter depends on the b -quark PDF which falls steeply as a function of Bjorken- x , and thus E_T^γ . Since the gluon-splitting contribution appears only at tree level in the 5F NLO predictions, this indicates that higher-order calculations would seemingly be needed for a better description of the data in that high E_T^γ region. As shown in




Fig. 2. Differential cross sections as a function of the photon transverse energy, E_T^γ , for (a) $\gamma + b$ in the central region, (b) $\gamma + b$ in the forward region, (c) $\gamma + c$ in the central region and (d) $\gamma + c$ in the forward region. The statistical uncertainty is represented as horizontal marks on the error bars of the data points, while the total measurement uncertainty is represented by the complete length of the error bars. The MG5_aMC + PY8 label in the legend refers to the MADGRAPH5_aMC@NLO calculations interfaced to PYTHIA. The 5F and 4F labels in the legend refer to PDF sets with five quark flavours and four quark flavours respectively. The PC and FC labels in the legend refer to perturbative charm and fitted charm PDF sets respectively. All of the predictions for $\gamma + c$ use PDF sets with five quarks. The theoretical uncertainty in the MADGRAPH5_aMC@NLO predictions is displayed for a single PDF set since it is similar for each of the PDF sets. The SHERPA and PYTHIA cross sections are not normalized to data and no uncertainties are provided for them. (For interpretation of the references to color in this figure legend, the reader is referred to the web version of this article.)

Fig. 3(a), the 4F and 5F NLO predictions for the cross-section ratios consistently overestimate the data for $E_T^\gamma > 65$ GeV; the 5F predictions are at the edge of agreement with the measured values within uncertainties. SHERPA, which generates additional partons in the matrix element and uses a massive 5F scheme, provides a better description of the measured cross sections and cross-section ratios than MADGRAPH5_aMC@NLO in either the 5F or 4F scheme.

In comparison to the Compton contribution to the $\gamma + b$ cross section, the Compton contribution to the $\gamma + c$ cross section is larger. This is due to the larger values of both the PDF and absolute electric charge of the c -quark, compared to those of the b -quark. The gluon-splitting processes, which contribute equally to the $\gamma + b$ and $\gamma + c$ cross sections in the 5F scheme, are thus less important for $\gamma + c$ than for $\gamma + b$, considering the larger Compton

contribution to the former. The gluon-splitting contribution is expected to become important at E_T^γ values around 700 GeV, beyond the range of this measurement. Comparisons of the $\gamma + c$ measurement to NLO + PS predictions from MADGRAPH5_aMC@NLO in the 5F scheme using NNPDF3.1nlo and CT14nnlo are shown in Figs. 2(c) and 2(d), respectively for the central and forward regions. The predictions are found to agree with the data within the uncertainties across the entire E_T^γ range. However, those using the BHPS or the fitted charm PDF sets predict higher cross-section values in the forward region at high E_T^γ , above 105 GeV, than those using the nominal PDF sets. Correspondingly, the predicted values for the cross-section ratios, shown in Fig. 3(b), are smaller for the predictions using the BHPS or the fitted charm sets than for those using the nominal sets. This is the expected behaviour of the intrinsic




Fig. 3. Cross-section ratios of the central region, $|\eta^\gamma| < 1.37$, to the forward region, $1.56 < |\eta^\gamma| < 2.37$, as a function of the photon transverse energy, E_T^γ , for (a) $\gamma + b$ and (b) $\gamma + c$. The statistical uncertainty is represented as horizontal marks on the error bars of the data points, while the total measurement uncertainty is represented by the complete length of the error bars. The MG5_aMC + PY8 label in the legend refers to the MADGRAPH5_aMC@NLO calculations interfaced to PYTHIA. The 5F and 4F labels in the legend refer to PDF sets with five quark flavours and four quark flavours respectively. The PC and FC labels in the legend refer to perturbative charm and fitted charm PDF sets respectively. All of the predictions for $\gamma + c$ use PDF sets with five quarks. The theoretical uncertainty in the MADGRAPH5_aMC@NLO predictions is displayed for a single PDF set since it is similar for each of the PDF sets, except for NNPDF3.1nlo FC for which the total uncertainty is similar to that in NNPDF3.1nlo PC at a value of 25 GeV in E_T^γ , but rises steadily relative to it to be a factor of three larger at 350 GeV. No uncertainties are provided for SHERPA and PYTHIA. (For interpretation of the references to color in this figure legend, the reader is referred to the web version of this article.)

charm contributions from these PDF sets in the theory predictions. The predictions with the BHPS2 PDF set deviate the most from those using the nominal PDF sets, by about a factor 1.5, while those using the BHPS1 and the fitted charm PDF sets give intermediate values. The precision of the data is comparable to the size of these deviations in the predictions.

Although it is beyond the scope of this Letter, quantitative information about the level of agreement between the data and the theory predictions can be extracted by taking into account the correlations of the measurement uncertainties. Tabulated values of the measurement with full details about their uncertainties and their correlations are provided for this purpose in the Durham HEP database [67].

9. Conclusion

Differential cross sections as a function of E_T^γ for isolated prompt photons in association with a b -jet or a c -jet are measured with the ATLAS detector at the LHC using a dataset of pp collisions at $\sqrt{s} = 8$ TeV corresponding to an integrated luminosity of up to 20.2 fb^{-1} . The measured values are compared to LO calculations in pQCD from SHERPA and PYTHIA and to NLO calculations in pQCD from MADGRAPH5_aMC@NLO interfaced to PYTHIA. For the $\gamma + b$ final state, the best description of the data is provided by the SHERPA predictions, which include up to three additional partons

and are computed in the massive 5F scheme. The NLO predictions underestimate the data in the highest E_T^γ intervals measured. The 5F scheme of the theoretical calculations provides a better description of the data than the 4F scheme. For the $\gamma + c$ final state, which exhibits larger measurement uncertainties, all the predictions are in agreement with the data. Differences of about the size of the measurement uncertainties are seen between the predictions using PDF sets with intrinsic charm contributions and those without. These measured cross sections provide a test of pQCD calculations with heavy quarks and are sensitive to the b - and c -quark PDFs.

Acknowledgements

We thank CERN for the very successful operation of the LHC, as well as the support staff from our institutions without whom ATLAS could not be operated efficiently.

We acknowledge the support of ANPCyT, Argentina; YerPhI, Armenia; ARC, Australia; BMWFW and FWF, Austria; ANAS, Azerbaijan; SSTC, Belarus; CNPq and FAPESP, Brazil; NSERC, NRC and CFI, Canada; CERN; CONICYT, Chile; CAS, MOST and NSFC, China; COLCIENCIAS, Colombia; MSMT CR, MPO CR and VSC CR, Czech Republic; DNRF and DNSRC, Denmark; IN2P3-CNRS, CEA-DRF/IRFU, France; SRNSF, Georgia; BMBF, HGF, and MPG, Germany; GSRT, Greece; RGC, Hong Kong SAR, China; ISF, I-CORE and Benoziyo Center, Israel; INFN, Italy; MEXT and JSPS, Japan; CNRST, Mo-

rocco; NWO, Netherlands; RCN, Norway; MNiSW and NCN, Poland; FCT, Portugal; MNE/IFA, Romania; MES of Russia and NRC KI, Russian Federation; JINR; MESTD, Serbia; MSSR, Slovakia; ARRS and MIZŠ, Slovenia; DST/NRF, South Africa; MINECO, Spain; SRC and Wallenberg Foundation, Sweden; SERI, SNSF and Cantons of Bern and Geneva, Switzerland; MOST, Taiwan; TAEK, Turkey; STFC, United Kingdom; DOE and NSF, United States. In addition, individual groups and members have received support from BCKDF, the Canada Council, Canarie, CRC, Compute Canada, FQRNT, and the Ontario Innovation Trust, Canada; EPLANET, ERC, ERDF, FP7, Horizon 2020 and Marie Skłodowska-Curie Actions, European Union; Investissements d’Avenir Labex and Idex, ANR, Région Auvergne and Fondation Partager le Savoir, France; DFG and AvH Foundation, Germany; Herakleitos, Thales and Aristeia programmes co-financed by EU-ESF and the Greek NSRF; BSF, GIF and Minerva, Israel; BRF, Norway; CERCA Programme Generalitat de Catalunya, Generalitat Valenciana, Spain; the Royal Society and Leverhulme Trust, United Kingdom.

The crucial computing support from all WLCG partners is acknowledged gratefully, in particular from CERN, the ATLAS Tier-1 facilities at TRIUMF (Canada), NDGF (Denmark, Norway, Sweden), CC-IN2P3 (France), KIT/GridKA (Germany), INFN-CNAF (Italy), NL-T1 (Netherlands), PIC (Spain), ASGC (Taiwan), RAL (UK) and BNL (USA), the Tier-2 facilities worldwide and large non-WLCG resource providers. Major contributors of computing resources are listed in Ref. [68].

References

- [1] D0 Collaboration, Measurement of the photon + b -jet production differential cross section in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV, Phys. Lett. B 714 (2012) 32, arXiv:1203.5865 [hep-ex].
- [2] D0 Collaboration, Measurement of the differential $\gamma + c$ -jet cross section and the ratio of differential $\gamma + c$ and $\gamma + b$ cross sections in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV, Phys. Lett. B 719 (2013) 354, arXiv:1210.5033 [hep-ex].
- [3] CDF Collaboration, Measurement of the cross section for direct-photon production in association with a heavy quark in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV, Phys. Rev. Lett. 111 (2013) 042003, arXiv:1303.6136 [hep-ex].
- [4] ATLAS Collaboration, Measurement of the production cross section of an isolated photon associated with jets in proton-proton collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector, Phys. Rev. D 85 (2012) 092014, arXiv:1203.3161 [hep-ex].
- [5] ATLAS Collaboration, Measurement of isolated-photon pair production in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector, J. High Energy Phys. 01 (2013) 086, arXiv:1211.1913 [hep-ex].
- [6] ATLAS Collaboration, Dynamics of isolated-photon plus jet production in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector, Nucl. Phys. B 875 (2013) 483, arXiv:1307.6795 [hep-ex].
- [7] ATLAS Collaboration, Measurement of the inclusive isolated prompt photons cross section in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector using 4.6 fb^{-1} , Phys. Rev. D 89 (2014) 052004, arXiv:1311.1440 [hep-ex].
- [8] ATLAS Collaboration, Measurement of the inclusive isolated prompt photon cross section in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector, J. High Energy Phys. 08 (2016) 005, arXiv:1605.03495 [hep-ex].
- [9] ATLAS Collaboration, High- E_T isolated-photon plus jets production in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector, Nucl. Phys. B 918 (2017) 257, arXiv:1611.06586 [hep-ex].
- [10] ATLAS Collaboration, Measurement of the cross section for inclusive isolated-photon production in pp collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector, Phys. Lett. B 770 (2017) 473, arXiv:1701.06882 [hep-ex].
- [11] ATLAS Collaboration, Measurements of integrated and differential cross sections for isolated photon pair production in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector, Phys. Rev. D 95 (2017) 112005, arXiv:1704.03839 [hep-ex].
- [12] CMS Collaboration, Measurement of the differential cross section for isolated prompt photon production in pp collisions at 7 TeV, Phys. Rev. D 84 (2011) 052011, arXiv:1108.2044 [hep-ex].
- [13] CMS Collaboration, Rapidity distributions in exclusive $Z + \text{jet}$ and $\gamma + \text{jet}$ events in pp collisions at $\sqrt{s} = 7$ TeV, Phys. Rev. D 88 (2013) 112009, arXiv:1310.3082 [hep-ex].
- [14] CMS Collaboration, Measurement of the triple-differential cross section for photon + jets production in proton-proton collisions at $\sqrt{s} = 7$ TeV, J. High Energy Phys. 06 (2014) 009, arXiv:1311.6141 [hep-ex].
- [15] CMS Collaboration, Measurement of differential cross sections for the production of a pair of isolated photons in pp collisions at $\sqrt{s} = 7$ TeV, Eur. Phys. J. C 74 (2014) 3129, arXiv:1405.7225 [hep-ex].
- [16] CMS Collaboration, Comparison of the Z/γ^* + jets to γ + jets cross sections in pp collisions at $\sqrt{s} = 8$ TeV, J. High Energy Phys. 10 (2015) 128, arXiv:1505.06520 [hep-ex]; J. High Energy Phys. 04 (2016) 010 (Erratum).
- [17] J.L. Diaz-Cruz, H.-J. He, C.-P. Yuan, Soft supersymmetry breaking, scalar top-charm mixing and Higgs signatures, Phys. Lett. B 530 (2002) 179, arXiv:hep-ph/0103178.
- [18] J.R. Incandela, A. Quadt, W. Wagner, D. Wicke, Status and prospects of top-quark physics, Prog. Part. Nucl. Phys. 63 (2009) 239, arXiv:0904.2499 [hep-ex].
- [19] J.R. Andersen, et al., Handbook of LHC Higgs Cross Sections: 3. Higgs Properties, arXiv:1307.1347 [hep-ph], 2013.
- [20] ATLAS Collaboration, Search for scalar charm quark pair production in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector, Phys. Rev. Lett. 114 (2015) 161801, arXiv:1501.01325 [hep-ex].
- [21] ATLAS Collaboration, ATLAS Run 1 searches for direct pair production of third-generation squarks at the Large Hadron Collider, Eur. Phys. J. C 75 (2015) 510, arXiv:1506.08616 [hep-ex]; Eur. Phys. J. C 76 (2016) 153 (Erratum).
- [22] V.A. Bednyakov, M.A. Demichev, G.I. Lykasov, T. Stavreva, M. Stockton, Searching for intrinsic charm in the proton at the LHC, Phys. Lett. B 728 (2014) 602, arXiv:1305.3548 [hep-ph].
- [23] F. Maltoni, G. Ridolfi, M. Ubiali, b-initiated processes at the LHC: a reappraisal, J. High Energy Phys. 07 (2012) 022, arXiv:1203.6393 [hep-ph]; J. High Energy Phys. 04 (2013) 095 (Erratum).
- [24] ATLAS Collaboration, The ATLAS experiment at the CERN Large Hadron collider, J. Instrum. 3 (2008) S08003.
- [25] T. Gleisberg, et al., Event generation with SHERPA 1.1, J. High Energy Phys. 02 (2009) 007, arXiv:0811.4622 [hep-ph].
- [26] T. Sjöstrand, S. Mrenna, P.Z. Skands, A brief introduction to PYTHIA 8.1, Comput. Phys. Commun. 178 (2008) 852, arXiv:0710.3820 [hep-ph].
- [27] S. Höche, F. Krauss, S. Schumann, F. Siegert, QCD matrix elements and truncated showers, J. High Energy Phys. 05 (2009) 053, arXiv:0903.1219 [hep-ph].
- [28] F. Siegert, A practical guide to event generation for prompt photon production with Sherpa, J. Phys. G 44 (2017) 044007, arXiv:1611.07226 [hep-ph].
- [29] S. Schumann, F. Krauss, A parton shower algorithm based on Catani-Seymour dipole factorisation, J. High Energy Phys. 03 (2008) 038, arXiv:0709.1027 [hep-ph].
- [30] J.-C. Winter, F. Krauss, G. Soff, A modified cluster-hadronisation model, Eur. Phys. J. C 36 (2004) 381, arXiv:hep-ph/0311085.
- [31] T. Sjöstrand, P.Z. Skands, Transverse-momentum-ordered showers and interleaved multiple interactions, Eur. Phys. J. C 39 (2005) 129, arXiv:hep-ph/0408302.
- [32] B. Andersson, G. Gustafson, G. Ingelman, T. Sjöstrand, Parton fragmentation and string dynamics, Phys. Rep. 97 (1983) 31.
- [33] H.-L. Lai, et al., New parton distributions for collider physics, Phys. Rev. D 82 (2010) 074024, arXiv:1007.2241 [hep-ph].
- [34] J. Pumplin, et al., New generation of parton distributions with uncertainties from global QCD analysis, J. High Energy Phys. 07 (2002) 012, arXiv:hep-ph/0201195.
- [35] ATLAS Collaboration, Summary of ATLAS Pythia 8 tunes, ATL-PHYS-PUB-2012-003, <https://cds.cern.ch/record/1474107>.
- [36] S. Agostinelli, et al., GEANT4 — a simulation toolkit, Nucl. Instrum. Methods, Sect. A 506 (2003) 250.
- [37] ATLAS Collaboration, The ATLAS simulation infrastructure, Eur. Phys. J. C 70 (2010) 823, arXiv:1005.4568 [physics.ins-det].
- [38] A.D. Martin, W.J. Stirling, R.S. Thorne, G. Watt, Parton distributions for the LHC, Eur. Phys. J. C 63 (2009) 189, arXiv:0901.0002 [hep-ph].
- [39] J. Alwall, et al., The automated computation of tree-level and next-to-leading order differential cross sections, and their matching to parton shower simulations, J. High Energy Phys. 07 (2014) 079, arXiv:1405.0301 [hep-ph].
- [40] T. Sjöstrand, et al., An introduction to PYTHIA 8.2, Comput. Phys. Commun. 191 (2015) 159, arXiv:1410.3012 [hep-ph].
- [41] S. Frixione, Isolated photons in perturbative QCD, Phys. Lett. B 429 (1998) 369, arXiv:hep-ph/9801442.
- [42] J. Alwall, et al., Comparative study of various algorithms for the merging of parton showers and matrix elements in hadronic collisions, Eur. Phys. J. C 53 (2008) 473, arXiv:0706.2569 [hep-ph].
- [43] NNPDF Collaboration, Parton distributions for the LHC Run II, J. High Energy Phys. 04 (2015) 040, arXiv:1410.8849 [hep-ph].
- [44] NNPDF Collaboration, Parton distributions from high-precision collider data, arXiv:1706.00428 [hep-ph], 2017.
- [45] S. Dulat, et al., New parton distribution functions from a global analysis of quantum chromodynamics, Phys. Rev. D 93 (2016) 033006, arXiv:1506.07443 [hep-ph].
- [46] S.J. Brodsky, P. Hoyer, C. Peterson, N. Sakai, The intrinsic charm of the proton, Phys. Lett. B 93 (1980) 451.
- [47] T.-J. Hou, et al., CT14 intrinsic charm parton distribution functions from CTEQ-TEA global analysis, arXiv:1707.00657 [hep-ph], 2017.

- [48] A. Czarnecki, W.J. Marciano, Electroweak radiative corrections to $b \rightarrow s\gamma$, Phys. Rev. Lett. 81 (1998) 277, arXiv:hep-ph/9804252.
- [49] ATLAS Collaboration, Luminosity determination in pp collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector at the LHC, Eur. Phys. J. C 76 (2016) 653, arXiv:1608.03953 [hep-ex].
- [50] ATLAS Collaboration, Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run-1 data, Eur. Phys. J. C 76 (2016) 666, arXiv:1606.01813 [hep-ex].
- [51] ATLAS Collaboration, Electron and photon energy calibration with the ATLAS detector using LHC Run 1 data, Eur. Phys. J. C 74 (2014) 3071, arXiv:1407.5063 [hep-ex].
- [52] M. Cacciari, G.P. Salam, Pileup subtraction using jet areas, Phys. Lett. B 659 (2008) 119, arXiv:0707.1378 [hep-ph].
- [53] M. Cacciari, G.P. Salam, G. Soyez, The anti- k_t jet clustering algorithm, J. High Energy Phys. 04 (2008) 063, arXiv:0802.1189 [hep-ph].
- [54] M. Cacciari, G.P. Salam, G. Soyez, FastJet User Manual, Eur. Phys. J. C 72 (2012) 1896, arXiv:1111.6097 [hep-ph].
- [55] ATLAS Collaboration, Topological cell clustering in the ATLAS calorimeters and its performance in LHC Run 1, Eur. Phys. J. C 77 (2017) 490, arXiv:1603.02934 [hep-ex].
- [56] ATLAS Collaboration, Jet global sequential corrections with the ATLAS detector in proton–proton collisions at $\sqrt{s} = 8$ TeV, ATLAS-CONF-2015-002, <https://cds.cern.ch/record/2001682>.
- [57] ATLAS Collaboration, Jet energy measurement and its systematic uncertainty in proton–proton collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector, Eur. Phys. J. C 75 (2015) 17, arXiv:1406.0076 [hep-ex].
- [58] ATLAS Collaboration, Jet energy measurement with the ATLAS detector in proton–proton collisions at $\sqrt{s} = 7$ TeV, Eur. Phys. J. C 73 (2013) 2304, arXiv:1112.6426 [hep-ex].
- [59] ATLAS Collaboration, Performance of pile-up mitigation techniques for jets in pp collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector, Eur. Phys. J. C 76 (2016) 581, arXiv:1510.03823 [hep-ex].
- [60] ATLAS Collaboration, Performance of b-jet identification in the ATLAS experiment, J. Instrum. 11 (2016) P04008, arXiv:1512.01094 [hep-ex].
- [61] ATLAS Collaboration, Measurements of fiducial cross-sections for $t\bar{t}$ production with one or two additional b-jets in pp collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector, Eur. Phys. J. C 76 (2016) 11, arXiv:1508.06868 [hep-ex].
- [62] ATLAS Collaboration, Calibration of b-tagging using dileptonic top pair events in a combinatorial likelihood approach with the ATLAS experiment, ATLAS-CONF-2014-004, <https://cds.cern.ch/record/1664335>.
- [63] ATLAS Collaboration, Calibration of the performance of b-tagging for c and light-flavour jets in the 2012 ATLAS data, ATLAS-CONF-2014-046, <https://cds.cern.ch/record/1741020>.
- [64] C. Patrignani, et al., Review of Particle Physics, Chin. Phys. C 40 (2016) 100001, and 2017 update.
- [65] D.J. Lange, The EvtGen particle decay simulation package, Nucl. Instrum. Methods, Sect. A 462 (2001) 152.
- [66] G. Bohm, G. Zech, Introduction to Statistics and Data Analysis for Physicists, third revised edition, Verlag Deutsches Elektronen-Synchrotron, ISBN 978-3-945931-13-4, 2017.
- [67] A complete set of tables with the full results are available at the Durham Hep-Data repository, <https://hepdata.net>.
- [68] ATLAS Collaboration, ATLAS computing acknowledgements 2016–2017, ATL-GEN-PUB-2016-002, <https://cds.cern.ch/record/2202407>.

The ATLAS Collaboration

M. Aaboud ^{137d}, G. Aad ⁸⁸, B. Abbott ¹¹⁵, O. Abdinov ^{12,*}, B. Abeloos ¹¹⁹, S.H. Abidi ¹⁶¹, O.S. AbouZeid ¹³⁹, N.L. Abraham ¹⁵¹, H. Abramowicz ¹⁵⁵, H. Abreu ¹⁵⁴, R. Abreu ¹¹⁸, Y. Abulaiti ^{148a,148b}, B.S. Acharya ^{167a,167b,a}, S. Adachi ¹⁵⁷, L. Adamczyk ^{41a}, J. Adelman ¹¹⁰, M. Adersberger ¹⁰², T. Adye ¹³³, A.A. Affolder ¹³⁹, Y. Afik ¹⁵⁴, C. Agheorghiesei ^{28c}, J.A. Aguilar-Saavedra ^{128a,128f}, S.P. Ahlen ²⁴, F. Ahmadov ^{68,b}, G. Aielli ^{135a,135b}, S. Akatsuka ⁷¹, H. Akerstedt ^{148a,148b}, T.P.A. Åkesson ⁸⁴, E. Akilli ⁵², A.V. Akimov ⁹⁸, G.L. Alberghi ^{22a,22b}, J. Albert ¹⁷², P. Albicocco ⁵⁰, M.J. Alconada Verzini ⁷⁴, S.C. Alderweireldt ¹⁰⁸, M. Aleksa ³², I.N. Aleksandrov ⁶⁸, C. Alexa ^{28b}, G. Alexander ¹⁵⁵, T. Alexopoulos ¹⁰, M. Alhroob ¹¹⁵, B. Ali ¹³⁰, M. Aliev ^{76a,76b}, G. Alimonti ^{94a}, J. Alison ³³, S.P. Alkire ³⁸, B.M.M. Allbrooke ¹⁵¹, B.W. Allen ¹¹⁸, P.P. Allport ¹⁹, A. Aloisio ^{106a,106b}, A. Alonso ³⁹, F. Alonso ⁷⁴, C. Alpigiani ¹⁴⁰, A.A. Alshehri ⁵⁶, M.I. Alstaty ⁸⁸, B. Alvarez Gonzalez ³², D. Álvarez Piqueras ¹⁷⁰, M.G. Alvaggi ^{106a,106b}, B.T. Amadio ¹⁶, Y. Amaral Coutinho ^{26a}, C. Amelung ²⁵, D. Amidei ⁹², S.P. Amor Dos Santos ^{128a,128c}, S. Amoroso ³², C. Anastopoulos ¹⁴¹, L.S. Ancu ⁵², N. Andari ¹⁹, T. Andeen ¹¹, C.F. Anders ^{60b}, J.K. Anders ⁷⁷, K.J. Anderson ³³, A. Andreazza ^{94a,94b}, V. Andrei ^{60a}, S. Angelidakis ³⁷, I. Angelozzi ¹⁰⁹, A. Angerami ³⁸, A.V. Anisenkov ^{111,c}, N. Anjos ¹³, A. Annovi ^{126a}, C. Antel ^{60a}, M. Antonelli ⁵⁰, A. Antonov ^{100,*}, D.J. Antrim ¹⁶⁶, F. Anulli ^{134a}, M. Aoki ⁶⁹, L. Aperio Bella ³², G. Arabidze ⁹³, Y. Arai ⁶⁹, J.P. Araque ^{128a}, V. Araujo Ferraz ^{26a}, A.T.H. Arce ⁴⁸, R.E. Ardell ⁸⁰, F.A. Arduh ⁷⁴, J.-F. Arguin ⁹⁷, S. Argyropoulos ⁶⁶, M. Arik ^{20a}, A.J. Armbruster ³², L.J. Armitage ⁷⁹, O. Arnaez ¹⁶¹, H. Arnold ⁵¹, M. Arratia ³⁰, O. Arslan ²³, A. Artamonov ^{99,*}, G. Artoni ¹²², S. Artz ⁸⁶, S. Asai ¹⁵⁷, N. Asbah ⁴⁵, A. Ashkenazi ¹⁵⁵, L. Asquith ¹⁵¹, K. Assamagan ²⁷, R. Astalos ^{146a}, M. Atkinson ¹⁶⁹, N.B. Atlay ¹⁴³, K. Augsten ¹³⁰, G. Avolio ³², B. Axen ¹⁶, M.K. Ayoub ^{35a}, G. Azuelos ^{97,d}, A.E. Baas ^{60a}, M.J. Baca ¹⁹, H. Bachacou ¹³⁸, K. Bachas ^{76a,76b}, M. Backes ¹²², P. Bagnaia ^{134a,134b}, M. Bahmani ⁴², H. Bahrasemani ¹⁴⁴, J.T. Baines ¹³³, M. Bajic ³⁹, O.K. Baker ¹⁷⁹, P.J. Bakker ¹⁰⁹, E.M. Baldin ^{111,c}, P. Balek ¹⁷⁵, F. Balli ¹³⁸, W.K. Balunas ¹²⁴, E. Banas ⁴², A. Bandyopadhyay ²³, Sw. Banerjee ^{176,e}, A.A.E. Bannoura ¹⁷⁸, L. Barak ¹⁵⁵, E.L. Barberio ⁹¹, D. Barberis ^{53a,53b}, M. Barbero ⁸⁸, T. Barillari ¹⁰³, M.-S. Barisits ⁶⁵, J.T. Barkeloo ¹¹⁸, T. Barklow ¹⁴⁵, N. Barlow ³⁰, S.L. Barnes ^{36c}, B.M. Barnett ¹³³, R.M. Barnett ¹⁶, Z. Barnovska-Blenessy ^{36a}, A. Baroncelli ^{136a}, G. Barone ²⁵, A.J. Barr ¹²², L. Barranco Navarro ¹⁷⁰, F. Barreiro ⁸⁵, J. Barreiro Guimarães da Costa ^{35a}, R. Bartoldus ¹⁴⁵, A.E. Barton ⁷⁵, P. Bartos ^{146a}, A. Basalaev ¹²⁵, A. Bassalat ^{119,f}, R.L. Bates ⁵⁶, S.J. Batista ¹⁶¹, J.R. Batley ³⁰, M. Battaglia ¹³⁹, M. Bauce ^{134a,134b}, F. Bauer ¹³⁸, K.T. Bauer ¹⁶⁶, H.S. Bawa ^{145,g}, J.B. Beacham ¹¹³, M.D. Beattie ⁷⁵, T. Beau ⁸³, P.H. Beauchemin ¹⁶⁵, P. Bechtle ²³, H.P. Beck ^{18,h}, H.C. Beck ⁵⁷, K. Becker ¹²², M. Becker ⁸⁶, C. Becot ¹¹², A.J. Beddall ^{20e}, A. Beddall ^{20b}, V.A. Bednyakov ⁶⁸, M. Bedognetti ¹⁰⁹, C.P. Bee ¹⁵⁰, T.A. Beermann ³², M. Begalli ^{26a}, M. Begel ²⁷, J.K. Behr ⁴⁵, A.S. Bell ⁸¹,

- G. Bella 155, L. Bellagamba 22a, A. Bellerive 31, M. Bellomo 154, K. Belotskiy 100, O. Beltramello 32, N.L. Belyaev 100, O. Benary 155,* D. Benchekroun 137a, M. Bender 102, N. Benekos 10, Y. Benhammou 155, E. Benhar Noccioli 179, J. Benitez 66, D.P. Benjamin 48, M. Benoit 52, J.R. Bensinger 25, S. Bentvelsen 109, L. Beresford 122, M. Beretta 50, D. Berge 109, E. Bergeaas Kuutmann 168, N. Berger 5, L.J. Bergsten 25, J. Beringer 16, S. Berlendis 58, N.R. Bernard 89, G. Bernardi 83, C. Bernius 145, F.U. Bernlochner 23, T. Berry 80, P. Berta 86, C. Bertella 35a, G. Bertoli 148a, 148b, I.A. Bertram 75, C. Bertsche 45, G.J. Besjes 39, O. Bessidkskaia Bylund 148a, 148b, M. Bessner 45, N. Besson 138, A. Bethani 87, S. Bethke 103, A. Betti 23, A.J. Bevan 79, J. Beyer 103, R.M. Bianchi 127, O. Biebel 102, D. Biedermann 17, R. Bielski 87, K. Bierwagen 86, N.V. Biesuz 126a, 126b, M. Biglietti 136a, T.R.V. Billoud 97, H. Bilokon 50, M. Bindi 57, A. Bingul 20b, C. Bini 134a, 134b, S. Biondi 22a, 22b, T. Bisanz 57, C. Bittrich 47, D.M. Bjergaard 48, J.E. Black 145, K.M. Black 24, R.E. Blair 6, T. Blazek 146a, I. Bloch 45, C. Blocker 25, A. Blue 56, U. Blumenschein 79, S. Blunier 34a, G.J. Bobbink 109, V.S. Bobrovnikov 111,c, S.S. Bocchetta 84, A. Bocci 48, C. Bock 102, M. Boehler 51, D. Boerner 178, D. Bogavac 102, A.G. Bogdanchikov 111, C. Bohm 148a, V. Boisvert 80, P. Bokan 168,i, T. Bold 41a, A.S. Boldyrev 101, A.E. Bolz 60b, M. Bomben 83, M. Bona 79, M. Boonekamp 138, A. Borisov 132, G. Borissov 75, J. Bortfeldt 32, D. Bortoletto 122, V. Bortolotto 62a, D. Boscherini 22a, M. Bosman 13, J.D. Bossio Sola 29, J. Boudreau 127, E.V. Bouhova-Thacker 75, D. Boumediene 37, C. Bourdarios 119, S.K. Boutle 56, A. Boveia 113, J. Boyd 32, I.R. Boyko 68, A.J. Bozson 80, J. Bracinik 19, A. Brandt 8, G. Brandt 57, O. Brandt 60a, F. Braren 45, U. Bratzler 158, B. Brau 89, J.E. Brau 118, W.D. Breaden Madden 56, K. Brendlinger 45, A.J. Brennan 91, L. Brenner 109, R. Brenner 168, S. Bressler 175, D.L. Briglin 19, T.M. Bristow 49, D. Britton 56, D. Blitzger 45, F.M. Brochu 30, I. Brock 23, R. Brock 93, G. Brooijmans 38, T. Brooks 80, W.K. Brooks 34b, E. Brost 110, J.H. Broughton 19, P.A. Bruckman de Renstrom 42, D. Bruncko 146b, A. Bruni 22a, G. Bruni 22a, L.S. Bruni 109, S. Bruno 135a, 135b, BH Brunt 30, M. Bruschi 22a, N. Bruscino 127, P. Bryant 33, L. Bryngemark 45, T. Buanes 15, Q. Buat 144, P. Buchholz 143, A.G. Buckley 56, I.A. Budagov 68, F. Buehrer 51, M.K. Bugge 121, O. Bulekov 100, D. Bullock 8, T.J. Burch 110, S. Burdin 77, C.D. Burgard 109, A.M. Burger 5, B. Burghgrave 110, K. Burka 42, S. Burke 133, I. Burmeister 46, J.T.P. Burr 122, D. Büscher 51, V. Büscher 86, P. Bussey 56, J.M. Butler 24, C.M. Buttar 56, J.M. Butterworth 81, P. Butti 32, W. Buttinger 27, A. Buzatu 153, A.R. Buzykaev 111,c, C.-Q. Changqiao 36a, S. Cabrera Urbán 170, D. Caforio 130, H. Cai 169, V.M. Cairo 40a, 40b, O. Cakir 4a, N. Calace 52, P. Calafiura 16, A. Calandri 88, G. Calderini 83, P. Calfayan 64, G. Callea 40a, 40b, L.P. Caloba 26a, S. Calvente Lopez 85, D. Calvet 37, S. Calvet 37, T.P. Calvet 88, R. Camacho Toro 33, S. Camarda 32, P. Camarri 135a, 135b, D. Cameron 121, R. Caminal Armadans 169, C. Camincher 58, S. Campana 32, M. Campanelli 81, A. Camplani 94a, 94b, A. Campoverde 143, V. Canale 106a, 106b, M. Cano Bret 36c, J. Cantero 116, T. Cao 155, M.D.M. Capeans Garrido 32, I. Caprini 28b, M. Caprini 28b, M. Capua 40a, 40b, R.M. Carbone 38, R. Cardarelli 135a, F. Cardillo 51, I. Carli 131, T. Carli 32, G. Carlino 106a, B.T. Carlson 127, L. Carminati 94a, 94b, R.M.D. Carney 148a, 148b, S. Caron 108, E. Carquin 34b, S. Carrá 94a, 94b, G.D. Carrillo-Montoya 32, D. Casadei 19, M.P. Casado 13,j, A.F. Casha 161, M. Casolino 13, D.W. Casper 166, R. Castelijn 109, V. Castillo Gimenez 170, N.F. Castro 128a,k, A. Catinaccio 32, J.R. Catmore 121, A. Cattai 32, J. Caudron 23, V. Cavaliere 169, E. Cavallaro 13, D. Cavalli 94a, M. Cavalli-Sforza 13, V. Cavasinni 126a, 126b, E. Celebi 20d, F. Ceradini 136a, 136b, L. Cerdá Alberich 170, A.S. Cerqueira 26b, A. Cerri 151, L. Cerrito 135a, 135b, F. Cerutti 16, A. Cervelli 22a, 22b, S.A. Cetin 20d, A. Chafaq 137a, D. Chakraborty 110, S.K. Chan 59, W.S. Chan 109, Y.L. Chan 62a, P. Chang 169, J.D. Chapman 30, D.G. Charlton 19, C.C. Chau 31, C.A. Chavez Barajas 151, S. Che 113, S. Cheatham 167a, 167c, A. Chegwidden 93, S. Chekanov 6, S.V. Chekulaev 163a, G.A. Chelkov 68,l, M.A. Chelstowska 32, C. Chen 36a, C. Chen 67, H. Chen 27, J. Chen 36a, S. Chen 35b, S. Chen 157, X. Chen 35c,m, Y. Chen 70, H.C. Cheng 92, H.J. Cheng 35a, 35d, A. Cheplakov 68, E. Cheremushkina 132, R. Cherkaoui El Moursli 137e, E. Cheu 7, K. Cheung 63, L. Chevalier 138, V. Chiarella 50, G. Chiarelli 126a, G. Chiodini 76a, A.S. Chisholm 32, A. Chitan 28b, Y.H. Chiu 172, M.V. Chizhov 68, K. Choi 64, A.R. Chomont 37, S. Chouridou 156, Y.S. Chow 62a, V. Christodoulou 81, M.C. Chu 62a, J. Chudoba 129, A.J. Chuinard 90, J.J. Chwastowski 42, L. Chytka 117, A.K. Ciftci 4a, D. Cinca 46, V. Cindro 78, I.A. Cioara 23, A. Ciocio 16, F. Cirotto 106a, 106b, Z.H. Citron 175, M. Citterio 94a, M. Ciubancan 28b, A. Clark 52, M.R. Clark 38, P.J. Clark 49, R.N. Clarke 16, C. Clement 148a, 148b, Y. Coadou 88, M. Cobal 167a, 167c, A. Coccaro 52, J. Cochran 67, L. Colasurdo 108, B. Cole 38, A.P. Colijn 109, J. Collot 58, T. Colombo 166, P. Conde Muiño 128a, 128b, E. Coniavitis 51, S.H. Connell 147b, I.A. Connolly 87, S. Constantinescu 28b, G. Conti 32, F. Conventi 106a,n, M. Cooke 16, A.M. Cooper-Sarkar 122, F. Cormier 171,

- K.J.R. Cormier 161, M. Corradi 134a, 134b, E.E. Corrigan 84, F. Corriveau 90,o, A. Cortes-Gonzalez 32,
 G. Costa 94a, M.J. Costa 170, D. Costanzo 141, G. Cottin 30, G. Cowan 80, B.E. Cox 87, K. Cranmer 112,
 S.J. Crawley 56, R.A. Creager 124, G. Cree 31, S. Crépé-Renaudin 58, F. Crescioli 83, W.A. Cribbs 148a, 148b,
 M. Cristinziani 23, V. Croft 112, G. Crosetti 40a, 40b, A. Cueto 85, T. Cuhadar Donszelmann 141,
 A.R. Cukierman 145, J. Cummings 179, M. Curatolo 50, J. Cúth 86, S. Czekierda 42, P. Czodrowski 32,
 G. D’amen 22a, 22b, S. D’Auria 56, L. D’eramo 83, M. D’Onofrio 77, M.J. Da Cunha Sargedas De Sousa 128a, 128b,
 C. Da Via 87, W. Dabrowski 41a, T. Dado 146a, T. Dai 92, O. Dale 15, F. Dallaire 97, C. Dallapiccola 89,
 M. Dam 39, J.R. Dandoy 124, M.F. Daneri 29, N.P. Dang 176, A.C. Daniells 19, N.S. Dann 87, M. Danninger 171,
 M. Dano Hoffmann 138, V. Dao 150, G. Darbo 53a, S. Darmora 8, J. Dassoulas 3, A. Dattagupta 118,
 T. Daubney 45, W. Davey 23, C. David 45, T. Davidek 131, D.R. Davis 48, P. Davison 81, E. Dawe 91,
 I. Dawson 141, K. De 8, R. de Asmundis 106a, A. De Benedetti 115, S. De Castro 22a, 22b, S. De Cecco 83,
 N. De Groot 108, P. de Jong 109, H. De la Torre 93, F. De Lorenzi 67, A. De Maria 57, D. De Pedis 134a,
 A. De Salvo 134a, U. De Sanctis 135a, 135b, A. De Santo 151, K. De Vasconcelos Corga 88,
 J.B. De Vivie De Regie 119, R. Debbe 27, C. Debenedetti 139, D.V. Dedovich 68, N. Dehghanian 3,
 I. Deigaard 109, M. Del Gaudio 40a, 40b, J. Del Peso 85, D. Delgove 119, F. Deliot 138, C.M. Delitzsch 7,
 A. Dell’Acqua 32, L. Dell’Asta 24, M. Dell’Orso 126a, 126b, M. Della Pietra 106a, 106b, D. della Volpe 52,
 M. Delmastro 5, C. Delporte 119, P.A. Delsart 58, D.A. DeMarco 161, S. Demers 179, M. Demichev 68,
 A. Demilly 83, S.P. Denisov 132, D. Denysiuk 138, D. Derendarz 42, J.E. Derkaoui 137d, F. Derue 83,
 P. Dervan 77, K. Desch 23, C. Deterre 45, K. Dette 161, M.R. Devesa 29, P.O. Deviveiros 32, A. Dewhurst 133,
 S. Dhaliwal 25, F.A. Di Bello 52, A. Di Ciaccio 135a, 135b, L. Di Ciaccio 5, W.K. Di Clemente 124,
 C. Di Donato 106a, 106b, A. Di Girolamo 32, B. Di Girolamo 32, B. Di Micco 136a, 136b, R. Di Nardo 32,
 K.F. Di Petrillo 59, A. Di Simone 51, R. Di Sipio 161, D. Di Valentino 31, C. Diaconu 88, M. Diamond 161,
 F.A. Dias 39, M.A. Diaz 34a, J. Dickinson 16, E.B. Diehl 92, J. Dietrich 17, S. Díez Cornell 45, A. Dimitrievska 14,
 J. Dingfelder 23, P. Dita 28b, S. Dita 28b, F. Dittus 32, F. Djama 88, T. Djobava 54b, J.I. Djuvslund 60a,
 M.A.B. do Vale 26c, M. Dobre 28b, D. Dodsworth 25, C. Doglioni 84, J. Dolejsi 131, Z. Dolezal 131,
 M. Donadelli 26d, S. Donati 126a, 126b, J. Donini 37, J. Dopke 133, A. Doria 106a, M.T. Dova 74, A.T. Doyle 56,
 E. Drechsler 57, M. Dris 10, Y. Du 36b, J. Duarte-Campderros 155, F. Dubinin 98, A. Dubreuil 52,
 E. Duchovni 175, G. Duckeck 102, A. Ducourthial 83, O.A. Duccu 97,p, D. Duda 109, A. Dudarev 32,
 A. Chr. Dudder 86, E.M. Duffield 16, L. Duflot 119, M. Dührssen 32, C. Dulsen 178, M. Dumancic 175,
 A.E. Dumitriu 28b, A.K. Duncan 56, M. Dunford 60a, A. Duperrin 88, H. Duran Yildiz 4a, M. Düren 55,
 A. Durglishvili 54b, D. Duschinger 47, B. Dutta 45, D. Duvnjak 1, M. Dyndal 45, B.S. Dziedzic 42, C. Eckardt 45,
 K.M. Ecker 103, R.C. Edgar 92, T. Eifert 32, G. Eigen 15, K. Einsweiler 16, T. Ekelof 168, M. El Kacimi 137c,
 R. El Kosseifi 88, V. Ellajosyula 88, M. Ellert 168, S. Elles 5, F. Ellinghaus 178, A.A. Elliot 172, N. Ellis 32,
 J. Elmsheuser 27, M. Elsing 32, D. Emeliyanov 133, Y. Enari 157, J.S. Ennis 173, M.B. Epland 48, J. Erdmann 46,
 A. Ereditato 18, M. Ernst 27, S. Errede 169, M. Escalier 119, C. Escobar 170, B. Esposito 50,
 O. Estrada Pastor 170, A.I. Etienne 138, E. Etzion 155, H. Evans 64, A. Ezhilov 125, M. Ezzi 137e,
 F. Fabbri 22a, 22b, L. Fabbri 22a, 22b, V. Fabiani 108, G. Facini 81, R.M. Fakhrutdinov 132, S. Falciano 134a,
 R.J. Falla 81, J. Faltova 32, Y. Fang 35a, M. Fanti 94a, 94b, A. Farbin 8, A. Farilla 136a, E.M. Farina 123a, 123b,
 T. Farooque 93, S. Farrell 16, S.M. Farrington 173, P. Farthouat 32, F. Fassi 137e, P. Fassnacht 32,
 D. Fassouliotis 9, M. Faucci Giannelli 49, A. Favareto 53a, 53b, W.J. Fawcett 122, L. Fayard 119, O.L. Fedin 125,q,
 W. Fedorko 171, S. Feigl 121, L. Feligioni 88, C. Feng 36b, E.J. Feng 32, M. Feng 48, M.J. Fenton 56,
 A.B. Fenyuk 132, L. Feremenga 8, P. Fernandez Martinez 170, J. Ferrando 45, A. Ferrari 168, P. Ferrari 109,
 R. Ferrari 123a, D.E. Ferreira de Lima 60b, A. Ferrer 170, D. Ferrere 52, C. Ferretti 92, F. Fiedler 86, A. Filipčič 78,
 M. Filipuzzi 45, F. Filthaut 108, M. Fincke-Keeler 172, K.D. Finelli 24, M.C.N. Fiolhais 128a, 128c,r, L. Fiorini 170,
 A. Fischer 2, C. Fischer 13, J. Fischer 178, W.C. Fisher 93, N. Flaschel 45, I. Fleck 143, P. Fleischmann 92,
 R.R.M. Fletcher 124, T. Flick 178, B.M. Flierl 102, L.R. Flores Castillo 62a, M.J. Flowerdew 103, G.T. Forcolin 87,
 A. Formica 138, F.A. Förster 13, A. Forti 87, A.G. Foster 19, D. Fournier 119, H. Fox 75, S. Fracchia 141,
 P. Francavilla 126a, 126b, M. Franchini 22a, 22b, S. Franchino 60a, D. Francis 32, L. Franconi 121, M. Franklin 59,
 M. Frate 166, M. Fraternali 123a, 123b, D. Freeborn 81, S.M. Fressard-Batraneanu 32, B. Freund 97,
 D. Froidevaux 32, J.A. Frost 122, C. Fukunaga 158, T. Fusayasu 104, J. Fuster 170, O. Gabizon 154,
 A. Gabrielli 22a, 22b, A. Gabrielli 16, G.P. Gach 41a, S. Gadatsch 32, S. Gadomski 80, G. Gagliardi 53a, 53b,
 L.G. Gagnon 97, C. Galea 108, B. Galhardo 128a, 128c, E.J. Gallas 122, B.J. Gallop 133, P. Gallus 130, G. Galster 39,

- K.K. Gan ¹¹³, S. Ganguly ³⁷, Y. Gao ⁷⁷, Y.S. Gao ^{145,g}, F.M. Garay Walls ^{34a}, C. García ¹⁷⁰,
 J.E. García Navarro ¹⁷⁰, J.A. García Pascual ^{35a}, M. Garcia-Sivertes ¹⁶, R.W. Gardner ³³, N. Garelli ¹⁴⁵,
 V. Garonne ¹²¹, A. Gascon Bravo ⁴⁵, K. Gasnikova ⁴⁵, C. Gatti ⁵⁰, A. Gaudiello ^{53a,53b}, G. Gaudio ^{123a},
 I.L. Gavrilenko ⁹⁸, C. Gay ¹⁷¹, G. Gaycken ²³, E.N. Gazis ¹⁰, C.N.P. Gee ¹³³, J. Geisen ⁵⁷, M. Geisen ⁸⁶,
 M.P. Geisler ^{60a}, K. Gellerstedt ^{148a,148b}, C. Gemme ^{53a}, M.H. Genest ⁵⁸, C. Geng ⁹², S. Gentile ^{134a,134b},
 C. Gentsos ¹⁵⁶, S. George ⁸⁰, D. Gerbaudo ¹³, G. Geßner ⁴⁶, S. Ghasemi ¹⁴³, M. Ghneimat ²³, B. Giacobbe ^{22a},
 S. Giagu ^{134a,134b}, N. Giangiacomi ^{22a,22b}, P. Giannetti ^{126a}, S.M. Gibson ⁸⁰, M. Gignac ¹⁷¹, M. Gilchriese ¹⁶,
 D. Gillberg ³¹, G. Gilles ¹⁷⁸, D.M. Gingrich ^{3,d}, M.P. Giordani ^{167a,167c}, F.M. Giorgi ^{22a}, P.F. Giraud ¹³⁸,
 P. Giromini ⁵⁹, G. Giugliarelli ^{167a,167c}, D. Giugni ^{94a}, F. Giuli ¹²², C. Giuliani ¹⁰³, M. Giulini ^{60b},
 B.K. Gjelsten ¹²¹, S. Gkaitatzis ¹⁵⁶, I. Gkialas ^{9,s}, E.L. Gkougkousis ¹³, P. Gkountoumis ¹⁰, L.K. Gladilin ¹⁰¹,
 C. Glasman ⁸⁵, J. Glatzer ¹³, P.C.F. Glaysher ⁴⁵, A. Glazov ⁴⁵, M. Goblirsch-Kolb ²⁵, J. Godlewski ⁴²,
 S. Goldfarb ⁹¹, T. Golling ⁵², D. Golubkov ¹³², A. Gomes ^{128a,128b,128d}, R. Gonçalo ^{128a},
 R. Goncalves Gama ^{26a}, J. Goncalves Pinto Firmino Da Costa ¹³⁸, G. Gonella ⁵¹, L. Gonella ¹⁹,
 A. Gongadze ⁶⁸, F. Gonnella ¹⁹, J.L. Gonski ⁵⁹, S. González de la Hoz ¹⁷⁰, S. Gonzalez-Sevilla ⁵²,
 L. Goossens ³², P.A. Gorbounov ⁹⁹, H.A. Gordon ²⁷, B. Gorini ³², E. Gorini ^{76a,76b}, A. Gorišek ⁷⁸,
 A.T. Goshaw ⁴⁸, C. Gössling ⁴⁶, M.I. Gostkin ⁶⁸, C.A. Gottardo ²³, C.R. Goudet ¹¹⁹, D. Goujdami ^{137c},
 A.G. Goussiou ¹⁴⁰, N. Govender ^{147b,t}, E. Gozani ¹⁵⁴, I. Grabowska-Bold ^{41a}, P.O.J. Gradin ¹⁶⁸,
 E.C. Graham ⁷⁷, J. Gramling ¹⁶⁶, E. Gramstad ¹²¹, S. Grancagnolo ¹⁷, V. Gratchev ¹²⁵, P.M. Gravila ^{28f},
 C. Gray ⁵⁶, H.M. Gray ¹⁶, Z.D. Greenwood ^{82,u}, C. Grefe ²³, K. Gregersen ⁸¹, I.M. Gregor ⁴⁵, P. Grenier ¹⁴⁵,
 K. Grevtsov ⁵, J. Griffiths ⁸, A.A. Grillo ¹³⁹, K. Grimm ⁷⁵, S. Grinstein ^{13,v}, Ph. Gris ³⁷, J.-F. Grivaz ¹¹⁹,
 S. Groh ⁸⁶, E. Gross ¹⁷⁵, J. Grosse-Knetter ⁵⁷, G.C. Grossi ⁸², Z.J. Grout ⁸¹, A. Grummer ¹⁰⁷, L. Guan ⁹²,
 W. Guan ¹⁷⁶, J. Guenther ³², F. Guescini ^{163a}, D. Guest ¹⁶⁶, O. Gueta ¹⁵⁵, B. Gui ¹¹³, E. Guido ^{53a,53b},
 T. Guillemin ⁵, S. Guindon ³², U. Gul ⁵⁶, C. Gumpert ³², J. Guo ^{36c}, W. Guo ⁹², Y. Guo ^{36a,w}, R. Gupta ⁴³,
 S. Gurbuz ^{20a}, G. Gustavino ¹¹⁵, B.J. Gutelman ¹⁵⁴, P. Gutierrez ¹¹⁵, N.G. Gutierrez Ortiz ⁸¹, C. Gutschow ⁸¹,
 C. Guyot ¹³⁸, M.P. Guzik ^{41a}, C. Gwenlan ¹²², C.B. Gwilliam ⁷⁷, A. Haas ¹¹², C. Haber ¹⁶, H.K. Hadavand ⁸,
 N. Haddad ^{137e}, A. Hedef ⁸⁸, S. Hageböck ²³, M. Hagihara ¹⁶⁴, H. Hakobyan ^{180,*}, M. Haleem ⁴⁵, J. Haley ¹¹⁶,
 G. Halladjian ⁹³, G.D. Hallewell ⁸⁸, K. Hamacher ¹⁷⁸, P. Hamal ¹¹⁷, K. Hamano ¹⁷², A. Hamilton ^{147a},
 G.N. Hamity ¹⁴¹, P.G. Hamnett ⁴⁵, K. Han ^{36a,x}, L. Han ^{36a}, S. Han ^{35a,35d}, K. Hanagaki ^{69,y}, K. Hanawa ¹⁵⁷,
 M. Hance ¹³⁹, D.M. Handl ¹⁰², B. Haney ¹²⁴, P. Hanke ^{60a}, J.B. Hansen ³⁹, J.D. Hansen ³⁹, M.C. Hansen ²³,
 P.H. Hansen ³⁹, K. Hara ¹⁶⁴, A.S. Hard ¹⁷⁶, T. Harenberg ¹⁷⁸, F. Hariri ¹¹⁹, S. Harkusha ⁹⁵, P.F. Harrison ¹⁷³,
 N.M. Hartmann ¹⁰², Y. Hasegawa ¹⁴², A. Hasib ⁴⁹, S. Hassani ¹³⁸, S. Haug ¹⁸, R. Hauser ⁹³, L. Hauswald ⁴⁷,
 L.B. Havener ³⁸, M. Havranek ¹³⁰, C.M. Hawkes ¹⁹, R.J. Hawkings ³², D. Hayden ⁹³, C.P. Hays ¹²²,
 J.M. Hays ⁷⁹, H.S. Hayward ⁷⁷, S.J. Haywood ¹³³, T. Heck ⁸⁶, V. Hedberg ⁸⁴, L. Heelan ⁸, S. Heer ²³,
 K.K. Heidegger ⁵¹, S. Heim ⁴⁵, T. Heim ¹⁶, B. Heinemann ^{45,z}, J.J. Heinrich ¹⁰², L. Heinrich ¹¹², C. Heinz ⁵⁵,
 J. Hejbal ¹²⁹, L. Helary ³², A. Held ¹⁷¹, S. Hellman ^{148a,148b}, C. Helsens ³², R.C.W. Henderson ⁷⁵, Y. Heng ¹⁷⁶,
 S. Henkelmann ¹⁷¹, A.M. Henriques Correia ³², S. Henrot-Versille ¹¹⁹, G.H. Herbert ¹⁷, H. Herde ²⁵,
 V. Herget ¹⁷⁷, Y. Hernández Jiménez ^{147c}, H. Herr ⁸⁶, G. Herten ⁵¹, R. Hertenberger ¹⁰², L. Hervas ³²,
 T.C. Herwig ¹²⁴, G.G. Hesketh ⁸¹, N.P. Hessey ^{163a}, J.W. Hetherly ⁴³, S. Higashino ⁶⁹, E. Higón-Rodríguez ¹⁷⁰,
 K. Hildebrand ³³, E. Hill ¹⁷², J.C. Hill ³⁰, K.H. Hiller ⁴⁵, S.J. Hillier ¹⁹, M. Hils ⁴⁷, I. Hinchliffe ¹⁶, M. Hirose ⁵¹,
 D. Hirschbuehl ¹⁷⁸, B. Hiti ⁷⁸, O. Hladík ¹²⁹, D.R. Hlaluku ^{147c}, X. Hoad ⁴⁹, J. Hobbs ¹⁵⁰, N. Hod ^{163a},
 M.C. Hodgkinson ¹⁴¹, P. Hodgson ¹⁴¹, A. Hoecker ³², M.R. Hoeferkamp ¹⁰⁷, F. Hoenig ¹⁰², D. Hohn ²³,
 T.R. Holmes ³³, M. Holzbock ¹⁰², M. Homann ⁴⁶, S. Honda ¹⁶⁴, T. Honda ⁶⁹, T.M. Hong ¹²⁷,
 B.H. Hooberman ¹⁶⁹, W.H. Hopkins ¹¹⁸, Y. Horii ¹⁰⁵, A.J. Horton ¹⁴⁴, J.-Y. Hostachy ⁵⁸, A. Hostiuc ¹⁴⁰,
 S. Hou ¹⁵³, A. Hoummada ^{137a}, J. Howarth ⁸⁷, J. Hoya ⁷⁴, M. Hrabovsky ¹¹⁷, J. Hrdinka ³², I. Hristova ¹⁷,
 J. Hrivnac ¹¹⁹, T. Hrynn'ova ⁵, A. Hrynevich ⁹⁶, P.J. Hsu ⁶³, S.-C. Hsu ¹⁴⁰, Q. Hu ²⁷, S. Hu ^{36c}, Y. Huang ^{35a},
 Z. Hubacek ¹³⁰, F. Hubaut ⁸⁸, F. Huegging ²³, T.B. Huffman ¹²², E.W. Hughes ³⁸, M. Huhtinen ³²,
 R.F.H. Hunter ³¹, P. Huo ¹⁵⁰, N. Huseynov ^{68,b}, J. Huston ⁹³, J. Huth ⁵⁹, R. Hyneman ⁹², G. Iacobucci ⁵²,
 G. Iakovidis ²⁷, I. Ibragimov ¹⁴³, L. Iconomidou-Fayard ¹¹⁹, Z. Idrissi ^{137e}, P. Iengo ³², O. Igonkina ^{109,aa},
 T. Iizawa ¹⁷⁴, Y. Ikegami ⁶⁹, M. Ikeno ⁶⁹, Y. Ilchenko ^{11,ab}, D. Iliadis ¹⁵⁶, N. Ilic ¹⁴⁵, F. Iltzsche ⁴⁷,
 G. Introzzi ^{123a,123b}, P. Ioannou ^{9,*}, M. Iodice ^{136a}, K. Iordanidou ³⁸, V. Ippolito ⁵⁹, M.F. Isaacson ¹⁶⁸,
 N. Ishijima ¹²⁰, M. Ishino ¹⁵⁷, M. Ishitsuka ¹⁵⁹, C. Issever ¹²², S. Istiń ^{20a}, F. Ito ¹⁶⁴, J.M. Iturbe Ponce ^{62a},
 R. Iuppa ^{162a,162b}, H. Iwasaki ⁶⁹, J.M. Izen ⁴⁴, V. Izzo ^{106a}, S. Jabbar ³, P. Jackson ¹, R.M. Jacobs ²³, V. Jain ²

- K.B. Jakobi ⁸⁶, K. Jakobs ⁵¹, S. Jakobsen ⁶⁵, T. Jakoubek ¹²⁹, D.O. Jamin ¹¹⁶, D.K. Jana ⁸², R. Jansky ⁵², J. Janssen ²³, M. Janus ⁵⁷, P.A. Janus ^{41a}, G. Jarlskog ⁸⁴, N. Javadov ^{68,b}, T. Javůrek ⁵¹, M. Javurkova ⁵¹, F. Jeanneau ¹³⁸, L. Jeanty ¹⁶, J. Jejelava ^{54a,ac}, A. Jelinskas ¹⁷³, P. Jenni ^{51,ad}, C. Jeske ¹⁷³, S. Jézéquel ⁵, H. Ji ¹⁷⁶, J. Jia ¹⁵⁰, H. Jiang ⁶⁷, Y. Jiang ^{36a}, Z. Jiang ¹⁴⁵, S. Jiggins ⁸¹, J. Jimenez Pena ¹⁷⁰, S. Jin ^{35b}, A. Jinaru ^{28b}, O. Jinnouchi ¹⁵⁹, H. Jivan ^{147c}, P. Johansson ¹⁴¹, K.A. Johns ⁷, C.A. Johnson ⁶⁴, W.J. Johnson ¹⁴⁰, K. Jon-And ^{148a,148b}, R.W.L. Jones ⁷⁵, S.D. Jones ¹⁵¹, S. Jones ⁷, T.J. Jones ⁷⁷, J. Jongmanns ^{60a}, P.M. Jorge ^{128a,128b}, J. Jovicevic ^{163a}, X. Ju ¹⁷⁶, A. Juste Rozas ^{13,v}, M.K. Köhler ¹⁷⁵, A. Kaczmarcka ⁴², M. Kado ¹¹⁹, H. Kagan ¹¹³, M. Kagan ¹⁴⁵, S.J. Kahn ⁸⁸, T. Kaji ¹⁷⁴, E. Kajomovitz ¹⁵⁴, C.W. Kalderon ⁸⁴, A. Kaluza ⁸⁶, S. Kama ⁴³, A. Kamenshchikov ¹³², N. Kanaya ¹⁵⁷, L. Kanjir ⁷⁸, V.A. Kantserov ¹⁰⁰, J. Kanzaki ⁶⁹, B. Kaplan ¹¹², L.S. Kaplan ¹⁷⁶, D. Kar ^{147c}, K. Karakostas ¹⁰, N. Karastathis ¹⁰, M.J. Kareem ^{163b}, E. Karentzos ¹⁰, S.N. Karpov ⁶⁸, Z.M. Karpova ⁶⁸, V. Kartvelishvili ⁷⁵, A.N. Karyukhin ¹³², K. Kasahara ¹⁶⁴, L. Kashif ¹⁷⁶, R.D. Kass ¹¹³, A. Kastanas ¹⁴⁹, Y. Kataoka ¹⁵⁷, C. Kato ¹⁵⁷, A. Katre ⁵², J. Katzy ⁴⁵, K. Kawade ⁷⁰, K. Kawagoe ⁷³, T. Kawamoto ¹⁵⁷, G. Kawamura ⁵⁷, E.F. Kay ⁷⁷, V.F. Kazanin ^{111,c}, R. Keeler ¹⁷², R. Kehoe ⁴³, J.S. Keller ³¹, E. Kellermann ⁸⁴, J.J. Kempster ⁸⁰, J. Kendrick ¹⁹, H. Keoshkerian ¹⁶¹, O. Kepka ¹²⁹, B.P. Kerševan ⁷⁸, S. Kersten ¹⁷⁸, R.A. Keyes ⁹⁰, M. Khader ¹⁶⁹, F. Khalil-zada ¹², A. Khanov ¹¹⁶, A.G. Kharlamov ^{111,c}, T. Kharlamova ^{111,c}, A. Khodinov ¹⁶⁰, T.J. Khoo ⁵², V. Khovanskiy ^{99,*}, E. Khramov ⁶⁸, J. Khubua ^{54b,ae}, S. Kido ⁷⁰, C.R. Kilby ⁸⁰, H.Y. Kim ⁸, S.H. Kim ¹⁶⁴, Y.K. Kim ³³, N. Kimura ¹⁵⁶, O.M. Kind ¹⁷, B.T. King ⁷⁷, D. Kirchmeier ⁴⁷, J. Kirk ¹³³, A.E. Kiryunin ¹⁰³, T. Kishimoto ¹⁵⁷, D. Kisielewska ^{41a}, V. Kitali ⁴⁵, O. Kivernyk ⁵, E. Kladiva ^{146b}, T. Klapdor-Kleingrothaus ⁵¹, M.H. Klein ⁹², M. Klein ⁷⁷, U. Klein ⁷⁷, K. Kleinknecht ⁸⁶, P. Klimek ¹¹⁰, A. Klimentov ²⁷, R. Klingenberg ^{46,*}, T. Klingl ²³, T. Klioutchnikova ³², F.F. Klitzner ¹⁰², E.-E. Kluge ^{60a}, P. Kluit ¹⁰⁹, S. Kluth ¹⁰³, E. Kneringer ⁶⁵, E.B.F.G. Knoops ⁸⁸, A. Knue ¹⁰³, A. Kobayashi ¹⁵⁷, D. Kobayashi ⁷³, T. Kobayashi ¹⁵⁷, M. Kobel ⁴⁷, M. Kocian ¹⁴⁵, P. Kodys ¹³¹, T. Koffas ³¹, E. Koffeman ¹⁰⁹, N.M. Köhler ¹⁰³, T. Koi ¹⁴⁵, M. Kolb ^{60b}, I. Koletsou ⁵, T. Kondo ⁶⁹, N. Kondrashova ^{36c}, K. Köneke ⁵¹, A.C. König ¹⁰⁸, T. Kono ^{69,af}, R. Konoplich ^{112,ag}, N. Konstantinidis ⁸¹, B. Konya ⁸⁴, R. Kopeliansky ⁶⁴, S. Koperny ^{41a}, K. Korcyl ⁴², K. Kordas ¹⁵⁶, A. Korn ⁸¹, I. Korolkov ¹³, E.V. Korolkova ¹⁴¹, O. Kortner ¹⁰³, S. Kortner ¹⁰³, T. Kosek ¹³¹, V.V. Kostyukhin ²³, A. Kotwal ⁴⁸, A. Koulouris ¹⁰, A. Kourkoumeli-Charalampidi ^{123a,123b}, C. Kourkoumelis ⁹, E. Kourlitis ¹⁴¹, V. Kouskoura ²⁷, A.B. Kowalewska ⁴², R. Kowalewski ¹⁷², T.Z. Kowalski ^{41a}, C. Kozakai ¹⁵⁷, W. Kozanecki ¹³⁸, A.S. Kozhin ¹³², V.A. Kramarenko ¹⁰¹, G. Kramberger ⁷⁸, D. Krasnoperovtsev ¹⁰⁰, M.W. Krasny ⁸³, A. Krasznahorkay ³², D. Krauss ¹⁰³, J.A. Kremer ^{41a}, J. Kretzschmar ⁷⁷, K. Kreutzfeldt ⁵⁵, P. Krieger ¹⁶¹, K. Krizka ¹⁶, K. Kroeninger ⁴⁶, H. Kroha ¹⁰³, J. Kroll ¹²⁹, J. Kroll ¹²⁴, J. Kroseberg ²³, J. Krstic ¹⁴, U. Kruchonak ⁶⁸, H. Krüger ²³, N. Krumnack ⁶⁷, M.C. Kruse ⁴⁸, T. Kubota ⁹¹, H. Kucuk ⁸¹, S. Kuday ^{4b}, J.T. Kuechler ¹⁷⁸, S. Kuehn ³², A. Kugel ^{60a}, F. Kuger ¹⁷⁷, T. Kuhl ⁴⁵, V. Kukhtin ⁶⁸, R. Kukla ⁸⁸, Y. Kulchitsky ⁹⁵, S. Kuleshov ^{34b}, Y.P. Kulinich ¹⁶⁹, M. Kuna ¹¹, T. Kunigo ⁷¹, A. Kupco ¹²⁹, T. Kupfer ⁴⁶, O. Kuprash ¹⁵⁵, H. Kurashige ⁷⁰, L.L. Kurchaninov ^{163a}, Y.A. Kurochkin ⁹⁵, M.G. Kurth ^{35a,35d}, E.S. Kuwertz ¹⁷², M. Kuze ¹⁵⁹, J. Kvita ¹¹⁷, T. Kwan ¹⁷², D. Kyriazopoulos ¹⁴¹, A. La Rosa ¹⁰³, J.L. La Rosa Navarro ^{26d}, L. La Rotonda ^{40a,40b}, F. La Ruffa ^{40a,40b}, C. Lacasta ¹⁷⁰, F. Lacava ^{134a,134b}, J. Lacey ⁴⁵, D.P.J. Lack ⁸⁷, H. Lacker ¹⁷, D. Lacour ⁸³, E. Ladygin ⁶⁸, R. Lafaye ⁵, B. Laforge ⁸³, S. Lai ⁵⁷, S. Lammers ⁶⁴, W. Lampl ⁷, E. Lançon ²⁷, U. Landgraf ⁵¹, M.P.J. Landon ⁷⁹, M.C. Lanfermann ⁵², V.S. Lang ⁴⁵, J.C. Lange ¹³, R.J. Langenberg ³², A.J. Lankford ¹⁶⁶, F. Lanni ²⁷, K. Lantzsch ²³, A. Lanza ^{123a}, A. Lapertosa ^{53a,53b}, S. Laplace ⁸³, J.F. Laporte ¹³⁸, T. Lari ^{94a}, F. Lasagni Manghi ^{22a,22b}, M. Lassnig ³², T.S. Lau ^{62a}, P. Laurelli ⁵⁰, W. Lavrijsen ¹⁶, A.T. Law ¹³⁹, P. Laycock ⁷⁷, T. Lazovich ⁵⁹, M. Lazzaroni ^{94a,94b}, B. Le ⁹¹, O. Le Dortz ⁸³, E. Le Guiriec ⁸⁸, E.P. Le Quilleuc ¹³⁸, M. LeBlanc ⁷, T. LeCompte ⁶, F. Ledroit-Guillon ⁵⁸, C.A. Lee ²⁷, G.R. Lee ^{34a}, S.C. Lee ¹⁵³, L. Lee ⁵⁹, B. Lefebvre ⁹⁰, G. Lefebvre ⁸³, M. Lefebvre ¹⁷², F. Legger ¹⁰², C. Leggett ¹⁶, G. Lehmann Miotto ³², X. Lei ⁷, W.A. Leight ⁴⁵, M.A.L. Leite ^{26d}, R. Leitner ¹³¹, D. Lellouch ¹⁷⁵, B. Lemmer ⁵⁷, K.J.C. Leney ⁸¹, T. Lenz ²³, B. Lenzi ³², R. Leone ⁷, S. Leone ^{126a}, C. Leonidopoulos ⁴⁹, G. Lerner ¹⁵¹, C. Leroy ⁹⁷, R. Les ¹⁶¹, A.A.J. Lesage ¹³⁸, C.G. Lester ³⁰, M. Levchenko ¹²⁵, J. Levêque ⁵, D. Levin ⁹², L.J. Levinson ¹⁷⁵, M. Levy ¹⁹, D. Lewis ⁷⁹, B. Li ^{36a,w}, H. Li ¹⁵⁰, L. Li ^{36c}, Q. Li ^{35a,35d}, Q. Li ^{36a}, S. Li ⁴⁸, X. Li ^{36c}, Y. Li ¹⁴³, Z. Liang ^{35a}, B. Liberti ^{135a}, A. Liblong ¹⁶¹, K. Lie ^{62c}, W. Liebig ¹⁵, A. Limosani ¹⁵², C.Y. Lin ³⁰, K. Lin ⁹³, S.C. Lin ¹⁸², T.H. Lin ⁸⁶, R.A. Linck ⁶⁴, B.E. Lindquist ¹⁵⁰, A.E. Lonti ⁵², E. Lipeles ¹²⁴, A. Lipniacka ¹⁵, M. Lisovskyi ^{60b}, T.M. Liss ^{169,ah}, A. Lister ¹⁷¹, A.M. Litke ¹³⁹, B. Liu ⁶⁷, H. Liu ⁹², H. Liu ²⁷, J.K.K. Liu ¹²², J. Liu ^{36b}, J.B. Liu ^{36a}, K. Liu ⁸⁸, L. Liu ¹⁶⁹, M. Liu ^{36a}, Y.L. Liu ^{36a}, Y. Liu ^{36a}, M. Livan ^{123a,123b}, A. Lleres ⁵⁸, J. Llorente Merino ^{35a},

- S.L. Lloyd ⁷⁹, C.Y. Lo ^{62b}, F. Lo Sterzo ⁴³, E.M. Lobodzinska ⁴⁵, P. Loch ⁷, F.K. Loebinger ⁸⁷, A. Loesle ⁵¹, K.M. Loew ²⁵, T. Lohse ¹⁷, K. Lohwasser ¹⁴¹, M. Lokajicek ¹²⁹, B.A. Long ²⁴, J.D. Long ¹⁶⁹, R.E. Long ⁷⁵, L. Longo ^{76a,76b}, K.A.Looper ¹¹³, J.A. Lopez ^{34b}, I. Lopez Paz ¹³, A. Lopez Solis ⁸³, J. Lorenz ¹⁰², N. Lorenzo Martinez ⁵, M. Losada ²¹, P.J. Lösel ¹⁰², X. Lou ^{35a}, A. Lounis ¹¹⁹, J. Love ⁶, P.A. Love ⁷⁵, H. Lu ^{62a}, N. Lu ⁹², Y.J. Lu ⁶³, H.J. Lubatti ¹⁴⁰, C. Luci ^{134a,134b}, A. Lucotte ⁵⁸, C. Luedtke ⁵¹, F. Luehring ⁶⁴, W. Lukas ⁶⁵, L. Luminari ^{134a}, B. Lund-Jensen ¹⁴⁹, M.S. Lutz ⁸⁹, P.M. Luzi ⁸³, D. Lynn ²⁷, R. Lysak ¹²⁹, E. Lytken ⁸⁴, F. Lyu ^{35a}, V. Lyubushkin ⁶⁸, H. Ma ²⁷, L.L. Ma ^{36b}, Y. Ma ^{36b}, G. Maccarrone ⁵⁰, A. Macchiolo ¹⁰³, C.M. Macdonald ¹⁴¹, B. Maček ⁷⁸, J. Machado Miguens ^{124,128b}, D. Madaffari ¹⁷⁰, R. Madar ³⁷, W.F. Mader ⁴⁷, A. Madsen ⁴⁵, N. Madysa ⁴⁷, J. Maeda ⁷⁰, S. Maeland ¹⁵, T. Maeno ²⁷, A.S. Maevskiy ¹⁰¹, V. Magerl ⁵¹, C. Maiani ¹¹⁹, C. Maidantchik ^{26a}, T. Maier ¹⁰², A. Maio ^{128a,128b,128d}, O. Majersky ^{146a}, S. Majewski ¹¹⁸, Y. Makida ⁶⁹, N. Makovec ¹¹⁹, B. Malaescu ⁸³, Pa. Malecki ⁴², V.P. Maleev ¹²⁵, F. Malek ⁵⁸, U. Mallik ⁶⁶, D. Malon ⁶, C. Malone ³⁰, S. Maltezos ¹⁰, S. Malyukov ³², J. Mamuzic ¹⁷⁰, G. Mancini ⁵⁰, I. Mandić ⁷⁸, J. Maneira ^{128a,128b}, L. Manhaes de Andrade Filho ^{26b}, J. Manjarres Ramos ⁴⁷, K.H. Mankinen ⁸⁴, A. Mann ¹⁰², A. Manousos ³², B. Mansoulie ¹³⁸, J.D. Mansour ^{35a}, R. Mantifel ⁹⁰, M. Mantoani ⁵⁷, S. Manzoni ^{94a,94b}, L. Mapelli ³², G. Marceca ²⁹, L. March ⁵², L. Marchese ¹²², G. Marchiori ⁸³, M. Marcisovsky ¹²⁹, C.A. Marin Tobon ³², M. Marjanovic ³⁷, D.E. Marley ⁹², F. Marroquim ^{26a}, S.P. Marsden ⁸⁷, Z. Marshall ¹⁶, M.U.F Martensson ¹⁶⁸, S. Marti-Garcia ¹⁷⁰, C.B. Martin ¹¹³, T.A. Martin ¹⁷³, V.J. Martin ⁴⁹, B. Martin dit Latour ¹⁵, M. Martinez ^{13,v}, V.I. Martinez Outschoorn ¹⁶⁹, S. Martin-Haugh ¹³³, V.S. Martoiu ^{28b}, A.C. Martyniuk ⁸¹, A. Marzin ³², L. Masetti ⁸⁶, T. Mashimo ¹⁵⁷, R. Mashinistov ⁹⁸, J. Masik ⁸⁷, A.L. Maslennikov ^{111,c}, L.H. Mason ⁹¹, L. Massa ^{135a,135b}, P. Mastrandrea ⁵, A. Mastroberardino ^{40a,40b}, T. Masubuchi ¹⁵⁷, P. Mättig ¹⁷⁸, J. Maurer ^{28b}, S.J. Maxfield ⁷⁷, D.A. Maximov ^{111,c}, R. Mazini ¹⁵³, I. Maznas ¹⁵⁶, S.M. Mazza ^{94a,94b}, N.C. Mc Fadden ¹⁰⁷, G. Mc Goldrick ¹⁶¹, S.P. Mc Kee ⁹², A. McCarn ⁹², R.L. McCarthy ¹⁵⁰, T.G. McCarthy ¹⁰³, L.I. McClymont ⁸¹, E.F. McDonald ⁹¹, J.A. McFayden ³², G. Mchedlidze ⁵⁷, S.J. McMahon ¹³³, P.C. McNamara ⁹¹, C.J. McNicol ¹⁷³, R.A. McPherson ^{172,0}, S. Meehan ¹⁴⁰, T.J. Megy ⁵¹, S. Mehlhase ¹⁰², A. Mehta ⁷⁷, T. Meideck ⁵⁸, K. Meier ^{60a}, B. Meirose ⁴⁴, D. Melini ^{170,ai}, B.R. Mellado Garcia ^{147c}, J.D. Mellenthin ⁵⁷, M. Melo ^{146a}, F. Meloni ¹⁸, A. Melzer ²³, S.B. Menary ⁸⁷, L. Meng ⁷⁷, X.T. Meng ⁹², A. Mengarelli ^{22a,22b}, S. Menke ¹⁰³, E. Meoni ^{40a,40b}, S. Mergelmeyer ¹⁷, C. Merlassino ¹⁸, P. Mermod ⁵², L. Merola ^{106a,106b}, C. Meroni ^{94a}, F.S. Merritt ³³, A. Messina ^{134a,134b}, J. Metcalfe ⁶, A.S. Mete ¹⁶⁶, C. Meyer ¹²⁴, J.-P. Meyer ¹³⁸, J. Meyer ¹⁰⁹, H. Meyer Zu Theenhausen ^{60a}, F. Miano ¹⁵¹, R.P. Middleton ¹³³, S. Miglioranzi ^{53a,53b}, L. Mijović ⁴⁹, G. Mikenberg ¹⁷⁵, M. Mikestikova ¹²⁹, M. Mikuž ⁷⁸, M. Milesi ⁹¹, A. Milic ¹⁶¹, D.A. Millar ⁷⁹, D.W. Miller ³³, C. Mills ⁴⁹, A. Milov ¹⁷⁵, D.A. Milstead ^{148a,148b}, A.A. Minaenko ¹³², Y. Minami ¹⁵⁷, I.A. Minashvili ^{54b}, A.I. Mincer ¹¹², B. Mindur ^{41a}, M. Mineev ⁶⁸, Y. Minegishi ¹⁵⁷, Y. Ming ¹⁷⁶, L.M. Mir ¹³, A. Mirto ^{76a,76b}, K.P. Mistry ¹²⁴, T. Mitani ¹⁷⁴, J. Mitrevski ¹⁰², V.A. Mitsou ¹⁷⁰, A. Miucci ¹⁸, P.S. Miyagawa ¹⁴¹, A. Mizukami ⁶⁹, J.U. Mjörnmark ⁸⁴, T. Mkrtchyan ¹⁸⁰, M. Mlynarikova ¹³¹, T. Moa ^{148a,148b}, K. Mochizuki ⁹⁷, P. Mogg ⁵¹, S. Mohapatra ³⁸, S. Molander ^{148a,148b}, R. Moles-Valls ²³, M.C. Mondragon ⁹³, K. Möning ⁴⁵, J. Monk ³⁹, E. Monnier ⁸⁸, A. Montalbano ¹⁵⁰, J. Montejo Berlingen ³², F. Monticelli ⁷⁴, S. Monzani ^{94a}, R.W. Moore ³, N. Morange ¹¹⁹, D. Moreno ²¹, M. Moreno Llácer ³², P. Morettini ^{53a}, M. Morgenstern ¹⁰⁹, S. Morgenstern ³², D. Mori ¹⁴⁴, T. Mori ¹⁵⁷, M. Morii ⁵⁹, M. Morinaga ¹⁷⁴, V. Morisbak ¹²¹, A.K. Morley ³², G. Mornacchi ³², J.D. Morris ⁷⁹, L. Morvaj ¹⁵⁰, P. Moschovakos ¹⁰, M. Mosidze ^{54b}, H.J. Moss ¹⁴¹, J. Moss ^{145,aj}, K. Motohashi ¹⁵⁹, R. Mount ¹⁴⁵, E. Mountricha ²⁷, E.J.W. Moyse ⁸⁹, S. Muanza ⁸⁸, F. Mueller ¹⁰³, J. Mueller ¹²⁷, R.S.P. Mueller ¹⁰², D. Muenstermann ⁷⁵, P. Mullen ⁵⁶, G.A. Mullier ¹⁸, F.J. Munoz Sanchez ⁸⁷, W.J. Murray ^{173,133}, H. Musheghyan ³², M. Muškinja ⁷⁸, C. Mwewa ^{147a}, A.G. Myagkov ^{132,ak}, M. Myska ¹³⁰, B.P. Nachman ¹⁶, O. Nackenhorst ⁵², K. Nagai ¹²², R. Nagai ^{69,af}, K. Nagano ⁶⁹, Y. Nagasaka ⁶¹, K. Nagata ¹⁶⁴, M. Nagel ⁵¹, E. Nagy ⁸⁸, A.M. Nairz ³², Y. Nakahama ¹⁰⁵, K. Nakamura ⁶⁹, T. Nakamura ¹⁵⁷, I. Nakano ¹¹⁴, R.F. Naranjo Garcia ⁴⁵, R. Narayan ¹¹, D.I. Narriás Villar ^{60a}, I. Naryshkin ¹²⁵, T. Naumann ⁴⁵, G. Navarro ²¹, R. Nayyar ⁷, H.A. Neal ⁹², P.Yu. Nechaeva ⁹⁸, T.J. Neep ¹³⁸, A. Negri ^{123a,123b}, M. Negrini ^{22a}, S. Nektarijevic ¹⁰⁸, C. Nellist ⁵⁷, A. Nelson ¹⁶⁶, M.E. Nelson ¹²², S. Nemecek ¹²⁹, P. Nemethy ¹¹², M. Nessi ^{32,al}, M.S. Neubauer ¹⁶⁹, M. Neumann ¹⁷⁸, P.R. Newman ¹⁹, T.Y. Ng ^{62c}, Y.S. Ng ¹⁷, T. Nguyen Manh ⁹⁷, R.B. Nickerson ¹²², R. Nicolaïdou ¹³⁸, J. Nielsen ¹³⁹, N. Nikiforou ¹¹, V. Nikolaenko ^{132,ak}, I. Nikolic-Audit ⁸³, K. Nikolopoulos ¹⁹, P. Nilsson ²⁷, Y. Ninomiya ⁶⁹, A. Nisati ^{134a},

- N. Nishu ^{36c}, R. Nisius ¹⁰³, I. Nitsche ⁴⁶, T. Nitta ¹⁷⁴, T. Nobe ¹⁵⁷, Y. Noguchi ⁷¹, M. Nomachi ¹²⁰,
 I. Nomidis ³¹, M.A. Nomura ²⁷, T. Nooney ⁷⁹, M. Nordberg ³², N. Norjoharuddeen ¹²², O. Novgorodova ⁴⁷,
 M. Nozaki ⁶⁹, L. Nozka ¹¹⁷, K. Ntekas ¹⁶⁶, E. Nurse ⁸¹, F. Nuti ⁹¹, K. O’Connor ²⁵, D.C. O’Neil ¹⁴⁴,
 A.A. O’Rourke ⁴⁵, V. O’Shea ⁵⁶, F.G. Oakham ^{31,d}, H. Oberlack ¹⁰³, T. Obermann ²³, J. Ocariz ⁸³, A. Ochi ⁷⁰,
 I. Ochoa ³⁸, J.P. Ochoa-Ricoux ^{34a}, S. Oda ⁷³, S. Odaka ⁶⁹, A. Oh ⁸⁷, S.H. Oh ⁴⁸, C.C. Ohm ¹⁴⁹, H. Ohman ¹⁶⁸,
 H. Oide ^{53a,53b}, H. Okawa ¹⁶⁴, Y. Okumura ¹⁵⁷, T. Okuyama ⁶⁹, A. Olariu ^{28b}, L.F. Oleiro Seabra ^{128a},
 S.A. Olivares Pino ^{34a}, D. Oliveira Damazio ²⁷, M.J.R. Olsson ³³, A. Olszewski ⁴², J. Olszowska ⁴²,
 A. Onofre ^{128a,128e}, K. Onogi ¹⁰⁵, P.U.E. Onyisi ^{11,ab}, H. Oppen ¹²¹, M.J. Oreglia ³³, Y. Oren ¹⁵⁵,
 D. Orestano ^{136a,136b}, N. Orlando ^{62b}, R.S. Orr ¹⁶¹, B. Osculati ^{53a,53b,*}, R. Ospanov ^{36a}, G. Otero y Garzon ²⁹,
 H. Otono ⁷³, M. Ouchrif ^{137d}, F. Ould-Saada ¹²¹, A. Ouraou ¹³⁸, K.P. Oussoren ¹⁰⁹, Q. Ouyang ^{35a},
 M. Owen ⁵⁶, R.E. Owen ¹⁹, V.E. Ozcan ^{20a}, N. Ozturk ⁸, K. Pachal ¹⁴⁴, A. Pacheco Pages ¹³,
 L. Pacheco Rodriguez ¹³⁸, C. Padilla Aranda ¹³, S. Pagan Griso ¹⁶, M. Paganini ¹⁷⁹, F. Paige ²⁷, G. Palacino ⁶⁴,
 S. Palazzo ^{40a,40b}, S. Palestini ³², M. Palka ^{41b}, D. Pallin ³⁷, E. St. Panagiotopoulou ¹⁰, I. Panagoulias ¹⁰,
 C.E. Pandini ⁵², J.G. Panduro Vazquez ⁸⁰, P. Pani ³², S. Panitkin ²⁷, D. Pantea ^{28b}, L. Paolozzi ⁵²,
 Th.D. Papadopoulou ¹⁰, K. Papageorgiou ^{9,s}, A. Paramonov ⁶, D. Paredes Hernandez ¹⁷⁹, A.J. Parker ⁷⁵,
 M.A. Parker ³⁰, K.A. Parker ⁴⁵, F. Parodi ^{53a,53b}, J.A. Parsons ³⁸, U. Parzefall ⁵¹, V.R. Pascuzzi ¹⁶¹,
 J.M. Pasner ¹³⁹, E. Pasqualucci ^{134a}, S. Passaggio ^{53a}, Fr. Pastore ⁸⁰, S. Pataraia ⁸⁶, J.R. Pater ⁸⁷, T. Pauly ³²,
 B. Pearson ¹⁰³, S. Pedraza Lopez ¹⁷⁰, R. Pedro ^{128a,128b}, S.V. Peleganchuk ^{111,c}, O. Penc ¹²⁹, C. Peng ^{35a,35d},
 H. Peng ^{36a}, J. Penwell ⁶⁴, B.S. Peralva ^{26b}, M.M. Perego ¹³⁸, D.V. Perepelitsa ²⁷, F. Peri ¹⁷, L. Perini ^{94a,94b},
 H. Pernegger ³², S. Perrella ^{106a,106b}, R. Peschke ⁴⁵, V.D. Peshekhonov ^{68,*}, K. Peters ⁴⁵, R.F.Y. Peters ⁸⁷,
 B.A. Petersen ³², T.C. Petersen ³⁹, E. Petit ⁵⁸, A. Petridis ¹, C. Petridou ¹⁵⁶, P. Petroff ¹¹⁹, E. Petrolo ^{134a},
 M. Petrov ¹²², F. Petrucci ^{136a,136b}, N.E. Pettersson ⁸⁹, A. Peyaud ¹³⁸, R. Pezoa ^{34b}, F.H. Phillips ⁹³,
 P.W. Phillips ¹³³, G. Piacquadio ¹⁵⁰, E. Pianori ¹⁷³, A. Picazio ⁸⁹, M.A. Pickering ¹²², R. Piegaia ²⁹,
 J.E. Pilcher ³³, A.D. Pilkington ⁸⁷, M. Pinamonti ^{135a,135b}, J.L. Pinfold ³, H. Pirumov ⁴⁵, M. Pitt ¹⁷⁵,
 L. Plazak ^{146a}, M.-A. Pleier ²⁷, V. Pleskot ⁸⁶, E. Plotnikova ⁶⁸, D. Pluth ⁶⁷, P. Podberezko ¹¹¹, R. Poettgen ⁸⁴,
 R. Poggi ^{123a,123b}, L. Poggioli ¹¹⁹, I. Pogrebnyak ⁹³, D. Pohl ²³, I. Pokharel ⁵⁷, G. Polesello ^{123a}, A. Poley ⁴⁵,
 A. Policicchio ^{40a,40b}, R. Polifka ³², A. Polini ^{22a}, C.S. Pollard ⁵⁶, V. Polychronakos ²⁷, K. Pommès ³²,
 D. Ponomarenko ¹⁰⁰, L. Pontecorvo ^{134a}, G.A. Popeneciu ^{28d}, D.M. Portillo Quintero ⁸³, S. Pospisil ¹³⁰,
 K. Potamianos ⁴⁵, I.N. Potrap ⁶⁸, C.J. Potter ³⁰, H. Potti ¹¹, T. Poulsen ⁸⁴, J. Poveda ³²,
 M.E. Pozo Astigarraga ³², P. Pralavorio ⁸⁸, A. Pranko ¹⁶, S. Prell ⁶⁷, D. Price ⁸⁷, M. Primavera ^{76a}, S. Prince ⁹⁰,
 N. Proklova ¹⁰⁰, K. Prokofiev ^{62c}, F. Prokoshin ^{34b}, S. Protopopescu ²⁷, J. Proudfoot ⁶, M. Przybycien ^{41a},
 A. Puri ¹⁶⁹, P. Puzo ¹¹⁹, J. Qian ⁹², Y. Qin ⁸⁷, A. Quadt ⁵⁷, M. Queitsch-Maitland ⁴⁵, D. Quilty ⁵⁶,
 S. Raddum ¹²¹, V. Radeka ²⁷, V. Radescu ¹²², S.K. Radhakrishnan ¹⁵⁰, P. Radloff ¹¹⁸, P. Rados ⁹¹,
 F. Ragusa ^{94a,94b}, G. Rahal ¹⁸¹, J.A. Raine ⁸⁷, S. Rajagopalan ²⁷, C. Rangel-Smith ¹⁶⁸, T. Rashid ¹¹⁹,
 S. Raspopov ⁵, M.G. Ratti ^{94a,94b}, D.M. Rauch ⁴⁵, F. Rauscher ¹⁰², S. Rave ⁸⁶, I. Ravinovich ¹⁷⁵,
 J.H. Rawling ⁸⁷, M. Raymond ³², A.L. Read ¹²¹, N.P. Readoff ⁵⁸, M. Reale ^{76a,76b}, D.M. Rebuzzi ^{123a,123b},
 A. Redelbach ¹⁷⁷, G. Redlinger ²⁷, R. Reece ¹³⁹, R.G. Reed ^{147c}, K. Reeves ⁴⁴, L. Rehnisch ¹⁷, J. Reichert ¹²⁴,
 A. Reiss ⁸⁶, C. Rembser ³², H. Ren ^{35a,35d}, M. Rescigno ^{134a}, S. Resconi ^{94a}, E.D. Resseguei ¹²⁴, S. Rettie ¹⁷¹,
 E. Reynolds ¹⁹, O.L. Rezanova ^{111,c}, P. Reznicek ¹³¹, R. Rezvani ⁹⁷, R. Richter ¹⁰³, S. Richter ⁸¹,
 E. Richter-Was ^{41b}, O. Ricken ²³, M. Ridel ⁸³, P. Rieck ¹⁰³, C.J. Riegel ¹⁷⁸, J. Rieger ⁵⁷, O. Rifki ¹¹⁵,
 M. Rijssenbeek ¹⁵⁰, A. Rimoldi ^{123a,123b}, M. Rimoldi ¹⁸, L. Rinaldi ^{22a}, G. Ripellino ¹⁴⁹, B. Ristić ³²,
 E. Ritsch ³², I. Riu ¹³, F. Rizatdinova ¹¹⁶, E. Rizvi ⁷⁹, C. Rizzi ¹³, R.T. Roberts ⁸⁷, S.H. Robertson ^{90,o},
 A. Robichaud-Veronneau ⁹⁰, D. Robinson ³⁰, J.E.M. Robinson ⁴⁵, A. Robson ⁵⁶, E. Rocco ⁸⁶, C. Roda ^{126a,126b},
 Y. Rodina ^{88,am}, S. Rodriguez Bosca ¹⁷⁰, A. Rodriguez Perez ¹³, D. Rodriguez Rodriguez ¹⁷⁰, S. Roe ³²,
 C.S. Rogan ⁵⁹, O. Røhne ¹²¹, J. Roloff ⁵⁹, A. Romanouk ¹⁰⁰, M. Romano ^{22a,22b}, S.M. Romano Saez ³⁷,
 E. Romero Adam ¹⁷⁰, N. Rompotis ⁷⁷, M. Ronzani ⁵¹, L. Roos ⁸³, S. Rosati ^{134a}, K. Rosbach ⁵¹, P. Rose ¹³⁹,
 N.-A. Rosien ⁵⁷, E. Rossi ^{106a,106b}, L.P. Rossi ^{53a}, J.H.N. Rosten ³⁰, R. Rosten ¹⁴⁰, M. Rotaru ^{28b},
 J. Rothberg ¹⁴⁰, D. Rousseau ¹¹⁹, D. Roy ^{147c}, A. Rozanov ⁸⁸, Y. Rozen ¹⁵⁴, X. Ruan ^{147c}, F. Rubbo ¹⁴⁵,
 F. Rühr ⁵¹, A. Ruiz-Martinez ³¹, Z. Rurikova ⁵¹, N.A. Rusakovich ⁶⁸, H.L. Russell ⁹⁰, J.P. Rutherford ⁷,
 N. Ruthmann ³², E.M. Rüttinger ⁴⁵, Y.F. Ryabov ¹²⁵, M. Rybar ¹⁶⁹, G. Rybkin ¹¹⁹, S. Ryu ⁶, A. Ryzhov ¹³²,
 G.F. Rzehorz ⁵⁷, A.F. Saavedra ¹⁵², G. Sabato ¹⁰⁹, S. Sacerdoti ²⁹, H.F-W. Sadrozinski ¹³⁹, R. Sadykov ⁶⁸,
 F. Safai Tehrani ^{134a}, P. Saha ¹¹⁰, M. Sahinsoy ^{60a}, M. Saimpert ⁴⁵, M. Saito ¹⁵⁷, T. Saito ¹⁵⁷, H. Sakamoto ¹⁵⁷,

- Y. Sakurai ¹⁷⁴, G. Salamanna ^{136a,136b}, J.E. Salazar Loyola ^{34b}, D. Salek ¹⁰⁹, P.H. Sales De Bruin ¹⁶⁸,
 D. Salihagic ¹⁰³, A. Salnikov ¹⁴⁵, J. Salt ¹⁷⁰, D. Salvatore ^{40a,40b}, F. Salvatore ¹⁵¹, A. Salvucci ^{62a,62b,62c},
 A. Salzburger ³², D. Sammel ⁵¹, D. Sampsonidis ¹⁵⁶, D. Sampsonidou ¹⁵⁶, J. Sánchez ¹⁷⁰,
 A. Sanchez Pineda ^{167a,167c}, H. Sandaker ¹²¹, R.L. Sandbach ⁷⁹, C.O. Sander ⁴⁵, M. Sandhoff ¹⁷⁸,
 C. Sandoval ²¹, D.P.C. Sankey ¹³³, M. Sannino ^{53a,53b}, Y. Sano ¹⁰⁵, A. Sansoni ⁵⁰, C. Santoni ³⁷, H. Santos ^{128a},
 I. Santoyo Castillo ¹⁵¹, A. Sapronov ⁶⁸, J.G. Saraiva ^{128a,128d}, O. Sasaki ⁶⁹, K. Sato ¹⁶⁴, E. Sauvan ⁵,
 G. Savage ⁸⁰, P. Savard ^{161,d}, N. Savic ¹⁰³, C. Sawyer ¹³³, L. Sawyer ^{82,u}, C. Sbarra ^{22a}, A. Sbrizzi ^{22a,22b},
 T. Scanlon ⁸¹, D.A. Scannicchio ¹⁶⁶, J. Schaarschmidt ¹⁴⁰, P. Schacht ¹⁰³, B.M. Schachtner ¹⁰², D. Schaefer ³³,
 L. Schaefer ¹²⁴, J. Schaeffer ⁸⁶, S. Schaepe ³², S. Schaetzl ^{60b}, U. Schäfer ⁸⁶, A.C. Schaffer ¹¹⁹, D. Schaile ¹⁰²,
 R.D. Schamberger ¹⁵⁰, V.A. Schegelsky ¹²⁵, D. Scheirich ¹³¹, F. Schenck ¹⁷, M. Schernau ¹⁶⁶,
 C. Schiavi ^{53a,53b}, S. Schier ¹³⁹, L.K. Schildgen ²³, C. Schillo ⁵¹, M. Schioppa ^{40a,40b}, S. Schlenker ³²,
 K.R. Schmidt-Sommerfeld ¹⁰³, K. Schmieden ³², C. Schmitt ⁸⁶, S. Schmitt ⁴⁵, S. Schmitz ⁸⁶, U. Schnoor ⁵¹,
 L. Schoeffel ¹³⁸, A. Schoening ^{60b}, B.D. Schoenrock ⁹³, E. Schopf ²³, M. Schott ⁸⁶, J.F.P. Schouwenberg ¹⁰⁸,
 J. Schovancova ³², S. Schramm ⁵², N. Schuh ⁸⁶, A. Schulte ⁸⁶, M.J. Schultens ²³, H.-C. Schultz-Coulon ^{60a},
 M. Schumacher ⁵¹, B.A. Schumm ¹³⁹, Ph. Schune ¹³⁸, A. Schwartzman ¹⁴⁵, T.A. Schwarz ⁹², H. Schweiger ⁸⁷,
 Ph. Schwemling ¹³⁸, R. Schwienhorst ⁹³, J. Schwindling ¹³⁸, A. Sciandra ²³, G. Sciolla ²⁵,
 M. Scornajenghi ^{40a,40b}, F. Scuri ^{126a}, F. Scutti ⁹¹, J. Searcy ⁹², P. Seema ²³, S.C. Seidel ¹⁰⁷, A. Seiden ¹³⁹,
 J.M. Seixas ^{26a}, G. Sekhniaidze ^{106a}, K. Sekhon ⁹², S.J. Sekula ⁴³, N. Semprini-Cesari ^{22a,22b}, S. Senkin ³⁷,
 C. Serfon ¹²¹, L. Serin ¹¹⁹, L. Serkin ^{167a,167b}, M. Sessa ^{136a,136b}, R. Seuster ¹⁷², H. Severini ¹¹⁵, T. Šfiligoj ⁷⁸,
 F. Sforza ¹⁶⁵, A. Sfyrla ⁵², E. Shabalina ⁵⁷, N.W. Shaikh ^{148a,148b}, L.Y. Shan ^{35a}, R. Shang ¹⁶⁹, J.T. Shank ²⁴,
 M. Shapiro ¹⁶, P.B. Shatalov ⁹⁹, K. Shaw ^{167a,167b}, S.M. Shaw ⁸⁷, A. Shcherbakova ^{148a,148b}, C.Y. Shehu ¹⁵¹,
 Y. Shen ¹¹⁵, N. Sherafati ³¹, A.D. Sherman ²⁴, P. Sherwood ⁸¹, L. Shi ^{153,an}, S. Shimizu ⁷⁰, C.O. Shimmin ¹⁷⁹,
 M. Shimojima ¹⁰⁴, I.P.J. Shipsey ¹²², S. Shirabe ⁷³, M. Shiyakova ^{68,ao}, J. Shlomi ¹⁷⁵, A. Shmeleva ⁹⁸,
 D. Shoaleh Saadi ⁹⁷, M.J. Shochet ³³, S. Shojaii ^{94a,94b}, D.R. Shope ¹¹⁵, S. Shrestha ¹¹³, E. Shulga ¹⁰⁰,
 M.A. Shupe ⁷, P. Sicho ¹²⁹, A.M. Sickles ¹⁶⁹, P.E. Sidebo ¹⁴⁹, E. Sideras Haddad ^{147c}, O. Sidiropoulou ¹⁷⁷,
 A. Sidoti ^{22a,22b}, F. Siegert ⁴⁷, Dj. Sijacki ¹⁴, J. Silva ^{128a,128d}, S.B. Silverstein ^{148a}, V. Simak ¹³⁰, L. Simic ⁶⁸,
 S. Simion ¹¹⁹, E. Simioni ⁸⁶, B. Simmons ⁸¹, M. Simon ⁸⁶, P. Sinervo ¹⁶¹, N.B. Sinev ¹¹⁸, M. Sioli ^{22a,22b},
 G. Siragusa ¹⁷⁷, I. Siral ⁹², S.Yu. Sivoklokov ¹⁰¹, J. Sjölin ^{148a,148b}, M.B. Skinner ⁷⁵, P. Skubic ¹¹⁵, M. Slater ¹⁹,
 T. Slavicek ¹³⁰, M. Slawinska ⁴², K. Sliwa ¹⁶⁵, R. Slovak ¹³¹, V. Smakhtin ¹⁷⁵, B.H. Smart ⁵, J. Smiesko ^{146a},
 N. Smirnov ¹⁰⁰, S.Yu. Smirnov ¹⁰⁰, Y. Smirnov ¹⁰⁰, L.N. Smirnova ^{101,ap}, O. Smirnova ⁸⁴, J.W. Smith ⁵⁷,
 M.N.K. Smith ³⁸, R.W. Smith ³⁸, M. Smizanska ⁷⁵, K. Smolek ¹³⁰, A.A. Snesarev ⁹⁸, I.M. Snyder ¹¹⁸,
 S. Snyder ²⁷, R. Sobie ^{172,o}, F. Socher ⁴⁷, A. Soffer ¹⁵⁵, A. Søgaard ⁴⁹, D.A. Soh ¹⁵³, G. Sokhrannyi ⁷⁸,
 C.A. Solans Sanchez ³², M. Solar ¹³⁰, E.Yu. Soldatov ¹⁰⁰, U. Soldevila ¹⁷⁰, A.A. Solodkov ¹³²,
 A. Soloshenko ⁶⁸, O.V. Solovyanov ¹³², V. Solovyev ¹²⁵, P. Sommer ¹⁴¹, H. Son ¹⁶⁵, A. Sopczak ¹³⁰,
 D. Sosa ^{60b}, C.L. Sotiropoulou ^{126a,126b}, S. Sottocornola ^{123a,123b}, R. Soualah ^{167a,167c}, A.M. Soukharev ^{111,c},
 D. South ⁴⁵, B.C. Sowden ⁸⁰, S. Spagnolo ^{76a,76b}, M. Spalla ^{126a,126b}, M. Spangenberg ¹⁷³, F. Spanò ⁸⁰,
 D. Sperlich ¹⁷, F. Spettel ¹⁰³, T.M. Spieker ^{60a}, R. Spighi ^{22a}, G. Spigo ³², L.A. Spiller ⁹¹, M. Spousta ¹³¹,
 R.D. St. Denis ^{56,*}, A. Stabile ^{94a,94b}, R. Stamen ^{60a}, S. Stamm ¹⁷, E. Stancka ⁴², R.W. Stanek ⁶,
 C. Stănescu ^{136a}, M.M. Stanitzki ⁴⁵, B.S. Stafp ¹⁰⁹, S. Stapnes ¹²¹, E.A. Starchenko ¹³², G.H. Stark ³³,
 J. Stark ⁵⁸, S.H. Stark ³⁹, P. Staroba ¹²⁹, P. Starovoitov ^{60a}, S. Stärz ³², R. Staszewski ⁴², M. Stegler ⁴⁵,
 P. Steinberg ²⁷, B. Stelzer ¹⁴⁴, H.J. Stelzer ³², O. Stelzer-Chilton ^{163a}, H. Stenzel ⁵⁵, T.J. Stevenson ⁷⁹,
 G.A. Stewart ⁵⁶, M.C. Stockton ¹¹⁸, M. Stoebe ⁹⁰, G. Stoica ^{28b}, P. Stolte ⁵⁷, S. Stonjek ¹⁰³, A.R. Stradling ⁸,
 A. Straessner ⁴⁷, M.E. Stramaglia ¹⁸, J. Strandberg ¹⁴⁹, S. Strandberg ^{148a,148b}, M. Strauss ¹¹⁵,
 P. Strizenec ^{146b}, R. Ströhmer ¹⁷⁷, D.M. Strom ¹¹⁸, R. Stroynowski ⁴³, A. Strubig ⁴⁹, S.A. Stucci ²⁷,
 B. Stugu ¹⁵, N.A. Styles ⁴⁵, D. Su ¹⁴⁵, J. Su ¹²⁷, S. Suchek ^{60a}, Y. Sugaya ¹²⁰, M. Suk ¹³⁰, V.V. Sulin ⁹⁸,
 DMS Sultan ^{162a,162b}, S. Sultansoy ^{4c}, T. Sumida ⁷¹, S. Sun ⁵⁹, X. Sun ³, K. Suruliz ¹⁵¹, C.J.E. Suster ¹⁵²,
 M.R. Sutton ¹⁵¹, S. Suzuki ⁶⁹, M. Svatos ¹²⁹, M. Swiatlowski ³³, S.P. Swift ², I. Sykora ^{146a}, T. Sykora ¹³¹,
 D. Ta ⁵¹, K. Tackmann ⁴⁵, J. Taenzer ¹⁵⁵, A. Taffard ¹⁶⁶, R. Tafirout ^{163a}, E. Tahirovic ⁷⁹, N. Taiblum ¹⁵⁵,
 H. Takai ²⁷, R. Takashima ⁷², E.H. Takasugi ¹⁰³, K. Takeda ⁷⁰, T. Takeshita ¹⁴², Y. Takubo ⁶⁹, M. Talby ⁸⁸,
 A.A. Talyshев ^{111,c}, J. Tanaka ¹⁵⁷, M. Tanaka ¹⁵⁹, R. Tanaka ¹¹⁹, R. Tanioka ⁷⁰, B.B. Tannenwald ¹¹³,
 S. Tapia Araya ^{34b}, S. Tapprogge ⁸⁶, S. Tarem ¹⁵⁴, G.F. Tartarelli ^{94a}, P. Tas ¹³¹, M. Tasevsky ¹²⁹, T. Tashiro ⁷¹,
 E. Tassi ^{40a,40b}, A. Tavares Delgado ^{128a,128b}, Y. Tayalati ^{137e}, A.C. Taylor ¹⁰⁷, A.J. Taylor ⁴⁹, G.N. Taylor ⁹¹,

- P.T.E. Taylor 91, W. Taylor 163b, P. Teixeira-Dias 80, D. Temple 144, H. Ten Kate 32, P.K. Teng 153, J.J. Teoh 120, F. Tepel 178, S. Terada 69, K. Terashi 157, J. Terron 85, S. Terzo 13, M. Testa 50, R.J. Teuscher 161,o, S.J. Thais 179, T. Theveneaux-Pelzer 88, F. Thiele 39, J.P. Thomas 19, J. Thomas-Wilsker 80, P.D. Thompson 19, A.S. Thompson 56, L.A. Thomsen 179, E. Thomson 124, Y. Tian 38, M.J. Tibbetts 16, R.E. Ticse Torres 57, V.O. Tikhomirov 98,aq, Yu.A. Tikhonov 111,c, S. Timoshenko 100, P. Tipton 179, S. Tisserant 88, K. Todome 159, S. Todorova-Nova 5, S. Todt 47, J. Tojo 73, S. Tokár 146a, K. Tokushuku 69, E. Tolley 113, L. Tomlinson 87, M. Tomoto 105, L. Tompkins 145,ar, K. Toms 107, B. Tong 59, P. Tornambe 51, E. Torrence 118, H. Torres 47, E. Torró Pastor 140, J. Toth 88,as, F. Touchard 88, D.R. Tovey 141, C.J. Treado 112, T. Trefzger 177, F. Tresoldi 151, A. Tricoli 27, I.M. Trigger 163a, S. Trincaz-Duvold 83, M.F. Tripiana 13, W. Trischuk 161, B. Trocmé 58, A. Trofymov 45, C. Troncon 94a, M. Trovatelli 172, L. Truong 147b, M. Trzebinski 42, A. Trzupek 42, K.W. Tsang 62a, J.C.-L. Tseng 122, P.V. Tsiareshka 95, N. Tsirintanis 9, S. Tsiskaridze 13, V. Tsiskaridze 51, E.G. Tskhadadze 54a, I.I. Tsukerman 99, V. Tsulaia 16, S. Tsuno 69, D. Tsybychev 150, Y. Tu 62b, A. Tudorache 28b, V. Tudorache 28b, T.T. Tulbure 28a, A.N. Tuna 59, S. Turchikhin 68, D. Turgeman 175, I. Turk Cakir 4b,at, R. Turra 94a, P.M. Tuts 38, G. Ucchielli 22a,22b, I. Ueda 69, M. Ughetto 148a,148b, F. Ukegawa 164, G. Unal 32, A. Undrus 27, G. Unel 166, F.C. Ungaro 91, Y. Unno 69, K. Uno 157, J. Urban 146b, P. Urquijo 91, P. Urrejola 86, G. Usai 8, J. Usui 69, L. Vacavant 88, V. Vacek 130, B. Vachon 90, K.O.H. Vadla 121, A. Vaidya 81, C. Valderanis 102, E. Valdes Santurio 148a,148b, M. Valente 52, S. Valentini 22a,22b, A. Valero 170, L. Valéry 13, A. Vallier 5, J.A. Valls Ferrer 170, W. Van Den Wollenberg 109, H. van der Graaf 109, P. van Gemmeren 6, J. Van Nieuwkoop 144, I. van Vulpen 109, M.C. van Woerden 109, M. Vanadia 135a,135b, W. Vandelli 32, A. Vaniachine 160, P. Vankov 109, G. Vardanyan 180, R. Vari 134a, E.W. Varnes 7, C. Varni 53a,53b, T. Varol 43, D. Varouchas 119, A. Vartapetian 8, K.E. Varvell 152, J.G. Vasquez 179, G.A. Vasquez 34b, F. Vazeille 37, D. Vazquez Furelos 13, T. Vazquez Schroeder 90, J. Veatch 57, V. Veeraraghavan 7, L.M. Veloce 161, F. Veloso 128a,128c, S. Veneziano 134a, A. Ventura 76a,76b, M. Venturi 172, N. Venturi 32, V. Vercesi 123a, M. Verducci 136a,136b, W. Verkerke 109, A.T. Vermeulen 109, J.C. Vermeulen 109, M.C. Vetterli 144,d, N. Viaux Maira 34b, O. Viazlo 84, I. Vichou 169,* , T. Vickey 141, O.E. Vickey Boeriu 141, G.H.A. Viehhauser 122, S. Viel 16, L. Vigani 122, M. Villa 22a,22b, M. Villaplana Perez 94a,94b, E. Vilucchi 50, M.G. Vinchter 31, V.B. Vinogradov 68, A. Vishwakarma 45, C. Vittori 22a,22b, I. Vivarelli 151, S. Vlachos 10, M. Vogel 178, P. Vokac 130, G. Volpi 13, S.E. von Buddenbrock 147c, H. von der Schmitt 103, E. von Toerne 23, V. Vorobel 131, K. Vorobev 100, M. Vos 170, R. Voss 32, J.H. Vossebeld 77, N. Vranjes 14, M. Vranjes Milosavljevic 14, V. Vrba 130, M. Vreeswijk 109, R. Vuillermet 32, I. Vukotic 33, P. Wagner 23, W. Wagner 178, J. Wagner-Kuhr 102, H. Wahlberg 74, S. Wahrmund 47, K. Wakamiya 70, J. Walder 75, R. Walker 102, W. Walkowiak 143, V. Wallangen 148a,148b, C. Wang 35b, C. Wang 36b,au, F. Wang 176, H. Wang 16, H. Wang 3, J. Wang 45, J. Wang 152, Q. Wang 115, R.-J. Wang 83, R. Wang 6, S.M. Wang 153, T. Wang 38, W. Wang 153,av, W. Wang 36a,aw, Z. Wang 36c, C. Wanotayaroj 45, A. Warburton 90, C.P. Ward 30, D.R. Wardrope 81, A. Washbrook 49, P.M. Watkins 19, A.T. Watson 19, M.F. Watson 19, G. Watts 140, S. Watts 87, B.M. Waugh 81, A.F. Webb 11, S. Webb 86, M.S. Weber 18, S.M. Weber 60a, S.W. Weber 177, S.A. Weber 31, J.S. Webster 6, A.R. Weidberg 122, B. Weinert 64, J. Weingarten 57, M. Weirich 86, C. Weiser 51, P.S. Wells 32, T. Wenaus 27, T. Wengler 32, S. Wenig 32, N. Wermes 23, M.D. Werner 67, P. Werner 32, M. Wessels 60a, T.D. Weston 18, K. Whalen 118, N.L. Whallon 140, A.M. Wharton 75, A.S. White 92, A. White 8, M.J. White 1, R. White 34b, D. Whiteson 166, B.W. Whitmore 75, F.J. Wickens 133, W. Wiedenmann 176, M. Wielers 133, C. Wiglesworth 39, L.A.M. Wiik-Fuchs 51, A. Wildauer 103, F. Wilk 87, H.G. Wilkens 32, H.H. Williams 124, S. Williams 109, C. Willis 93, S. Willocq 89, J.A. Wilson 19, I. Wingerter-Seez 5, E. Winkels 151, F. Winklmeier 118, O.J. Winston 151, B.T. Winter 23, M. Wittgen 145, M. Wobisch 82,u, A. Wolf 86, T.M.H. Wolf 109, R. Wolff 88, M.W. Wolter 42, H. Wolters 128a,128c, V.W.S. Wong 171, N.L. Woods 139, S.D. Worm 19, B.K. Wosiek 42, J. Wotschack 32, K.W. Wozniak 42, M. Wu 33, S.L. Wu 176, X. Wu 52, Y. Wu 92, T.R. Wyatt 87, B.M. Wynne 49, S. Xella 39, Z. Xi 92, L. Xia 35c, D. Xu 35a, L. Xu 27, T. Xu 138, W. Xu 92, B. Yabsley 152, S. Yacoob 147a, D. Yamaguchi 159, Y. Yamaguchi 159, A. Yamamoto 69, S. Yamamoto 157, T. Yamanaka 157, F. Yamane 70, M. Yamatani 157, T. Yamazaki 157, Y. Yamazaki 70, Z. Yan 24, H. Yang 36c, H. Yang 16, Y. Yang 153, Z. Yang 15, W-M. Yao 16, Y.C. Yap 45, Y. Yasu 69, E. Yatsenko 5, K.H. Yau Wong 23, J. Ye 43, S. Ye 27, I. Yeletskikh 68, E. Yigitbasi 24, E. Yildirim 86, K. Yorita 174, K. Yoshihara 124, C. Young 145, C.J.S. Young 32, J. Yu 8, J. Yu 67, S.P.Y. Yuen 23, I. Yusuff 30,ax, B. Zabinski 42, G. Zacharis 10, R. Zaidan 13,

A.M. Zaitsev^{132,ak}, N. Zakharchuk⁴⁵, J. Zalieckas¹⁵, A. Zaman¹⁵⁰, S. Zambito⁵⁹, D. Zanzi⁹¹,
 C. Zeitnitz¹⁷⁸, G. Zemaityte¹²², A. Zemla^{41a}, J.C. Zeng¹⁶⁹, Q. Zeng¹⁴⁵, O. Zenin¹³², T. Ženiš^{146a},
 D. Zerwas¹¹⁹, D. Zhang^{36b}, D. Zhang⁹², F. Zhang¹⁷⁶, G. Zhang^{36a,aw}, H. Zhang¹¹⁹, J. Zhang⁶, L. Zhang⁵¹,
 L. Zhang^{36a}, M. Zhang¹⁶⁹, P. Zhang^{35b}, R. Zhang²³, R. Zhang^{36a,au}, X. Zhang^{36b}, Y. Zhang^{35a,35d},
 Z. Zhang¹¹⁹, X. Zhao⁴³, Y. Zhao^{36b,x}, Z. Zhao^{36a}, A. Zhemchugov⁶⁸, B. Zhou⁹², C. Zhou¹⁷⁶, L. Zhou⁴³,
 M. Zhou^{35a,35d}, M. Zhou¹⁵⁰, N. Zhou^{36c}, Y. Zhou⁷, C.G. Zhu^{36b}, H. Zhu^{35a}, J. Zhu⁹², Y. Zhu^{36a},
 X. Zhuang^{35a}, K. Zhukov⁹⁸, A. Zibell¹⁷⁷, D. Ziemińska⁶⁴, N.I. Zimine⁶⁸, C. Zimmermann⁸⁶,
 S. Zimmermann⁵¹, Z. Zinonos¹⁰³, M. Zinser⁸⁶, M. Ziolkowski¹⁴³, L. Živković¹⁴, G. Zobernig¹⁷⁶,
 A. Zoccoli^{22a,22b}, R. Zou³³, M. zur Nedden¹⁷, L. Zwaliński³²

¹ Department of Physics, University of Adelaide, Adelaide, Australia

² Physics Department, SUNY Albany, Albany, NY, United States

³ Department of Physics, University of Alberta, Edmonton, AB, Canada

⁴ ^(a) Department of Physics, Ankara University, Ankara; ^(b) İstanbul Aydin University, İstanbul; ^(c) Division of Physics, TOBB University of Economics and Technology, Ankara, Turkey

⁵ LAPP, CNRS/IN2P3 and Université Savoie Mont Blanc, Annecy-le-Vieux, France

⁶ High Energy Physics Division, Argonne National Laboratory, Argonne, IL, United States

⁷ Department of Physics, University of Arizona, Tucson, AZ, United States

⁸ Department of Physics, The University of Texas at Arlington, Arlington, TX, United States

⁹ Physics Department, National and Kapodistrian University of Athens, Athens, Greece

¹⁰ Physics Department, National Technical University of Athens, Zografou, Greece

¹¹ Department of Physics, The University of Texas at Austin, Austin, TX, United States

¹² Institute of Physics, Azerbaijan Academy of Sciences, Baku, Azerbaijan

¹³ Institut de Física d'Altes Energies (IFAE), The Barcelona Institute of Science and Technology, Barcelona, Spain

¹⁴ Institute of Physics, University of Belgrade, Belgrade, Serbia

¹⁵ Department for Physics and Technology, University of Bergen, Bergen, Norway

¹⁶ Physics Division, Lawrence Berkeley National Laboratory and University of California, Berkeley, CA, United States

¹⁷ Department of Physics, Humboldt University, Berlin, Germany

¹⁸ Albert Einstein Center for Fundamental Physics and Laboratory for High Energy Physics, University of Bern, Bern, Switzerland

¹⁹ School of Physics and Astronomy, University of Birmingham, Birmingham, United Kingdom

²⁰ ^(a) Department of Physics, Bogazici University, Istanbul; ^(b) Department of Physics Engineering, Gaziantep University, Gaziantep; ^(d) İstanbul Bilgi University, Faculty of Engineering and Natural Sciences, Istanbul; ^(e) Bahçeşehir University, Faculty of Engineering and Natural Sciences, Istanbul, Turkey

²¹ Centro de Investigaciones, Universidad Antonio Narino, Bogota, Colombia

²² ^(a) INFN Sezione di Bologna; ^(b) Dipartimento di Fisica e Astronomia, Università di Bologna, Bologna, Italy

²³ Physikalisches Institut, University of Bonn, Bonn, Germany

²⁴ Department of Physics, Boston University, Boston, MA, United States

²⁵ Department of Physics, Brandeis University, Waltham, MA, United States

²⁶ ^(a) Universidade Federal do Rio De Janeiro COPPE/EE/IF, Rio de Janeiro; ^(b) Electrical Circuits Department, Federal University of Juiz de Fora (UFJF), Juiz de Fora; ^(c) Federal University of São João del Rei (UFSJ), São João del Rei; ^(d) Instituto de Física, Universidade de São Paulo, São Paulo, Brazil

²⁷ Physics Department, Brookhaven National Laboratory, Upton, NY, United States

²⁸ ^(a) Transilvania University of Brasov, Brasov; ^(b) Horia Hulubei National Institute of Physics and Nuclear Engineering, Bucharest; ^(c) Department of Physics, Alexandru Ioan Cuza University of Iasi, Iasi; ^(d) National Institute for Research and Development of Isotopic and Molecular Technologies, Physics Department, Cluj Napoca; ^(e) University Politehnica Bucharest, Bucharest; ^(f) West University in Timisoara, Timisoara, Romania

²⁹ Departamento de Física, Universidad de Buenos Aires, Buenos Aires, Argentina

³⁰ Cavendish Laboratory, University of Cambridge, Cambridge, United Kingdom

³¹ Department of Physics, Carleton University, Ottawa, ON, Canada

³² CERN, Geneva, Switzerland

³³ Enrico Fermi Institute, University of Chicago, Chicago, IL, United States

³⁴ ^(a) Departamento de Física, Pontifícia Universidad Católica de Chile, Santiago; ^(b) Departamento de Física, Universidad Técnica Federico Santa María, Valparaíso, Chile

³⁵ ^(a) Institute of High Energy Physics, Chinese Academy of Sciences, Beijing; ^(b) Department of Physics, Nanjing University, Jiangsu; ^(c) Physics Department, Tsinghua University, Beijing 100084; ^(d) University of Chinese Academy of Science (UCAS), Beijing, China

³⁶ ^(a) Department of Modern Physics and State Key Laboratory of Particle Detection and Electronics, University of Science and Technology of China, Anhui; ^(b) School of Physics, Shandong University, Shandong; ^(c) Department of Physics and Astronomy, Key Laboratory for Particle Physics, Astrophysics and Cosmology, Ministry of Education; Shanghai Key Laboratory for Particle Physics and Cosmology, Shanghai Jiao Tong University, Tsung-Dao Lee Institute, China

³⁷ Université Clermont Auvergne, CNRS/IN2P3, LPC, Clermont-Ferrand, France

³⁸ Nevis Laboratory, Columbia University, Irvington, NY, United States

³⁹ Niels Bohr Institute, University of Copenhagen, Copenhagen, Denmark

⁴⁰ ^(a) INFN Gruppo Collegato di Cosenza, Laboratori Nazionali di Frascati; ^(b) Dipartimento di Fisica, Università della Calabria, Rende, Italy

⁴¹ ^(a) AGH University of Science and Technology, Faculty of Physics and Applied Computer Science, Krakow; ^(b) Marian Smoluchowski Institute of Physics, Jagiellonian University, Krakow, Poland

⁴² Institute of Nuclear Physics Polish Academy of Sciences, Krakow, Poland

⁴³ Physics Department, Southern Methodist University, Dallas, TX, United States

⁴⁴ Physics Department, University of Texas at Dallas, Richardson, TX, United States

⁴⁵ DESY, Hamburg and Zeuthen, Germany

⁴⁶ Lehrstuhl für Experimentelle Physik IV, Technische Universität Dortmund, Dortmund, Germany

⁴⁷ Institut für Kern- und Teilchenphysik, Technische Universität Dresden, Dresden, Germany

⁴⁸ Department of Physics, Duke University, Durham, NC, United States

⁴⁹ SUPA - School of Physics and Astronomy, University of Edinburgh, Edinburgh, United Kingdom

⁵⁰ INFN e Laboratori Nazionali di Frascati, Frascati, Italy

⁵¹ Fakultät für Mathematik und Physik, Albert-Ludwigs-Universität, Freiburg, Germany

⁵² Département de Physique Nucléaire et Corpusculaire, Université de Genève, Geneva, Switzerland

⁵³ ^(a) INFN Sezione di Genova; ^(b) Dipartimento di Fisica, Università di Genova, Genova, Italy

⁵⁴ ^(a) E. Andronikashvili Institute of Physics, Iv. Javakhishvili Tbilisi State University, Tbilisi; ^(b) High Energy Physics Institute, Tbilisi State University, Tbilisi, Georgia

⁵⁵ II Physikalisch-es Institut, Justus-Liebig-Universität Giessen, Giessen, Germany

⁵⁶ SUPA - School of Physics and Astronomy, University of Glasgow, Glasgow, United Kingdom

⁵⁷ II Physikalisch-es Institut, Georg-August-Universität, Göttingen, Germany

- ⁵⁸ Laboratoire de Physique Subatomique et de Cosmologie, Université Grenoble-Alpes, CNRS/IN2P3, Grenoble, France
⁵⁹ Laboratory for Particle Physics and Cosmology, Harvard University, Cambridge, MA, United States
⁶⁰ ^(a) Kirchhoff-Institut für Physik, Ruprecht-Karls-Universität Heidelberg, Heidelberg; ^(b) Physikalisches Institut, Ruprecht-Karls-Universität Heidelberg, Heidelberg, Germany
⁶¹ Faculty of Applied Information Science, Hiroshima Institute of Technology, Hiroshima, Japan
⁶² ^(a) Department of Physics, The Chinese University of Hong Kong, Shatin, N.T.; ^(b) Department of Physics, The University of Hong Kong; ^(c) Department of Physics and Institute for Advanced Study, The Hong Kong University of Science and Technology, Clear Water Bay, Kowloon, Hong Kong, China
⁶³ Department of Physics, National Tsing Hua University, Hsinchu, Taiwan
⁶⁴ Department of Physics, Indiana University, Bloomington, IN, United States
⁶⁵ Institut für Astro- und Teilchenphysik, Leopold-Franzens-Universität, Innsbruck, Austria
⁶⁶ University of Iowa, Iowa City, IA, United States
⁶⁷ Department of Physics and Astronomy, Iowa State University, Ames, IA, United States
⁶⁸ Joint Institute for Nuclear Research, JINR Dubna, Dubna, Russia
⁶⁹ KEK, High Energy Accelerator Research Organization, Tsukuba, Japan
⁷⁰ Graduate School of Science, Kobe University, Kobe, Japan
⁷¹ Faculty of Science, Kyoto University, Kyoto, Japan
⁷² Kyoto University of Education, Kyoto, Japan
⁷³ Research Center for Advanced Particle Physics and Department of Physics, Kyushu University, Fukuoka, Japan
⁷⁴ Instituto de Física La Plata, Universidad Nacional de La Plata and CONICET, La Plata, Argentina
⁷⁵ Physics Department, Lancaster University, Lancaster, United Kingdom
⁷⁶ ^(a) INFN Sezione di Lecce; ^(b) Dipartimento di Matematica e Fisica, Università del Salento, Lecce, Italy
⁷⁷ Oliver Lodge Laboratory, University of Liverpool, Liverpool, United Kingdom
⁷⁸ Department of Experimental Particle Physics, Jožef Stefan Institute and Department of Physics, University of Ljubljana, Ljubljana, Slovenia
⁷⁹ School of Physics and Astronomy, Queen Mary University of London, London, United Kingdom
⁸⁰ Department of Physics, Royal Holloway University of London, Surrey, United Kingdom
⁸¹ Department of Physics and Astronomy, University College London, London, United Kingdom
⁸² Louisiana Tech University, Ruston, LA, United States
⁸³ Laboratoire de Physique Nucléaire et de Hautes Energies, UPMC and Université Paris-Diderot and CNRS/IN2P3, Paris, France
⁸⁴ Fysiska institutionen, Lunds universitet, Lund, Sweden
⁸⁵ Departamento de Física Teórica C-15, Universidad Autónoma de Madrid, Madrid, Spain
⁸⁶ Institut für Physik, Universität Mainz, Mainz, Germany
⁸⁷ School of Physics and Astronomy, University of Manchester, Manchester, United Kingdom
⁸⁸ CPPM, Aix-Marseille Université and CNRS/IN2P3, Marseille, France
⁸⁹ Department of Physics, University of Massachusetts, Amherst, MA, United States
⁹⁰ Department of Physics, McGill University, Montreal, QC, Canada
⁹¹ School of Physics, University of Melbourne, Victoria, Australia
⁹² Department of Physics, The University of Michigan, Ann Arbor, MI, United States
⁹³ Department of Physics and Astronomy, Michigan State University, East Lansing, MI, United States
⁹⁴ ^(a) INFN Sezione di Milano; ^(b) Dipartimento di Fisica, Università di Milano, Milano, Italy
⁹⁵ B.I. Stepanov Institute of Physics, National Academy of Sciences of Belarus, Minsk, Belarus
⁹⁶ Research Institute for Nuclear Problems of Byelorussian State University, Minsk, Belarus
⁹⁷ Group of Particle Physics, University of Montreal, Montreal, QC, Canada
⁹⁸ P.N. Lebedev Physical Institute of the Russian Academy of Sciences, Moscow, Russia
⁹⁹ Institute for Theoretical and Experimental Physics (ITEP), Moscow, Russia
¹⁰⁰ National Research Nuclear University MEPhI, Moscow, Russia
¹⁰¹ D.V. Skobeltsyn Institute of Nuclear Physics, M.V. Lomonosov Moscow State University, Moscow, Russia
¹⁰² Fakultät für Physik, Ludwig-Maximilians-Universität München, München, Germany
¹⁰³ Max-Planck-Institut für Physik (Werner-Heisenberg-Institut), München, Germany
¹⁰⁴ Nagasaki Institute of Applied Science, Nagasaki, Japan
¹⁰⁵ Graduate School of Science and Kobayashi-Maskawa Institute, Nagoya University, Nagoya, Japan
¹⁰⁶ ^(a) INFN Sezione di Napoli; ^(b) Dipartimento di Fisica, Università di Napoli, Napoli, Italy
¹⁰⁷ Department of Physics and Astronomy, University of New Mexico, Albuquerque, NM, United States
¹⁰⁸ Institute for Mathematics, Astrophysics and Particle Physics, Radboud University Nijmegen/Nikhef, Nijmegen, Netherlands
¹⁰⁹ Nikhef National Institute for Subatomic Physics and University of Amsterdam, Amsterdam, Netherlands
¹¹⁰ Department of Physics, Northern Illinois University, DeKalb, IL, United States
¹¹¹ Budker Institute of Nuclear Physics, SB RAS, Novosibirsk, Russia
¹¹² Department of Physics, New York University, New York, NY, United States
¹¹³ Ohio State University, Columbus, OH, United States
¹¹⁴ Faculty of Science, Okayama University, Okayama, Japan
¹¹⁵ Homer L. Dodge Department of Physics and Astronomy, University of Oklahoma, Norman, OK, United States
¹¹⁶ Department of Physics, Oklahoma State University, Stillwater, OK, United States
¹¹⁷ Palacký University, RCPTM, Olomouc, Czech Republic
¹¹⁸ Center for High Energy Physics, University of Oregon, Eugene, OR, United States
¹¹⁹ LAL, Univ. Paris-Sud, CNRS/IN2P3, Université Paris-Saclay, Orsay, France
¹²⁰ Graduate School of Science, Osaka University, Osaka, Japan
¹²¹ Department of Physics, University of Oslo, Oslo, Norway
¹²² Department of Physics, Oxford University, Oxford, United Kingdom
¹²³ ^(a) INFN Sezione di Pavia; ^(b) Dipartimento di Fisica, Università di Pavia, Pavia, Italy
¹²⁴ Department of Physics, University of Pennsylvania, Philadelphia, PA, United States
¹²⁵ National Research Centre "Kurchatov Institute" B.P. Konstantinov Petersburg Nuclear Physics Institute, St. Petersburg, Russia
¹²⁶ ^(a) INFN Sezione di Pisa; ^(b) Dipartimento di Fisica E. Fermi, Università di Pisa, Pisa, Italy
¹²⁷ Department of Physics and Astronomy, University of Pittsburgh, Pittsburgh, PA, United States
¹²⁸ ^(a) Laboratório de Instrumentação e Física Experimental de Partículas - LIP, Lisboa; ^(b) Faculdade de Ciências, Universidade de Lisboa, Lisboa; ^(c) Department of Physics, University of Coimbra, Coimbra; ^(d) Centro de Física Nuclear da Universidade de Lisboa, Lisboa; ^(e) Departamento de Física, Universidade do Minho, Braga; ^(f) Departamento de Física Teórica y del Cosmos, Universidad de Granada, Granada; ^(g) Dep Física and CEFITEC of Faculdade de Ciencias e Tecnologia, Universidade Nova de Lisboa, Caparica, Portugal
¹²⁹ Institute of Physics, Academy of Sciences of the Czech Republic, Praha, Czech Republic
¹³⁰ Czech Technical University in Prague, Praha, Czech Republic
¹³¹ Charles University, Faculty of Mathematics and Physics, Prague, Czech Republic
¹³² State Research Center Institute for High Energy Physics (Protvino), NRC KI, Russia
¹³³ Particle Physics Department, Rutherford Appleton Laboratory, Didcot, United Kingdom

- 134 ^(a) INFN Sezione di Roma; ^(b) Dipartimento di Fisica, Sapienza Università di Roma, Roma, Italy
 135 ^(a) INFN Sezione di Roma Tor Vergata; ^(b) Dipartimento di Fisica, Università di Roma Tor Vergata, Roma, Italy
 136 ^(a) INFN Sezione di Roma Tre; ^(b) Dipartimento di Matematica e Fisica, Università Roma Tre, Roma, Italy
 137 ^(a) Faculté des Sciences Ain Chock, Réseau Universitaire de Physique des Hautes Energies - Université Hassan II, Casablanca; ^(b) Centre National de l'Energie des Sciences Techniques Nucléaires, Rabat; ^(c) Faculté des Sciences Semlalia, Université Cadi Ayyad, LPHEA-Marrakech; ^(d) Faculté des Sciences, Université Mohamed Premier and LPTPM, Oujda; ^(e) Faculté des sciences, Université Mohammed V, Rabat, Morocco
 138 DSM/IRFU (Institut de Recherches sur les Lois Fondamentales de l'Univers), CEA Saclay (Commissariat à l'Energie Atomique et aux Energies Alternatives), Gif-sur-Yvette, France
 139 Santa Cruz Institute for Particle Physics, University of California Santa Cruz, Santa Cruz, CA, United States
 140 Department of Physics, University of Washington, Seattle, WA, United States
 141 Department of Physics and Astronomy, University of Sheffield, Sheffield, United Kingdom
 142 Department of Physics, Shinshu University, Nagano, Japan
 143 Department Physik, Universität Siegen, Siegen, Germany
 144 Department of Physics, Simon Fraser University, Burnaby, BC, Canada
 145 SLAC National Accelerator Laboratory, Stanford, CA, United States
 146 ^(a) Faculty of Mathematics, Physics & Informatics, Comenius University, Bratislava; ^(b) Department of Subnuclear Physics, Institute of Experimental Physics of the Slovak Academy of Sciences, Kosice, Slovak Republic
 147 ^(a) Department of Physics, University of Cape Town, Cape Town; ^(b) Department of Physics, University of Johannesburg, Johannesburg; ^(c) School of Physics, University of the Witwatersrand, Johannesburg, South Africa
 148 ^(a) Department of Physics, Stockholm University; ^(b) The Oskar Klein Centre, Stockholm, Sweden
 149 Physics Department, Royal Institute of Technology, Stockholm, Sweden
 150 Departments of Physics & Astronomy and Chemistry, Stony Brook University, Stony Brook, NY, United States
 151 Department of Physics and Astronomy, University of Sussex, Brighton, United Kingdom
 152 School of Physics, University of Sydney, Sydney, Australia
 153 Institute of Physics, Academia Sinica, Taipei, Taiwan
 154 Department of Physics, Technion: Israel Institute of Technology, Haifa, Israel
 155 Raymond and Beverly Sackler School of Physics and Astronomy, Tel Aviv University, Tel Aviv, Israel
 156 Department of Physics, Aristotle University of Thessaloniki, Thessaloniki, Greece
 157 International Center for Elementary Particle Physics and Department of Physics, The University of Tokyo, Tokyo, Japan
 158 Graduate School of Science and Technology, Tokyo Metropolitan University, Tokyo, Japan
 159 Department of Physics, Tokyo Institute of Technology, Tokyo, Japan
 160 Tomsk State University, Tomsk, Russia
 161 Department of Physics, University of Toronto, Toronto, ON, Canada
 162 ^(a) INFN-TIFPA; ^(b) University of Trento, Trento, Italy
 163 ^(a) TRIUMF, Vancouver, BC; ^(b) Department of Physics and Astronomy, York University, Toronto, ON, Canada
 164 Faculty of Pure and Applied Sciences, and Center for Integrated Research in Fundamental Science and Engineering, University of Tsukuba, Tsukuba, Japan
 165 Department of Physics and Astronomy, Tufts University, Medford, MA, United States
 166 Department of Physics and Astronomy, University of California Irvine, Irvine, CA, United States
 167 ^(a) INFN Gruppo Collegato di Udine, Sezione di Trieste, Udine; ^(b) ICTP, Trieste; ^(c) Dipartimento di Chimica, Fisica e Ambiente, Università di Udine, Udine, Italy
 168 Department of Physics and Astronomy, University of Uppsala, Uppsala, Sweden
 169 Department of Physics, University of Illinois, Urbana, IL, United States
 170 Instituto de Física Corpuscular (IFIC), Centro Mixto Universidad de Valencia - CSIC, Spain
 171 Department of Physics, University of British Columbia, Vancouver, BC, Canada
 172 Department of Physics and Astronomy, University of Victoria, Victoria, BC, Canada
 173 Department of Physics, University of Warwick, Coventry, United Kingdom
 174 Waseda University, Tokyo, Japan
 175 Department of Particle Physics, The Weizmann Institute of Science, Rehovot, Israel
 176 Department of Physics, University of Wisconsin, Madison, WI, United States
 177 Fakultät für Physik und Astronomie, Julius-Maximilians-Universität, Würzburg, Germany
 178 Fakultät für Mathematik und Naturwissenschaften, Fachgruppe Physik, Bergische Universität Wuppertal, Wuppertal, Germany
 179 Department of Physics, Yale University, New Haven, CT, United States
 180 Yerevan Physics Institute, Yerevan, Armenia
 181 Centre de Calcul de l'Institut National de Physique Nucléaire et de Physique des Particules (IN2P3), Villeurbanne, France
 182 Academia Sinica Grid Computing, Institute of Physics, Academia Sinica, Taipei, Taiwan

^a Also at Department of Physics, King's College London, London, United Kingdom.

^b Also at Institute of Physics, Azerbaijan Academy of Sciences, Baku, Azerbaijan.

^c Also at Novosibirsk State University, Novosibirsk, Russia.

^d Also at TRIUMF, Vancouver, BC, Canada.

^e Also at Department of Physics & Astronomy, University of Louisville, Louisville, KY, United States.

^f Also at Physics Department, An-Najah National University, Nablus, Palestine.

^g Also at Department of Physics, California State University, Fresno, CA, United States.

^h Also at Department of Physics, University of Fribourg, Fribourg, Switzerland.

ⁱ Also at II Physikalisch Institut, Georg-August-Universität, Göttingen, Germany.

^j Also at Departament de Física de la Universitat Autònoma de Barcelona, Barcelona, Spain.

^k Also at Departamento de Física e Astronomia, Faculdade de Ciencias, Universidade do Porto, Portugal.

^l Also at Tomsk State University, Tomsk, and Moscow Institute of Physics and Technology State University, Dolgoprudny, Russia.

^m Also at The Collaborative Innovation Center of Quantum Matter (CICQM), Beijing, China.

ⁿ Also at Università di Napoli Parthenope, Napoli, Italy.

^o Also at Institute of Particle Physics (IPP), Canada.

^p Also at Horia Hulubei National Institute of Physics and Nuclear Engineering, Bucharest, Romania.

^q Also at Department of Physics, St. Petersburg State Polytechnical University, St. Petersburg, Russia.

^r Also at Borough of Manhattan Community College, City University of New York, New York City, United States.

^s Also at Department of Financial and Management Engineering, University of the Aegean, Chios, Greece.

^t Also at Centre for High Performance Computing, CSIR Campus, Rosebank, Cape Town, South Africa.

^u Also at Louisiana Tech University, Ruston, LA, United States.

^v Also at Institutio Catalana de Recerca i Estudis Avancats, ICREA, Barcelona, Spain.

^w Also at Department of Physics, The University of Michigan, Ann Arbor, MI, United States.

- ^x Also at LAL, Univ. Paris-Sud, CNRS/IN2P3, Université Paris-Saclay, Orsay, France.
^y Also at Graduate School of Science, Osaka University, Osaka, Japan.
^z Also at Fakultät für Mathematik und Physik, Albert-Ludwigs-Universität, Freiburg, Germany.
^{aa} Also at Institute for Mathematics, Astrophysics and Particle Physics, Radboud University Nijmegen/Nikhef, Nijmegen, Netherlands.
^{ab} Also at Department of Physics, The University of Texas at Austin, Austin, TX, United States.
^{ac} Also at Institute of Theoretical Physics, Ilia State University, Tbilisi, Georgia.
^{ad} Also at CERN, Geneva, Switzerland.
^{ae} Also at Georgian Technical University (GTU), Tbilisi, Georgia.
^{af} Also at Ochanomizu Academic Production, Ochanomizu University, Tokyo, Japan.
^{ag} Also at Manhattan College, New York, NY, United States.
^{ah} Also at The City College of New York, New York, NY, United States.
^{ai} Also at Departamento de Física Teórica y del Cosmos, Universidad de Granada, Granada, Portugal.
^{aj} Also at Department of Physics, California State University, Sacramento, CA, United States.
^{ak} Also at Moscow Institute of Physics and Technology State University, Dolgoprudny, Russia.
^{al} Also at Département de Physique Nucléaire et Corpusculaire, Université de Genève, Geneva, Switzerland.
^{am} Also at Institut de Física d'Altes Energies (IFAE), The Barcelona Institute of Science and Technology, Barcelona, Spain.
^{an} Also at School of Physics, Sun Yat-sen University, Guangzhou, China.
^{ao} Also at Institute for Nuclear Research and Nuclear Energy (INRNE) of the Bulgarian Academy of Sciences, Sofia, Bulgaria.
^{ap} Also at Faculty of Physics, M.V.Lomonosov Moscow State University, Moscow, Russia.
^{aq} Also at National Research Nuclear University MEPhI, Moscow, Russia.
^{ar} Also at Department of Physics, Stanford University, Stanford, CA, United States.
^{as} Also at Institute for Particle and Nuclear Physics, Wigner Research Centre for Physics, Budapest, Hungary.
^{at} Also at Giresun University, Faculty of Engineering, Turkey.
^{au} Also at CPPM, Aix-Marseille Université and CNRS/IN2P3, Marseille, France.
^{av} Also at Department of Physics, Nanjing University, Jiangsu, China.
^{aw} Also at Institute of Physics, Academia Sinica, Taipei, Taiwan.
^{ax} Also at University of Malaya, Department of Physics, Kuala Lumpur, Malaysia.
* Deceased.