

**Table 3.** Benefits in survival time judged sufficient to make worthwhile 3 years of sorafenib versus 1 year of sorafenib according to randomly allocated treatment group and time of assessment.

Time of assessment of patients' preferences													
		Baseline		3 months			15 months			42 months			Overall post-baseline
Treatment group		Sorafenib	Placebo	Sorafenib	Placebo		Sorafenib	Placebo		Sorafenib	Placebo		
N		177	56	129	50		85	40		39	20		
		<u>Median benefit</u>		<u>Median benefit</u>		<u>P-value*</u>	<u>Median benefit</u>		<u>P-value*</u>	<u>Median benefit</u>		<u>P-value*</u>	<u>P-value†</u>
<b>Baseline</b>	5 years	12m	9m	12m	2m	0.09	9m	6m	0.11	9m	1m	0.30	<b>0.04</b>
<b>prognoses</b>	15 years	12m	11m	12m	2m	0.15	9m	6m	0.13	9m	6m	0.31	0.06

m, months; \* *P* -values from a mixed model applied to the normal score transformed values with the following covariates fitted: treatment group, baseline value, time point, and a time point by treatment group interaction. † *P* -value from mixed model as above but without the time point by treatment group interaction (i.e. treatment effect assumed to be constant post-baseline).