

	Doctors' interpersonal skills		Doctors' availability		Nurses' interpersonal skills		Nurses' availability	
	Univariate	Multivariate	Univariate	Multivariate	Univariate	Multivariate	Univariate	Multivariate
	OR (95%CI)	OR (95%CI)	OR (95%CI)	OR (95%CI)	OR (95%CI)	OR (95%CI)	OR (95%CI)	OR (95%CI)
Southern Europe	Reference	Reference	Reference	Reference	Reference	Reference	Reference	Reference
Central Europe	0.43 (0.29-0.64)	0.48 (0.30-0.75)	0.54 (0.36-0.79)	0.57 (0.36-0.89)	0.22 (0.14-0.34)	0.21 (0.13-0.36)	0.24 (0.16-0.37)	0.23 (0.14-0.37)
India	0.39 (0.27-0.57)	0.46 (0.30-0.73)	0.36 (0.25-0.53)	0.43 (0.28-0.67)	0.25 (0.17-0.38)	0.39 (0.24-0.62)	0.29 (0.20-0.43)	0.47 (0.30-0.72)
Japan	0.17 (0.07-0.38)	0.10 (0.04-0.25)	0.20 (0.09-0.46)	0.12 (0.05-0.32)	0.11 (0.04-0.29)	0.08 (0.03-0.24)	0.16 (0.06-0.42)	0.09 (0.03-0.27)
Jordan	0.84 (0.58-1.22)	0.51 (0.33-0.78)	0.59 (0.41-0.84)	0.35 (0.23-0.53)	1.01 (0.65-1.58)	0.60 (0.36-0.99)	0.43 (0.30-0.61)	0.26 (0.17-0.39)

OR=Odds ratio; 95%CI=95% confidence interval

* To avoid collinearity between disease stage and treatment intention, we included only the stronger of the two predictors in the multivariate model.