



Indications of Suppression of Excited Υ States in Pb-Pb Collisions at $\sqrt{s_{\text{NN}}} = 2.76$ TeV

S. Chatrchyan *et al.*^{*}

(CMS Collaboration)

(Received 25 May 2011; published 28 July 2011)

A comparison of the relative yields of Υ resonances in the $\mu^+ \mu^-$ decay channel in Pb-Pb and $p p$ collisions at a center-of-mass energy per nucleon pair of 2.76 TeV is performed with data collected with the CMS detector at the LHC. Using muons of transverse momentum above 4 GeV/*c* and pseudorapidity below 2.4, the double ratio of the $\Upsilon(2S)$ and $\Upsilon(3S)$ excited states to the $\Upsilon(1S)$ ground state in Pb-Pb and $p p$ collisions, $[\Upsilon(2S + 3S)/\Upsilon(1S)]_{\text{Pb-Pb}}/[\Upsilon(2S + 3S)/\Upsilon(1S)]_{pp}$, is found to be $0.31^{+0.19}_{-0.15}(\text{stat}) \pm 0.03(\text{syst})$. The probability to obtain the measured value, or lower, if the true double ratio is unity, is calculated to be less than 1%.

DOI: 10.1103/PhysRevLett.107.052302

PACS numbers: 25.75.Nq, 14.40.Pq

Quantum chromodynamics (QCD) predicts that strongly interacting matter undergoes a phase transition to a deconfined state, often referred to as the quark-gluon plasma (QGP), in which quarks and gluons are no longer bound within hadrons. Calculations in lattice QCD [1,2] indicate that the transition should occur at a critical temperature $T_c \approx 150\text{--}175$ MeV, corresponding to an energy density $\varepsilon_c \approx 1$ GeV/fm³.

If the QGP is formed in heavy-ion collisions, it is expected to screen the confining potential of heavy quark-antiquark pairs [3], leading to the melting of charmonia (J/ψ , ψ' , $\chi_c \dots$) and bottomonia ($\Upsilon(1S)$, $\Upsilon(2S)$, $\Upsilon(3S)$, $\chi_b \dots$). The melting temperature depends on the binding energy of the quarkonium state. The ground states J/ψ , and $\Upsilon(1S)$, are expected to dissolve at significantly higher temperatures than the more loosely bound excited states. Quenched lattice QCD calculations [4,5] predict that the $\Upsilon(nS)$ states melt at 1.2 T_c (3S), 1.6 T_c (2S), and above 4 T_c (1S), while modern spectral-function approaches with complex potentials [6,7] favor somewhat lower dissolution temperatures. This sequential melting pattern is generally considered a “smoking-gun” signature of the QCD deconfinement transition. However, a large fraction of the observed $\Upsilon(1S)$ yield is due to decays of heavier states (around 50% for the $\Upsilon(1S)$ [8]). Therefore the melting of the excited states is expected to result in a significant suppression of the observed $\Upsilon(1S)$ yield, even if the medium is not hot enough to directly dissolve it.

Observations of a larger J/ψ and $\psi(2S)$ suppression in heavy-ion collisions with respect to proton-nucleus collisions were reported by the NA38 [9], NA50 [10,11], and NA60 [12] fixed-target experiments at the Super Proton

Synchrotron (SPS), respectively, in sulfur-uranium, lead-lead, and indium-indium collisions, at center-of-mass energies per nucleon pair ($\sqrt{s_{\text{NN}}}$) of about 20 GeV. The PHENIX experiment, at the Relativistic Heavy Ion Collider (RHIC), extended the J/ψ suppression measurements to Au-Au collisions at $\sqrt{s_{\text{NN}}} = 200$ GeV [13]. Recent results from ATLAS and CMS show J/ψ suppression at LHC [14,15]. At RHIC, bottomonia production becomes measurable [16], though with limited integrated luminosities. PHENIX observed that the dimuon yield in the Υ mass region for minimum bias Au-Au collisions is less than 64%, at the 90% confidence level, of the value expected by extrapolating the proton-proton yields [17].

A new era of detailed studies of the bottomonium family in heavy-ion collisions has started at the Large Hadron Collider (LHC). The measurement reported in this Letter is performed with data recorded by the Compact Muon Solenoid (CMS) experiment during the first lead-lead (Pb-Pb) LHC run, at the end of 2010, and during the proton-proton ($p p$) run of March 2011, both at $\sqrt{s_{\text{NN}}} = 2.76$ TeV. The integrated luminosity used in this analysis corresponds to $7.28 \mu\text{b}^{-1}$ for Pb-Pb and 225 nb^{-1} for $p p$ collisions, the latter corresponding approximately to the equivalent nucleon-nucleon luminosity of the Pb-Pb run. The momentum resolution of the CMS detector results in well-resolved Υ peaks in the dimuon mass spectrum. The CMS Collaboration has previously studied Υ production in $p p$ data at $\sqrt{s} = 7$ TeV [18], using techniques to extract the Υ yields that are very similar to the ones used in the study reported in this Letter.

A detailed description of the CMS detector can be found in [19]. Its central feature is a superconducting solenoid of 6 m internal diameter, providing a magnetic field of 3.8 T. Within the field volume are the silicon (Si) pixel and strip tracker, the crystal electromagnetic calorimeter, and the brass or scintillator hadron calorimeter. Muons are measured in gas-ionization detectors embedded in the steel return yoke. In addition, CMS has extensive

*Full author list given at the end of the article.

forward calorimetry, in particular, two steel or quartz-fiber Čerenkov hadron forward (HF) calorimeters, which cover the pseudorapidity range $2.9 < |\eta| < 5.2$.

In this analysis, Υ states are identified through their dimuon decay. The silicon pixel and strip tracker measures charged-particle trajectories in the range $|\eta| < 2.5$. The tracker consists of 66 M pixel and 10 M strip detector channels, providing a vertex resolution of $\sim 15 \mu\text{m}$ in the transverse plane. Muons are detected in the $|\eta| < 2.4$ range, with detection planes based on three technologies: drift tubes, cathode strip chambers, and resistive plate chambers. Because of the strong magnetic field and the fine granularity of the Si tracker, the muon transverse momentum measurement (p_T) based on information from the Si tracker alone has a resolution between 1% and 2% for a typical muon in this analysis.

In both the Pb-Pb and pp runs, the events are selected by the CMS two-level trigger. At the first, hardware level, two independent muon candidates are required in the muon detectors. No selection is made on momentum or pseudorapidity, but in the pp case more stringent quality requirements are imposed for each muon in order to reduce the higher trigger rate. In both cases, the software-based higher-level trigger accepts the lower-level decision without applying further criteria. The single-muon trigger efficiencies are measured from reconstructed $J/\psi \rightarrow \mu\mu$ decays, for muons with $p_T > 4 \text{ GeV}/c$. The values of these efficiencies, $(96.1 \pm 1.0)\%$ in the Pb-Pb data set and $(95.5 \pm 0.6)\%$ in the pp data set, are consistent.

For the Pb-Pb data, events are preselected offline if they contain a reconstructed primary vertex made of at least two tracks, and a coincidence in both HF calorimeters of energy deposits larger than 3 GeV in at least three towers. These criteria reduce contributions from single-beam interactions (e.g., beam-gas and beam-halo collisions with the beam pipe), ultraperipheral electromagnetic collisions, and cosmic-ray muons. A small fraction of the most peripheral Pb-Pb collisions is not selected by these requirements, which accept $(97 \pm 3)\%$ of the hadronic inelastic cross section [20]. For the pp run, a similar event filter is applied, relaxing the HF coincidence to one tower in each HF, with at least 3 GeV deposited. This filter removes only 1% of the pp events satisfying the dimuon trigger.

The muon offline reconstruction is seeded with $\simeq 99\%$ efficiency by tracks in the muon detectors, called stand-alone muons. These tracks are then matched to tracks reconstructed in the Si tracker by means of an algorithm optimized for the heavy-ion environment [21,22]. For muons from Υ decays the Si-tracking efficiency is $\simeq 85\%$. This efficiency is lower than in pp , as in Pb-Pb the Si-track reconstruction is seeded by a greater number of pixel hits to reduce the large number of random combinations arising from the high multiplicity of each event. Combined fits of the muon and Si-tracker tracks are used

to obtain the results presented in this Letter. The heavy-ion dedicated reconstruction algorithm is applied to the pp data in order to avoid potential biases.

Identical, very-loose selection criteria are applied to the muons in the pp and Pb-Pb data. Their transverse (longitudinal) distance of closest approach from the event vertex is required to be less than 3 (15) cm. Tracks are only kept if they have 11 or more hits in the silicon tracker and the χ^2 per degree of freedom of the combined (tracker) track fit is lower than 20 (4). The two muon trajectories are fit with a common vertex constraint, and events are retained if the fit χ^2 probability is larger than 1%. This removes background arising primarily from the displaced, semileptonic decays of charm and bottom hadrons. As determined from Monte Carlo simulation of the $\Upsilon(1S)$ signal, these selection criteria are found to reduce the efficiency by 3.9%, which is consistent with the signal loss observed in both pp and Pb-Pb data. The available event sample limits to 20 GeV/c the dimuon transverse momentum range probed in this study.

Only muons with a transverse momentum (p_T^μ) higher than $4 \text{ GeV}/c$ are considered, resulting in a Υ acceptance of approximately 25% for the $|\eta^\Upsilon| < 2.4$ rapidity range. This requirement optimizes the significance of the $\Upsilon(1S)$ signal in Pb-Pb data and is applied to both data sets. The acceptance of a Υ state depends on its mass, since the excited states give rise to higher-momenta muons. In consequence, requiring higher p_T^μ increases the acceptance for the excited states relative to the ground state. In the corresponding analysis performed with the higher statistics (3.1 pb^{-1}) 7 TeV data [18], looser criteria were applied ($p_T^\mu > 3.5 \text{ GeV}/c$ and $|\eta^\mu| < 1.6$, or $p_T^\mu > 2.5 \text{ GeV}/c$ and $1.6 < |\eta^\mu| < 2.4$), where η^μ is the muon pseudorapidity. The stricter ($p_T^\mu > 4 \text{ GeV}/c$) requirements used here enhance the $\Upsilon(2S + 3S)/\Upsilon(1S)$ yield ratio by $\simeq 60\%$ in the pp data at 2.76 TeV. It was checked that, applying identical pp reconstruction algorithms and p_T^μ requirements, the $\Upsilon(2S + 3S)/\Upsilon(1S)$ yield ratio is consistent, within statistical uncertainties, between the 2.76 and 7 TeV pp data sets [15].

The dimuon invariant-mass spectra with the selection criteria applied are shown in Fig. 1 for the pp and Pb-Pb data sets. Within the $7\text{--}14 \text{ GeV}/c^2$ mass range, there are 561 (628) opposite-sign muon pairs in the pp (Pb-Pb) data set. The three Υ peaks are clearly observed in the pp case, but the $\Upsilon(2S)$ and $\Upsilon(3S)$ are not visible over the residual background in Pb-Pb collisions.

An extended unbinned maximum likelihood fit to the two invariant-mass distributions of Fig. 1 is performed to extract the yields, following the method described in [18]. The measured mass line shape of each Υ state is parametrized by a “crystal ball” (CB) function, i.e., a Gaussian resolution function with the lowside tail replaced by a power law describing final-state radiation (FSR). Since the three Υ resonances partially overlap in the measured dimuon mass, they are fit simultaneously. Therefore, the




FIG. 1 (color online). Dimuon invariant-mass distributions from the pp (a) and $Pb-Pb$ (b) data at $\sqrt{s_{\text{NN}}} = 2.76 \text{ TeV}$. The same reconstruction algorithm and analysis criteria are applied to both data sets, including a transverse momentum requirement on single muons of $p_T^\mu > 4 \text{ GeV}/c$. The solid lines show the result of the fit described in the text.

probability distribution function (PDF) describing the signal consists of three CB functions. In addition to the three $Y(nS)$ yields, the $Y(1S)$ mass is the only parameter left free, to accommodate a possible bias in the momentum scale calibration. The mass ratios between the states are fixed to their world average values [23] and the mass resolution is forced to scale with the resonance mass. The $Y(1S)$ resolution is fixed to the value estimated in the simulation, $92 \text{ MeV}/c^2$, which is compatible with the resolution obtained from both the $Pb-Pb$ and pp data. The lowside tail parameters are also fixed to the values obtained via simulation. Finally, a second-order polynomial is chosen to describe the background in the $7-14 \text{ GeV}/c^2$ mass-fit range.

The quality of the unbinned fit is checked *a posteriori* by comparing the obtained line shapes to the binned data of Fig. 1. The χ^2 probabilities are 74% and 77%, respectively, for pp and $Pb-Pb$.

The ratios of the observed (uncorrected) yields of the $Y(2S)$ and $Y(3S)$ excited states to the $Y(1S)$ ground state in the pp and $Pb-Pb$ data are

$$Y(2S + 3S)/Y(1S)|_{pp} = 0.78^{+0.16}_{-0.14} \pm 0.02, \quad (1)$$

$$Y(2S + 3S)/Y(1S)|_{Pb-Pb} = 0.24^{+0.13}_{-0.12} \pm 0.02, \quad (2)$$

where the first uncertainty is statistical and the second is systematic.

The systematic uncertainties are computed by varying the line shape in the following ways: (1) the CB-tail parameters are varied randomly according to their covariance matrix and within conservative values covering imperfect knowledge of the amount of detector material and FSR in the underlying process; (2) the resolution is varied by $\pm 5 \text{ MeV}/c^2$, which is a conservative variation given the current understanding of the detector performance and reasonable changes that can be anticipated in the Y -resonance kinematics between pp and $Pb-Pb$ data; (3) the background shape is changed from quadratic to linear while the mass range of the fit is varied from $6-15$ to $8-12 \text{ GeV}/c^2$; the observed root-mean-square of the results is taken as the systematic uncertainty. The quadratic sum of these three systematic uncertainties gives a relative uncertainty on the ratio of 10% (3%) for the $Pb-Pb$ (pp) data.

The ratio of the $Y(2S + 3S)/Y(1S)$ ratios in $Pb-Pb$ and pp benefits from an almost complete cancellation of possible acceptance and/or efficiency differences among the reconstructed resonances. A simultaneous fit to the pp and $Pb-Pb$ mass spectra gives the double ratio

$$\frac{Y(2S + 3S)/Y(1S)|_{Pb-Pb}}{Y(2S + 3S)/Y(1S)|_{pp}} = 0.31^{+0.19}_{-0.15}(\text{stat}) \pm 0.03(\text{syst}), \quad (3)$$

where the systematic uncertainty (9%) arises from varying the line shape as described above in the simultaneous fit, thus taking into account partial cancellations of systematic effects.

The single-muon lower momentum requirement is *a posteriori* varied from 3 to 5 GeV/c in steps of 500 MeV/c , and it is found that p_T requirements other than 4 GeV/c produce lower values of the double ratio. Fitting the pp and $Pb-Pb$ spectra with free and independent mass resolution parameters leads to an increase of the double ratio by 15%.

To evaluate possible imperfect cancellations of acceptance and efficiency effects in the double ratio, a full [24] detector simulation is performed. The effect of the higher $Pb-Pb$ underlying event activity is accounted for by embedding, at the level of detector signals, $Y(1S)$ and $Y(2S)$ decays simulated by PYTHIA 6.424 [25] in $Pb-Pb$ events simulated with HYDJET [26]. Track characteristics, such as the number of hits and the χ^2 of the track fit, have similar distributions in data and simulation. As mentioned above, the trigger efficiency is evaluated with data, by using single-muon-triggered data events, and reconstructing J/ψ signal with and without the dimuon trigger

requirement. The same exercise is carried out with the simulation and it agrees with the efficiency measured in data at the 2% level. The track efficiency in the silicon detector is measured with standalone muons, applying all selection criteria. The efficiencies in data and simulation agree within the 4% statistical uncertainty of the efficiency determined from data.

The difference in reconstruction and selection efficiencies between the Υ states is less than 5% and the relative variation with charged-particle multiplicity is about 10% from pp to central Pb-Pb collisions, producing a maximum change of 0.5% on the double ratio. The good agreement between single-muon trigger efficiencies extracted from data for the pp and Pb-Pb trigger requirements, applied to the $\Upsilon(1S)$ and $\Upsilon(2S)$ trigger efficiencies derived from simulation, leads to a negligible effect on the double ratio. The single-muon trigger efficiencies extracted from data agree within 1.5% for the pp and Pb-Pb trigger requirements, and the $\Upsilon(1S)$ and $\Upsilon(2S)$ trigger efficiencies agree within 3%, according to simulation: the potential trigger bias on the double ratio is negligible. Even doubling the size of these variations, to take the $\Upsilon(3S)$ into account, leads to a negligible change in the double ratio. The magnitudes of the statistical and systematic uncertainties on the double ratio, respectively, 55% and 9%, are significantly larger than the systematic uncertainties associated with possible imperfect cancellation of acceptance and efficiency effects. Therefore no additional uncertainty from these sources is applied.

Finally, using an ensemble of 1×10^6 pseudoexperiments, generated with the signal line shape obtained from the pp data [Fig. 1(a)], the background line shapes from both data sets, and a double ratio [Eq. (3)] equal to unity within statistical and systematic uncertainties, the probability of finding the measured value of 0.31 or below is estimated to be 0.9%. In other words, in the absence of a suppression due to physics mechanisms, the probability of a downward departure of the ratio from unity of this significance or greater is 0.9%, i.e., that corresponding to 2.4 sigma in a one-tailed integral of a Gaussian distribution.

Other studies from the CMS experiment show that the $\Upsilon(1S)$ is suppressed by about 40% [15] in minimum bias Pb-Pb collisions at $\sqrt{s_{NN}} = 2.76$ TeV. Since a large fraction of the $\Upsilon(1S)$ yield arises from decays of heavier bottomonium states [8], this $\Upsilon(1S)$ suppression could be indirectly caused by the suppression of the excited states reported in this Letter.

Production yields of quarkonium states can also be modified, from pp to Pb-Pb collisions, in the absence of QGP formation, by cold nuclear matter effects [27]. However, such effects should have a small impact on the Υ double ratio reported here. The nuclear modifications of the parton distribution functions (shadowing) should have an equivalent effect on the three Υ states, because their

production involves very similar partons, canceling in the ratio, at least to first order. The same should happen to any other initial-state nuclear effect. In principle, the larger and more loosely bound excited quarkonium states are more likely to be broken up by final-state interactions while traversing the nuclear matter, something extensively studied in the context of charmonium suppression at lower energies [28]. This “nuclear absorption” becomes weaker with increasing energy, and should be negligible at the LHC. At RHIC energies, the STAR experiment [29] has reported a $\Upsilon(1S + 2S + 3S)$ yield in d -Au collisions of $0.78 \pm 0.28 \pm 0.20$ times the yield expected by scaling pp collisions, compatible with the absence of absorption. Furthermore, the double ratio presented here would only be sensitive to a difference between the nuclear dependencies of the three states and already at much lower energies the Fermilab E772 experiment observed [30], in proton-nucleus collisions, no such difference, within uncertainties, between the $\Upsilon(1S)$ and the sum $\Upsilon(2S + 3S)$.

Future high-statistics heavy-ion and proton-nucleus runs at the LHC will provide further quarkonia measurements, which should help disentangle nuclear from medium effects and aid the interpretation of the result reported in this Letter.

In summary, a comparison of the relative yields of Υ resonances has been performed in Pb-Pb and pp collisions at the same center-of-mass energy per nucleon pair of 2.76 TeV. The double ratio of the $\Upsilon(2S)$ and $\Upsilon(3S)$ excited states to the $\Upsilon(1S)$ ground state in Pb-Pb and pp collisions, $[\Upsilon(2S + 3S)/\Upsilon(1S)]_{\text{Pb-Pb}}/[\Upsilon(2S + 3S)/\Upsilon(1S)]_{pp}$, is found to be $0.31^{+0.19}_{-0.15}(\text{stat}) \pm 0.03(\text{syst})$, for muons of $p_T > 4 \text{ GeV}/c$ and $|\eta| < 2.4$. The probability to obtain the measured value, or lower, if the true double ratio is unity, has been calculated to be less than 1%.

We wish to congratulate our colleagues in the CERN accelerator departments for the excellent performance of the LHC machine. We thank the technical and administrative staff at CERN and other CMS institutes, and acknowledge support from: FMSR (Austria); FNRS and FWO (Belgium); CNPq, CAPES, FAPERJ, and FAPESP (Brazil); MES (Bulgaria); CERN; CAS, MoST, and NSFC (China); COLCIENCIAS (Colombia); MSES (Croatia); RPF (Cyprus); Academy of Sciences and NICPB (Estonia); Academy of Finland, ME, and HIP (Finland); CEA and CNRS/IN2P3 (France); BMBF, DFG, and HGF (Germany); GSRT (Greece); OTKA and NKTH (Hungary); DAE and DST (India); IPM (Iran); SFI (Ireland); INFN (Italy); NRF and WCU (Korea); LAS (Lithuania); CINVESTAV, CONACYT, SEP, and UASLP-FAI (Mexico); PAEC (Pakistan); SCSR (Poland); FCT (Portugal); JINR (Armenia, Belarus, Georgia, Ukraine, Uzbekistan); MST and MAE (Russia); MSTD (Serbia); MICINN and CPAN (Spain); Swiss Funding Agencies (Switzerland); NSC (Taipei); TUBITAK and TAEK (Turkey); STFC (United Kingdom); DOE and

NSF (U.S.). Individuals have received support from the Marie-Curie programme and the European Research Council (European Union); the Leventis Foundation; the A. P. Sloan Foundation; the Alexander von Humboldt Foundation; the Associazione per lo Sviluppo Scientifico e Tecnologico del Piemonte (Italy); the Belgian Federal Science Policy Office; the Fonds pour la Formation à la Recherche dans l'industrie et dans l'Agriculture (FRIA-Belgium); and the Agentschap voor Innovatie door Wetenschap en Technologie (IWT-Belgium).

- [1] F. Karsch, *Lect. Notes Phys.* **583**, 209 (2002).
- [2] S. Borsanyi *et al.* (Wuppertal-Budapest Collaboration), *J. High Energy Phys.* 09 (2010) 073.
- [3] T. Matsui and H. Satz, *Phys. Lett. B* **178**, 416 (1986).
- [4] H. Satz, *J. Phys. G* **32**, R25 (2006).
- [5] C.-Y. Wong, *Phys. Rev. C* **72**, 034906 (2005).
- [6] A. Mocsy and P. Petreczky, *Phys. Rev. Lett.* **99**, 211602 (2007).
- [7] C. Miao, A. Mocsy, and P. Petreczky, *Nucl. Phys. A* **855**, 125 (2011).
- [8] A. Affolder *et al.* (CDF Collaboration), *Phys. Rev. Lett.* **84**, 2094 (2000).
- [9] C. Baglini *et al.* (NA38 Collaboration), *Phys. Lett. B* **345**, 617 (1995).
- [10] B. Alessandro *et al.* (NA50 Collaboration), *Eur. Phys. J. C* **39**, 335 (2005).
- [11] B. Alessandro *et al.* (NA50 Collaboration), *Eur. Phys. J. C* **49**, 559 (2007).
- [12] R. Arnaldi *et al.* (NA60 Collaboration), *Phys. Rev. Lett.* **99**, 132302 (2007).
- [13] A. Adare *et al.* (PHENIX Collaboration), *Phys. Rev. Lett.* **98**, 232301 (2007).

- [14] G. Aad *et al.* (ATLAS Collaboration), *Phys. Lett. B* **697**, 294 (2011).
- [15] CMS Collaboration, CMS Physics Analysis Summary, CMS-PAS-HIN-10-006, 2011, <http://cdsweb.cern.ch/record/1353586>.
- [16] B. I. Abelev *et al.* (STAR Collaboration), *Phys. Rev. D* **82**, 012004 (2010).
- [17] E. T. Atomssa (PHENIX Collaboration), *Nucl. Phys. A* **830**, 331c (2009).
- [18] V. Khachatryan *et al.* (CMS Collaboration), *Phys. Rev. D* **83**, 112004 (2011).
- [19] S. Chatrchyan *et al.* (CMS Collaboration), *JINST* **3**, S08004 (2008).
- [20] CMS Collaboration, arXiv:1102.1957 [Phys. Rev. C (to be published)].
- [21] C. Roland (CMS Collaboration), *Nucl. Instrum. Methods Phys. Res., Sect. A* **566**, 123 (2006).
- [22] D. d'Enterria *et al.* (CMS Collaboration), *J. Phys. G* **34**, 2307 (2007).
- [23] K. Nakamura *et al.* (Particle Data Group), *J. Phys. G* **37**, 075021 (2010).
- [24] S. Agostinelli *et al.* (GEANT4 Collaboration), *Nucl. Instrum. Methods Phys. Res., Sect. A* **506**, 250 (2003).
- [25] T. Sjöstrand, S. Mrenna, and P. Skands, *J. High Energy Phys.* 05 (2006) 026.
- [26] I. P. Lokhtin and A. M. Snigirev, *Eur. Phys. J. C* **45**, 211 (2006).
- [27] R. Vogt, *Phys. Rev. C* **81**, 044903 (2010).
- [28] C. Lourenco, R. Vogt, and H. K. Woehri, *J. High Energy Phys.* 02 (2009) 014.
- [29] R. Reed (STAR Collaboration), *J. Phys. Conf. Ser.* **270**, 012026 (2011).
- [30] D. M. Alde *et al.*, *Phys. Rev. Lett.* **66**, 2285 (1991).

S. Chatrchyan,¹ V. Khachatryan,¹ A. M. Sirunyan,¹ A. Tumasyan,¹ W. Adam,² T. Bergauer,² M. Dragicevic,² J. Erő,² C. Fabjan,² M. Friedl,² R. Fröhwrirth,² V. M. Ghete,² J. Hammer,^{2,b} S. Hänsel,² M. Hoch,² N. Hörmann,² J. Hrubec,² M. Jeitler,² W. Kiesenhofer,² M. Krammer,² D. Liko,² I. Mikulec,² M. Pernicka,² B. Rahbaran,² H. Rohringer,² R. Schöfbeck,² J. Strauss,² A. Taurok,² F. Teischinger,² P. Wagner,² W. Waltenberger,² G. Walzel,² E. Widl,² C.-E. Wulz,² V. Mossolov,³ N. Shumeiko,³ J. Suarez Gonzalez,³ S. Bansal,⁴ L. Benucci,⁴ E. A. De Wolf,⁴ X. Janssen,⁴ J. Maes,⁴ T. Maes,⁴ L. Mucibello,⁴ S. Ochesanu,⁴ B. Roland,⁴ R. Rougny,⁴ M. Selvaggi,⁴ H. Van Haevermaet,⁴ P. Van Mechelen,⁴ N. Van Remortel,⁴ F. Blekman,⁵ S. Blyweert,⁵ J. D'Hondt,⁵ O. Devroede,⁵ R. Gonzalez Suarez,⁵ A. Kalogeropoulos,⁵ M. Maes,⁵ W. Van Doninck,⁵ P. Van Mulders,⁵ G. P. Van Onsem,⁵ I. Villella,⁵ O. Charaf,⁶ B. Clerbaux,⁶ G. De Lentdecker,⁶ V. Dero,⁶ A. P. R. Gay,⁶ G. H. Hammad,⁶ T. Hreus,⁶ P. E. Marage,⁶ L. Thomas,⁶ C. Vander Velde,⁶ P. Vanlaer,⁶ V. Adler,⁷ A. Cimmino,⁷ S. Costantini,⁷ M. Grunewald,⁷ B. Klein,⁷ J. Lellouch,⁷ A. Marinov,⁷ J. Mccartin,⁷ D. Ryckbosch,⁷ F. Thyssen,⁷ M. Tytgat,⁷ L. Vanelderen,⁷ P. Verwilligen,⁷ S. Walsh,⁷ N. Zaganidis,⁷ S. Basegmez,⁸ G. Bruno,⁸ J. Caudron,⁸ L. Ceard,⁸ E. Cortina Gil,⁸ J. De Favereau De Jeneret,⁸ C. Delaere,⁸ D. Favart,⁸ A. Giannanco,⁸ G. Grégoire,⁸ J. Hollar,⁸ V. Lemaitre,⁸ J. Liao,⁸ O. Militaru,⁸ C. Nuttens,⁸ S. Ovyn,⁸ D. Pagano,⁸ A. Pin,⁸ K. Piotrzkowski,⁸ N. Schul,⁸ N. Belyi,⁹ T. Caebergs,⁹ E. Daubie,⁹ G. A. Alves,¹⁰ L. Brito,¹⁰ D. De Jesus Damiao,¹⁰ M. E. Pol,¹⁰ M. H. G. Souza,¹⁰ W. L. Aldá Júnior,¹¹ W. Carvalho,¹¹ E. M. Da Costa,¹¹ C. De Oliveira Martins,¹¹ S. Fonseca De Souza,¹¹ L. Mundim,¹¹ H. Nogima,¹¹ V. Oguri,¹¹ W. L. Prado Da Silva,¹¹ A. Santoro,¹¹ S. M. Silva Do Amaral,¹¹ A. Sznajder,¹¹ C. A. Bernardes,^{12,c} F. A. Dias,¹² T. R. Fernandez Perez Tomei,¹² E. M. Gregores,^{12,c} C. Lagana,¹² F. Marinho,¹² P. G. Mercadante,^{12,c} S. F. Novaes,¹² Sandra S. Padula,¹² N. Darmenov,^{13,b} V. Genchev,^{13,b} P. Iaydjiev,^{13,b} S. Piperov,¹³ M. Rodozov,¹³ S. Stoykova,¹³

- G. Sultanov,¹³ V. Tcholakov,¹³ R. Trayanov,¹³ A. Dimitrov,¹⁴ R. Hadjiiska,¹⁴ A. Karadzhinova,¹⁴ V. Kozhuharov,¹⁴ L. Litov,¹⁴ M. Mateev,¹⁴ B. Pavlov,¹⁴ P. Petkov,¹⁴ J. G. Bian,¹⁵ G. M. Chen,¹⁵ H. S. Chen,¹⁵ C. H. Jiang,¹⁵ D. Liang,¹⁵ S. Liang,¹⁵ X. Meng,¹⁵ J. Tao,¹⁵ J. Wang,¹⁵ J. Wang,¹⁵ X. Wang,¹⁵ Z. Wang,¹⁵ H. Xiao,¹⁵ M. Xu,¹⁵ J. Zang,¹⁵ Z. Zhang,¹⁵ Y. Ban,¹⁶ S. Guo,¹⁶ Y. Guo,¹⁶ W. Li,¹⁶ Y. Mao,¹⁶ S. J. Qian,¹⁶ H. Teng,¹⁶ B. Zhu,¹⁶ W. Zou,¹⁶
- A. Cabrera,¹⁷ B. Gomez Moreno,¹⁷ A. A. Ocampo Rios,¹⁷ A. F. Osorio Oliveros,¹⁷ J. C. Sanabria,¹⁷ N. Godinovic,¹⁸ D. Lelas,¹⁸ K. Lelas,¹⁸ R. Plestina,^{18,d} D. Polic,¹⁸ I. Puljak,¹⁸ Z. Antunovic,¹⁹ M. Dzelalija,¹⁹ V. Brigljevic,²⁰ S. Duric,²⁰ K. Kadija,²⁰ S. Morovic,²⁰ A. Attikis,²¹ M. Galanti,²¹ J. Mousa,²¹ C. Nicolaou,²¹ F. Ptochos,²¹ P. A. Razis,²¹ M. Finger,²² M. Finger, Jr.,²² Y. Assran,^{23,e} A. Ellithi Kamel,²³ S. Khalil,^{23,f} M. A. Mahmoud,^{23,g} A. Hektor,²⁴ M. Kadastik,²⁴ M. Müntel,²⁴ M. Raidal,²⁴ L. Rebane,²⁴ A. Tiko,²⁴ V. Azzolini,²⁵ P. Eerola,²⁵ G. Fedi,²⁵ S. Czellar,²⁶ J. Häkkinen,²⁶ A. Heikkinen,²⁶ V. Karimäki,²⁶ R. Kinnunen,²⁶ M. J. Kortelainen,²⁶ T. Lampén,²⁶ K. Lassila-Perini,²⁶ S. Lehti,²⁶ T. Lindén,²⁶ P. Luukka,²⁶ T. Mäenpää,²⁶ E. Tuominen,²⁶ J. Tuomiemi,²⁶ E. Tuovinen,²⁶ D. Ungaro,²⁶ L. Wendland,²⁶ K. Banzuzi,²⁷ A. Karjalainen,²⁷ A. Korpela,²⁷ T. Tuuva,²⁷ D. Sillou,²⁸ M. Besancon,²⁹ S. Choudhury,²⁹ M. Dejardin,²⁹ D. Denegri,²⁹ B. Fabbro,²⁹ J. L. Faure,²⁹ F. Ferri,²⁹ S. Ganjour,²⁹ F. X. Gentit,²⁹ A. Givernaud,²⁹ P. Gras,²⁹ G. Hamel de Monchenault,²⁹ P. Jarry,²⁹ E. Locci,²⁹ J. Malcles,²⁹ M. Marionneau,²⁹ L. Millischer,²⁹ J. Rander,²⁹ A. Rosowsky,²⁹ I. Shreyber,²⁹ M. Titov,²⁹ P. Verrecchia,²⁹ S. Baffioni,³⁰ F. Beaudette,³⁰ L. Benhabib,³⁰ L. Bianchini,³⁰ M. Bluj,^{30,h} C. Broutin,³⁰ P. Busson,³⁰ C. Charlot,³⁰ T. Dahms,³⁰ L. Dobrzynski,³⁰ S. Elgammal,³⁰ R. Granier de Cassagnac,³⁰ M. Haguenuauer,³⁰ P. Miné,³⁰ C. Mironov,³⁰ C. Ochando,³⁰ P. Paganini,³⁰ D. Sabes,³⁰ R. Salerno,³⁰ Y. Sirois,³⁰ C. Thiebaux,³⁰ B. Wyslouch,^{30,i} A. Zabi,³⁰ J.-L. Agram,^{31,j} J. Andrea,³¹ D. Bloch,³¹ D. Bodin,³¹ J.-M. Brom,³¹ M. Cardaci,³¹ E. C. Chabert,³¹ C. Collard,³¹ E. Conte,^{31,j} F. Drouhin,^{31,j} C. Ferro,³¹ J.-C. Fontaine,^{31,j} D. Gelé,³¹ U. Goerlach,³¹ S. Greder,³¹ P. Juillot,³¹ M. Karim,^{31,j} A.-C. Le Bihan,³¹ Y. Mikami,³¹ P. Van Hove,³¹ F. Fassi,³² D. Mercier,³² C. Baty,³³ S. Beauceron,³³ N. Beaupere,³³ M. Bedjidian,³³ O. Bondu,³³ G. Boudoul,³³ D. Boumediene,³³ H. Brun,³³ J. Chasserat,³³ R. Chierici,³³ D. Contardo,³³ P. Depasse,³³ H. El Mamouni,³³ J. Fay,³³ S. Gascon,³³ B. Ille,³³ T. Kurca,³³ T. Le Grand,³³ M. Lethuillier,³³ L. Mirabito,³³ S. Perries,³³ V. Sordini,³³ S. Tosi,³³ Y. Tschudi,³³ P. Verdier,³³ D. Lomidze,³⁴ G. Anagnostou,³⁵ S. Beranek,³⁵ M. Edelhoff,³⁵ L. Feld,³⁵ N. Heracleous,³⁵ O. Hindrichs,³⁵ R. Jussen,³⁵ K. Klein,³⁵ J. Merz,³⁵ N. Mohr,³⁵ A. Ostapchuk,³⁵ A. Perieau,³⁵ F. Raupach,³⁵ J. Sammet,³⁵ S. Schael,³⁵ D. Sprenger,³⁵ H. Weber,³⁵ M. Weber,³⁵ B. Wittmer,³⁵ M. Ata,³⁶ E. Dietz-Laursonn,³⁶ M. Erdmann,³⁶ T. Hebbeker,³⁶ C. Heidemann,³⁶ A. Hinzmann,³⁶ K. Hoepfner,³⁶ T. Klimkovich,³⁶ D. Klingebiel,³⁶ P. Kreuzer,³⁶ D. Lanske,^{36,a} J. Lingemann,³⁶ C. Magass,³⁶ M. Merschmeyer,³⁶ A. Meyer,³⁶ P. Papacz,³⁶ H. Pieta,³⁶ H. Reithler,³⁶ S. A. Schmitz,³⁶ L. Sonnenschein,³⁶ J. Steggemann,³⁶ D. Teyssier,³⁶ M. Bontenackels,³⁷ M. Davids,³⁷ M. Duda,³⁷ G. Flügge,³⁷ H. Geenen,³⁷ M. Giffels,³⁷ W. Haj Ahmad,³⁷ D. Heydhausen,³⁷ F. Hoehle,³⁷ B. Kargoll,³⁷ T. Kress,³⁷ Y. Kuessel,³⁷ A. Linn,³⁷ A. Nowack,³⁷ L. Perchalla,³⁷ O. Pooth,³⁷ J. Rennefeld,³⁷ P. Sauerland,³⁷ A. Stahl,³⁷ M. Thomas,³⁷ D. Tornier,³⁷ M. H. Zoeller,³⁷ M. Aldaya Martin,³⁸ W. Behrenhoff,³⁸ U. Behrens,³⁸ M. Bergholz,^{38,k} A. Bethani,³⁸ K. Borras,³⁸ A. Cakir,³⁸ A. Campbell,³⁸ E. Castro,³⁸ D. Dammann,³⁸ G. Eckerlin,³⁸ D. Eckstein,³⁸ A. Flossdorf,³⁸ G. Flucke,³⁸ A. Geiser,³⁸ J. Hauk,³⁸ H. Jung,^{38,b} M. Kasemann,³⁸ I. Katkov,^{38,l} P. Katsas,³⁸ C. Kleinwort,³⁸ H. Kluge,³⁸ A. Knutsson,³⁸ M. Krämer,³⁸ D. Krücker,³⁸ E. Kuznetsova,³⁸ W. Lange,³⁸ W. Lohmann,^{38,k} R. Mankel,³⁸ M. Marienfeld,³⁸ I.-A. Melzer-Pellmann,³⁸ A. B. Meyer,³⁸ J. Mnich,³⁸ A. Mussgiller,³⁸ J. Olzem,³⁸ A. Petrukhin,³⁸ D. Pitzl,³⁸ A. Raspereza,³⁸ A. Raval,³⁸ M. Rosin,³⁸ R. Schmidt,^{38,k} T. Schoerner-Sadenius,³⁸ N. Sen,³⁸ A. Spiridonov,³⁸ M. Stein,³⁸ J. Tomaszewska,³⁸ R. Walsh,³⁸ C. Wissing,³⁸ C. Autermann,³⁹ V. Blobel,³⁹ S. Bobrovskyi,³⁹ J. Draeger,³⁹ H. Enderle,³⁹ U. Gebbert,³⁹ M. Görner,³⁹ T. Hermanns,³⁹ K. Kaschube,³⁹ G. Kaussen,³⁹ H. Kirschenmann,³⁹ R. Klanner,³⁹ J. Lange,³⁹ B. Mura,³⁹ S. Naumann-Emme,³⁹ F. Nowak,³⁹ N. Pietsch,³⁹ C. Sander,³⁹ H. Schettler,³⁹ P. Schleper,³⁹ E. Schlieckau,³⁹ M. Schröder,³⁹ T. Schum,³⁹ H. Stadie,³⁹ G. Steinbrück,³⁹ J. Thomsen,³⁹ C. Barth,⁴⁰ J. Bauer,⁴⁰ J. Berger,⁴⁰ V. Buege,⁴⁰ T. Chwalek,⁴⁰ W. De Boer,⁴⁰ A. Dierlamm,⁴⁰ G. Dirkes,⁴⁰ M. Feindt,⁴⁰ J. Gruschke,⁴⁰ C. Hackstein,⁴⁰ F. Hartmann,⁴⁰ M. Heinrich,⁴⁰ H. Held,⁴⁰ K. H. Hoffmann,⁴⁰ S. Honc,⁴⁰ J. R. Komaragiri,⁴⁰ T. Kuhr,⁴⁰ D. Martschei,⁴⁰ S. Mueller,⁴⁰ Th. Müller,⁴⁰ M. Niegel,⁴⁰ O. Oberst,⁴⁰ A. Oehler,⁴⁰ J. Ott,⁴⁰ T. Peiffer,⁴⁰ G. Quast,⁴⁰ K. Rabbertz,⁴⁰ F. Ratnikov,⁴⁰ N. Ratnikova,⁴⁰ M. Renz,⁴⁰ C. Saout,⁴⁰ A. Scheurer,⁴⁰ P. Schieferdecker,⁴⁰ F.-P. Schilling,⁴⁰ G. Schott,⁴⁰ H. J. Simonis,⁴⁰ F. M. Stober,⁴⁰ D. Troendle,⁴⁰ J. Wagner-Kuhr,⁴⁰ T. Weiler,⁴⁰ M. Zeise,⁴⁰ V. Zhukov,^{40,l} E. B. Ziebarth,⁴⁰ G. Daskalakis,⁴¹ T. Geralis,⁴¹ S. Kesisoglou,⁴¹ A. Kyriakis,⁴¹ D. Loukas,⁴¹ I. Manolakos,⁴¹ A. Markou,⁴¹ C. Markou,⁴¹ C. Mavrommatis,⁴¹ E. Ntomari,⁴¹ E. Petrakou,⁴¹ L. Gouskos,⁴² T. J. Mertzimekis,⁴² A. Panagiotou,⁴² E. Stiliaris,⁴² I. Evangelou,⁴³ C. Foudas,⁴³ P. Kokkas,⁴³ N. Manthos,⁴³ I. Papadopoulos,⁴³ V. Patras,⁴³ F. A. Triantis,⁴³ A. Aranyi,⁴⁴

- G. Bencze,⁴⁴ L. Boldizsar,⁴⁴ C. Hajdu,^{44,b} P. Hidas,⁴⁴ D. Horvath,^{44,m} A. Kapusi,⁴⁴ K. Krajczar,^{44,n} F. Sikler,^{44,b}
 G. I. Veres,^{44,n} G. Vesztergombi,^{44,n} N. Beni,⁴⁵ J. Molnar,⁴⁵ J. Palinkas,⁴⁵ Z. Szillasi,⁴⁵ V. Veszpremi,⁴⁵ P. Raics,⁴⁶
 Z. L. Trocsanyi,⁴⁶ B. Ujvari,⁴⁶ S. B. Beri,⁴⁷ V. Bhatnagar,⁴⁷ N. Dhingra,⁴⁷ R. Gupta,⁴⁷ M. Jindal,⁴⁷ M. Kaur,⁴⁷
 J. M. Kohli,⁴⁷ M. Z. Mehta,⁴⁷ N. Nishu,⁴⁷ L. K. Saini,⁴⁷ A. Sharma,⁴⁷ A. P. Singh,⁴⁷ J. Singh,⁴⁷ S. P. Singh,⁴⁷
 S. Ahuja,⁴⁸ B. C. Choudhary,⁴⁸ P. Gupta,⁴⁸ S. Jain,⁴⁸ A. Kumar,⁴⁸ A. Kumar,⁴⁸ M. Naimuddin,⁴⁸ K. Ranjan,⁴⁸
 R. K. Shrivpuri,⁴⁸ S. Banerjee,⁴⁹ S. Bhattacharya,⁴⁹ S. Dutta,⁴⁹ B. Gomber,⁴⁹ S. Jain,⁴⁹ R. Khurana,⁴⁹ S. Sarkar,⁴⁹
 R. K. Choudhury,⁵⁰ D. Dutta,⁵⁰ S. Kailas,⁵⁰ V. Kumar,⁵⁰ P. Mehta,⁵⁰ A. K. Mohanty,^{50,b} L. M. Pant,⁵⁰ P. Shukla,⁵⁰
 T. Aziz,⁵¹ M. Guchait,^{51,o} A. Gurtu,⁵¹ M. Maity,^{51,p} D. Majumder,⁵¹ G. Majumder,⁵¹ K. Mazumdar,⁵¹
 G. B. Mohanty,⁵¹ A. Saha,⁵¹ K. Sudhakar,⁵¹ N. Wickramage,⁵¹ S. Banerjee,⁵² S. Dugad,⁵² N. K. Mondal,⁵²
 H. Arfaei,⁵³ H. Bakhshiansohi,^{53,q} S. M. Etesami,⁵³ A. Fahim,^{53,q} M. Hashemi,⁵³ H. Hesari,⁵³ A. Jafari,^{53,q}
 M. Khakzad,⁵³ A. Mohammadi,^{53,r} M. Mohammadi Najafabadi,⁵³ S. Paktinat Mehdiabadi,⁵³ B. Safarzadeh,⁵³
 M. Zeinali,^{53,s} M. Abbrescia,^{54a,54b} L. Barbone,^{54a,54b} C. Calabria,^{54a,54b} A. Colaleo,^{54a} D. Creanza,^{54a,54c}
 N. De Filippis,^{54a,54c,b} M. De Palma,^{54a,54b} L. Fiore,^{54a} G. Iaselli,^{54a,54c} L. Lusito,^{54a,54b} G. Maggi,^{54a,54c}
 M. Maggi,^{54a} N. Manna,^{54a,54b} B. Marangelli,^{54a,54b} S. My,^{54a,54c} S. Nuzzo,^{54a,54b} N. Pacifico,^{54a,54b} G. A. Pierro,^{54a}
 A. Pompili,^{54a,54b} G. Pugliese,^{54a,54c} F. Romano,^{54a,54c} G. Roselli,^{54a,54b} G. Selvaggi,^{54a,54b} L. Silvestris,^{54a}
 R. Trentadue,^{54a} S. Tupputi,^{54a,54b} G. Zito,^{54a} G. Abbiendi,^{55a} A. C. Benvenuti,^{55a} D. Bonacorsi,^{55a}
 S. Braibant-Giacomelli,^{55a,55b} L. Brigliadori,^{55a} P. Capiluppi,^{55a,55b} A. Castro,^{55a,55b} F. R. Cavallio,^{55a}
 M. Cuffiani,^{55a,55b} G. M. Dallavalle,^{55a} F. Fabbri,^{55a} A. Fanfani,^{55a,55b} D. Fasanella,^{55a} P. Giacomelli,^{55a}
 M. Giunta,^{55a} C. Grandi,^{55a} S. Marcellini,^{55a} G. Masetti,^{55b} M. Meneghelli,^{55a,55b} A. Montanari,^{55a}
 F. L. Navarria,^{55a,55b} F. Odorici,^{55a} A. Perrotta,^{55a} F. Primavera,^{55a} A. M. Rossi,^{55a,55b} T. Rovelli,^{55a,55b}
 G. Sguazzoni,^{57a} A. Tropiano,^{57a,b} L. Benussi,⁵⁸ S. Bianco,⁵⁸ S. Colafranceschi,^{58,t} F. Fabbri,⁵⁸ D. Piccolo,⁵⁸
 P. Fabbricatore,⁵⁹ R. Musenich,⁵⁹ A. Benaglia,^{60a,60b} F. De Guio,^{60a,60b} L. Di Matteo,^{60a,60b} S. Gennai,^{60a,b}
 A. Ghezzi,^{60a,60b} S. Malvezzi,^{60a} A. Martelli,^{60a,60b} A. Massironi,^{60a,60b} D. Menasce,^{60a} L. Moroni,^{60a}
 M. Paganoni,^{60a,60b} D. Pedrini,^{60a} S. Ragazzi,^{60a,60b} N. Redaelli,^{60a} S. Sala,^{60a} T. Tabarelli de Fatis,^{60a,60b}
 S. Buontempo,^{61a} C. A. Carrillo Montoya,^{61a,b} N. Cavallo,^{61a,u} A. De Cosa,^{61a,61b} F. Fabozzi,^{61a,u} A. O. M. Iorio,^{61a,b}
 L. Lista,^{61a} M. Merola,^{61a,61b} P. Paolucci,^{61a} P. Azzi,^{62a} N. Bacchetta,^{62a} P. Bellan,^{62a,62b} D. Bisello,^{62a,62b}
 A. Branca,^{62a} R. Carlin,^{62a,62b} P. Checchia,^{62a} T. Dorigo,^{62a} U. Dosselli,^{62a} F. Fanzago,^{62a} F. Gasparini,^{62a,62b}
 U. Gasparini,^{62a,62b} A. Gozzelino,^{62a} S. Lacaprara,^{62a} I. Lazzizzera,^{62a,62c} M. Margoni,^{62a,62b} M. Mazzucato,^{62a}
 A. T. Meneguzzo,^{62a,62b} M. Nespolo,^{62a,b} L. Perrozzi,^{62a,b} N. Pozzobon,^{62a,62b} P. Ronchese,^{62a,62b} F. Simonetto,^{62a,62b}
 E. Torassa,^{62a} M. Tosi,^{62a,62b} S. Vanini,^{62a,62b} P. Zotto,^{62a,62b} G. Zumerle,^{62a,62b} P. Baesso,^{63a,63b} U. Berzano,^{63a}
 S. P. Ratti,^{63a,63b} C. Riccardi,^{63a,63b} P. Torre,^{63a,63b} P. Vitulo,^{63a,63b} C. Viviani,^{63a,63b} M. Biasini,^{64a,64b} G. M. Bilei,^{64a}
 B. Caponeri,^{64a,64b} L. Fanò,^{64a,64b} P. Lariccia,^{64a,64b} A. Lucaroni,^{64a,64b} G. Mantovani,^{64a,64b} M. Menichelli,^{64a}
 A. Nappi,^{64a,64b} F. Romeo,^{64a,64b} A. Santocchia,^{64a,64b} S. Taroni,^{64a,64b} M. Valdata,^{64a,64b} P. Azzurri,^{65a,65c}
 G. Bagliesi,^{65a} J. Bernardini,^{65a,65b} T. Boccali,^{65a,b} G. Broccolo,^{65a,65c} R. Castaldi,^{65a} R. T. D'Agnolo,^{65a,65c}
 R. Dell'Orso,^{65a} F. Fiori,^{65a,65b} L. Foà,^{65a,65c} A. Giassi,^{65a} A. Kraan,^{65a} F. Ligabue,^{65a,65c} T. Lomtadze,^{65a}
 L. Martini,^{65a,v} A. Messineo,^{65a,65b} F. Palla,^{65a} G. Segneri,^{65a} A. T. Serban,^{65a} P. Spagnolo,^{65a} R. Tenchini,^{65a}
 G. Tonelli,^{65a,65b,b} A. Venturi,^{65a,b} P. G. Verdini,^{65a} L. Barone,^{66a,66b} F. Cavallari,^{66a} D. Del Re,^{66a,66b}
 E. Di Marco,^{66a,66b} M. Diemoz,^{66a} D. Franci,^{66a,66b} M. Grassi,^{66a,b} E. Longo,^{66a,66b} P. Meridiani,^{66a}
 S. Nourbakhsh,^{66a} G. Organtini,^{66a,66b} F. Pandolfi,^{66a,66b} R. Paramatti,^{66a} S. Rahatlou,^{66a,66b} C. Rovelli,^{66a,b}
 N. Amapane,^{67a,67b} R. Arcidiacono,^{67a,67c} S. Argiro,^{67a,67b} M. Arneodo,^{67a,67c} C. Biino,^{67a} C. Botta,^{67a,67b,b}
 N. Cartiglia,^{67a} R. Castello,^{67a,67b} M. Costa,^{67a,67b} N. Demaria,^{67a} A. Graziano,^{67a,67b,b} C. Mariotti,^{67a}
 M. Marone,^{67a,67b} S. Maselli,^{67a} E. Migliore,^{67a,67b} G. Mila,^{67a,67b} V. Monaco,^{67a,67b} M. Musich,^{67a,67b}
 M. M. Obertino,^{67a,67c} N. Pastrone,^{67a} M. Pelliccioni,^{67a,67b} A. Potenza,^{67a,67b} A. Romero,^{67a,67b} M. Ruspa,^{67a,67c}
 R. Sacchi,^{67a,67b} V. Sola,^{67a,67b} A. Solano,^{67a,67b} A. Staiano,^{67a} A. Vilela Pereira,^{67a} S. Belforte,^{68a} F. Cossutti,^{68a}
 G. Della Ricca,^{68a,68b} B. Gobbo,^{68a} D. Montanino,^{68a,68b} A. Penzo,^{68a} S. G. Heo,⁶⁹ S. K. Nam,⁶⁹ S. Chang,⁷⁰
 J. Chung,⁷⁰ D. H. Kim,⁷⁰ G. N. Kim,⁷⁰ J. E. Kim,⁷⁰ D. J. Kong,⁷⁰ H. Park,⁷⁰ S. R. Ro,⁷⁰ D. C. Son,⁷⁰ T. Son,⁷⁰
 Zero Kim,⁷¹ J. Y. Kim,⁷¹ S. Song,⁷¹ S. Choi,⁷² B. Hong,⁷² M. Jo,⁷² H. Kim,⁷² J. H. Kim,⁷² T. J. Kim,⁷² K. S. Lee,⁷²
 D. H. Moon,⁷² S. K. Park,⁷² K. S. Sim,⁷² M. Choi,⁷³ S. Kang,⁷³ H. Kim,⁷³ C. Park,⁷³ I. C. Park,⁷³ S. Park,⁷³ G. Ryu,⁷³

- Y. Choi,⁷⁴ Y. K. Choi,⁷⁴ J. Goh,⁷⁴ M. S. Kim,⁷⁴ J. Lee,⁷⁴ S. Lee,⁷⁴ H. Seo,⁷⁴ I. Yu,⁷⁴ M. J. Bilinskas,⁷⁵ I. Grigelionis,⁷⁵ M. Janulis,⁷⁵ D. Martisiute,⁷⁵ P. Petrov,⁷⁵ T. Sabonis,⁷⁵ H. Castilla-Valdez,⁷⁶ E. De La Cruz-Burelo,⁷⁶ I. Heredia-de La Cruz,⁷⁶ R. Lopez-Fernandez,⁷⁶ R. Magaña Villalba,⁷⁶ A. Sánchez-Hernández,⁷⁶ L. M. Villasenor-Cendejas,⁷⁶ S. Carrillo Moreno,⁷⁷ F. Vazquez Valencia,⁷⁷ H. A. Salazar Ibarguen,⁷⁸ E. Casimiro Linares,⁷⁹ A. Morelos Pineda,⁷⁹ M. A. Reyes-Santos,⁷⁹ D. Krofcheck,⁸⁰ J. Tam,⁸⁰ P. H. Butler,⁸¹ R. Doesburg,⁸¹ H. Silverwood,⁸¹ M. Ahmad,⁸² I. Ahmed,⁸² M. I. Asghar,⁸² H. R. Hoorani,⁸² W. A. Khan,⁸² T. Khurshid,⁸² S. Qazi,⁸² G. Brona,⁸³ M. Cwiok,⁸³ W. Dominik,⁸³ K. Doroba,⁸³ A. Kalinowski,⁸³ M. Konecki,⁸³ J. Krolkowski,⁸³ T. Frueboes,⁸⁴ R. Gokieli,⁸⁴ M. Górski,⁸⁴ M. Kazana,⁸⁴ K. Nawrocki,⁸⁴ K. Romanowska-Rybinska,⁸⁴ M. Szleper,⁸⁴ G. Wrochna,⁸⁴ P. Zalewski,⁸⁴ N. Almeida,⁸⁵ P. Bargassa,⁸⁵ A. David,⁸⁵ P. Faccioli,⁸⁵ P. G. Ferreira Parracho,⁸⁵ M. Gallinaro,^{85,b} P. Musella,⁸⁵ A. Nayak,⁸⁵ J. Pela,^{85,b} P. Q. Ribeiro,⁸⁵ J. Seixas,⁸⁵ J. Varela,⁸⁵ S. Afanasiev,⁸⁶ I. Belotelov,⁸⁶ P. Bunin,⁸⁶ I. Golutvin,⁸⁶ A. Kamenev,⁸⁶ V. Karjavin,⁸⁶ G. Kozlov,⁸⁶ A. Lanev,⁸⁶ P. Moisenz,⁸⁶ V. Palichik,⁸⁶ V. Perelygin,⁸⁶ S. Shmatov,⁸⁶ V. Smirnov,⁸⁶ A. Volodko,⁸⁶ A. Zarubin,⁸⁶ V. Golovtsov,⁸⁷ Y. Ivanov,⁸⁷ V. Kim,⁸⁷ P. Levchenko,⁸⁷ V. Murzin,⁸⁷ V. Oreshkin,⁸⁷ I. Smirnov,⁸⁷ V. Sulimov,⁸⁷ L. Uvarov,⁸⁷ S. Vavilov,⁸⁷ A. Vorobyev,⁸⁷ An. Vorobyev,⁸⁷ Yu. Andreev,⁸⁸ A. Dermenev,⁸⁸ S. Gninenko,⁸⁸ N. Golubev,⁸⁸ M. Kirsanov,⁸⁸ N. Krasnikov,⁸⁸ V. Matveev,⁸⁸ A. Pashenkov,⁸⁸ A. Toropin,⁸⁸ S. Troitsky,⁸⁸ V. Epshteyn,⁸⁹ V. Gavrilov,⁸⁹ V. Kaftanov,^{89,a} M. Kossov,^{89,b} A. Krokhotin,⁸⁹ N. Lychkovskaya,⁸⁹ V. Popov,⁸⁹ G. Safronov,⁸⁹ S. Semenov,⁸⁹ V. Stolin,⁸⁹ E. Vlasov,⁸⁹ A. Zhokin,⁸⁹ E. Boos,⁹⁰ A. Ershov,⁹⁰ A. Gribushin,⁹⁰ O. Kodolova,⁹⁰ V. Korotkikh,⁹⁰ I. Lokhtin,⁹⁰ A. Markina,⁹⁰ S. Obraztsov,⁹⁰ M. Perfilov,⁹⁰ S. Petrushanko,⁹⁰ L. Sarycheva,⁹⁰ V. Savrin,⁹⁰ A. Snigirev,⁹⁰ I. Vardanyan,⁹⁰ V. Andreev,⁹¹ M. Azarkin,⁹¹ I. Dremin,⁹¹ M. Kirakosyan,⁹¹ A. Leonidov,⁹¹ S. V. Rusakov,⁹¹ A. Vinogradov,⁹¹ I. Azhgirey,⁹² I. Bayshev,⁹² S. Bitiukov,⁹² V. Grishin,^{92,b} V. Kachanov,⁹² D. Konstantinov,⁹² A. Koralev,⁹² V. Krychkine,⁹² V. Petrov,⁹² R. Ryutin,⁹² A. Sobol,⁹² L. Tourtchanovitch,⁹² S. Troshin,⁹² N. Tyurin,⁹² A. Uzunian,⁹² A. Volkov,⁹² P. Adzic,^{93,w} M. Djordjevic,⁹³ D. Krpic,^{93,w} J. Milosevic,⁹³ M. Aguilar-Benitez,⁹⁴ J. Alcaraz Maestre,⁹⁴ P. Arce,⁹⁴ C. Battilana,⁹⁴ E. Calvo,⁹⁴ M. Cepeda,⁹⁴ M. Cerrada,⁹⁴ M. Chamizo Llatas,⁹⁴ N. Colino,⁹⁴ B. De La Cruz,⁹⁴ A. Delgado Peris,⁹⁴ C. Diez Pardos,⁹⁴ D. Domínguez Vázquez,⁹⁴ C. Fernandez Bedoya,⁹⁴ J. P. Fernández Ramos,⁹⁴ A. Ferrando,⁹⁴ J. Flix,⁹⁴ M. C. Fouz,⁹⁴ P. Garcia-Abia,⁹⁴ O. Gonzalez Lopez,⁹⁴ S. Goy Lopez,⁹⁴ J. M. Hernandez,⁹⁴ M. I. Josa,⁹⁴ G. Merino,⁹⁴ J. Puerta Pelayo,⁹⁴ I. Redondo,⁹⁴ L. Romero,⁹⁴ J. Santaolalla,⁹⁴ M. S. Soares,⁹⁴ C. Willmott,⁹⁴ C. Albajar,⁹⁵ G. Codispoti,⁹⁵ J. F. de Trocóniz,⁹⁵ J. Cuevas,⁹⁶ J. Fernandez Menendez,⁹⁶ S. Folgueras,⁹⁶ I. Gonzalez Caballero,⁹⁶ L. Lloret Iglesias,⁹⁶ J. M. Vizan Garcia,⁹⁶ J. A. Brochero Cifuentes,⁹⁷ I. J. Cabrillo,⁹⁷ A. Calderon,⁹⁷ S. H. Chuang,⁹⁷ J. Duarte Campderros,⁹⁷ M. Felcini,^{97,x} M. Fernandez,⁹⁷ G. Gomez,⁹⁷ J. Gonzalez Sanchez,⁹⁷ C. Jorda,⁹⁷ P. Lobelle Pardo,⁹⁷ A. Lopez Virto,⁹⁷ J. Marco,⁹⁷ R. Marco,⁹⁷ C. Martinez Rivero,⁹⁷ F. Matorras,⁹⁷ F. J. Munoz Sanchez,⁹⁷ J. Piedra Gomez,^{97,y} T. Rodrigo,⁹⁷ A. Y. Rodriguez-Marrero,⁹⁷ A. Ruiz-Jimeno,⁹⁷ L. Scodellaro,⁹⁷ M. Sobron Sanudo,⁹⁷ I. Vila,⁹⁷ R. Vilar Cortabitarte,⁹⁷ D. Abbaneo,⁹⁸ E. Auffray,⁹⁸ G. Auzinger,⁹⁸ P. Baillon,⁹⁸ A. H. Ball,⁹⁸ D. Barney,⁹⁸ A. J. Bell,^{98,z} D. Benedetti,⁹⁸ C. Bernet,^{98,d} W. Bialas,⁹⁸ P. Bloch,⁹⁸ A. Bocci,⁹⁸ S. Bolognesi,⁹⁸ M. Bona,⁹⁸ H. Breuker,⁹⁸ K. Bunkowski,⁹⁸ T. Camporesi,⁹⁸ G. Cerminara,⁹⁸ J. A. Coarasa Perez,⁹⁸ B. Curé,⁹⁸ D. D'Enterria,⁹⁸ A. De Roeck,⁹⁸ S. Di Guida,⁹⁸ N. Dupont-Sagorin,⁹⁸ A. Elliott-Peisert,⁹⁸ B. Frisch,⁹⁸ W. Funk,⁹⁸ A. Gaddi,⁹⁸ G. Georgiou,⁹⁸ H. Gerwig,⁹⁸ D. Gigi,⁹⁸ K. Gill,⁹⁸ D. Giordano,⁹⁸ F. Glege,⁹⁸ R. Gomez-Reino Garrido,⁹⁸ M. Gouzevitch,⁹⁸ P. Govoni,⁹⁸ S. Gowdy,⁹⁸ L. Guiducci,⁹⁸ M. Hansen,⁹⁸ C. Hartl,⁹⁸ J. Harvey,⁹⁸ J. Hegeman,⁹⁸ B. Hegner,⁹⁸ H. F. Hoffmann,⁹⁸ A. Honma,⁹⁸ V. Innocente,⁹⁸ P. Janot,⁹⁸ K. Kaadze,⁹⁸ E. Karavakis,⁹⁸ P. Lecoq,⁹⁸ C. Lourenço,⁹⁸ T. Mäki,⁹⁸ M. Malberti,⁹⁸ L. Malgeri,⁹⁸ M. Mannelli,⁹⁸ L. Masetti,⁹⁸ A. Maurisset,⁹⁸ F. Meijers,⁹⁸ S. Mersi,⁹⁸ E. Meschi,⁹⁸ R. Moser,⁹⁸ M. U. Mozer,⁹⁸ M. Mulders,⁹⁸ E. Nesvold,^{98,b} M. Nguyen,⁹⁸ T. Orimoto,⁹⁸ L. Orsini,⁹⁸ E. Palencia Cortezon,⁹⁸ E. Perez,⁹⁸ A. Petrilli,⁹⁸ A. Pfeiffer,⁹⁸ M. Pierini,⁹⁸ M. Pimiä,⁹⁸ D. Piparo,⁹⁸ G. Polese,⁹⁸ A. Racz,⁹⁸ W. Reece,⁹⁸ J. Rodrigues Antunes,⁹⁸ G. Rolandi,^{98,aa} T. Rommerskirchen,⁹⁸ M. Rovere,⁹⁸ H. Sakulin,⁹⁸ C. Schäfer,⁹⁸ C. Schwick,⁹⁸ I. Segoni,⁹⁸ A. Sharma,⁹⁸ P. Siegrist,⁹⁸ M. Simon,⁹⁸ P. Spicas,^{98,bb} M. Spiropulu,^{98,cc} M. Stoye,⁹⁸ P. Tropea,⁹⁸ A. Tsirou,⁹⁸ P. Vichoudis,⁹⁸ M. Voutilainen,⁹⁸ W. D. Zeuner,⁹⁸ W. Bertl,⁹⁹ K. Deiters,⁹⁹ W. Erdmann,⁹⁹ K. Gabathuler,⁹⁹ R. Horisberger,⁹⁹ Q. Ingram,⁹⁹ H. C. Kaestli,⁹⁹ S. König,⁹⁹ D. Kotlinski,⁹⁹ U. Langenegger,⁹⁹ F. Meier,⁹⁹ D. Renker,⁹⁹ T. Rohe,⁹⁹ J. Sibille,^{99,dd} A. Starodumov,^{99,ee} L. Bäni,¹⁰⁰ P. Bortignon,¹⁰⁰ L. Caminada,^{100,ff} B. Casal,¹⁰⁰ N. Chanon,¹⁰⁰ Z. Chen,¹⁰⁰ S. Cittolin,¹⁰⁰ G. Dissertori,¹⁰⁰ M. Dittmar,¹⁰⁰ J. Eugster,¹⁰⁰ K. Freudenreich,¹⁰⁰ C. Grab,¹⁰⁰ W. Hintz,¹⁰⁰ P. Lecomte,¹⁰⁰ W. Lustermann,¹⁰⁰ C. Marchica,^{100,ff} P. Martinez Ruiz del Arbol,¹⁰⁰ P. Milenovic,^{100,gg} F. Moortgat,¹⁰⁰ C. Nägeli,^{100,ff} P. Nef,¹⁰⁰

- F. Nessi-Tedaldi,¹⁰⁰ L. Pape,¹⁰⁰ F. Pauss,¹⁰⁰ T. Punz,¹⁰⁰ A. Rizzi,¹⁰⁰ F. J. Ronga,¹⁰⁰ M. Rossini,¹⁰⁰ L. Sala,¹⁰⁰ A. K. Sanchez,¹⁰⁰ M.-C. Sawley,¹⁰⁰ B. Stieger,¹⁰⁰ L. Tauscher,^{100,a} A. Thea,¹⁰⁰ K. Theofilatos,¹⁰⁰ D. Treille,¹⁰⁰ C. Urscheler,¹⁰⁰ R. Wallny,¹⁰⁰ M. Weber,¹⁰⁰ L. Wehrli,¹⁰⁰ J. Weng,¹⁰⁰ E. Aguiló,¹⁰¹ C. Amsler,¹⁰¹ V. Chiochia,¹⁰¹ S. De Visscher,¹⁰¹ C. Favaro,¹⁰¹ M. Ivova Rikova,¹⁰¹ B. Millan Mejias,¹⁰¹ P. Otiougova,¹⁰¹ P. Robmann,¹⁰¹ A. Schmidt,¹⁰¹ H. Snoek,¹⁰¹ Y. H. Chang,¹⁰² K. H. Chen,¹⁰² C. M. Kuo,¹⁰² S. W. Li,¹⁰² W. Lin,¹⁰² Z. K. Liu,¹⁰² Y. J. Lu,¹⁰² D. Mekterovic,¹⁰² R. Volpe,¹⁰² J. H. Wu,¹⁰² S. S. Yu,¹⁰² P. Bartalini,¹⁰³ P. Chang,¹⁰³ Y. H. Chang,¹⁰³ Y. W. Chang,¹⁰³ Y. Chao,¹⁰³ K. F. Chen,¹⁰³ W.-S. Hou,¹⁰³ Y. Hsiung,¹⁰³ K. Y. Kao,¹⁰³ Y. J. Lei,¹⁰³ R.-S. Lu,¹⁰³ J. G. Shiu,¹⁰³ Y. M. Tzeng,¹⁰³ M. Wang,¹⁰³ A. Adiguzel,¹⁰⁴ M. N. Bakirci,^{104,bb} S. Cerci,^{104,ii} C. Dozen,¹⁰⁴ I. Dumanoglu,¹⁰⁴ E. Eskut,¹⁰⁴ S. Girgis,¹⁰⁴ G. Gokbulut,¹⁰⁴ I. Hos,¹⁰⁴ E. E. Kangal,¹⁰⁴ A. Kayis Topaksu,¹⁰⁴ G. Onengut,¹⁰⁴ K. Ozdemir,¹⁰⁴ S. Ozturk,^{104,jj} A. Polatoz,¹⁰⁴ K. Sogut,^{104,kk} D. Sunar Cerci,^{104,ii} B. Tali,^{104,ii} H. Topakli,^{104,hh} D. Uzun,¹⁰⁴ L. N. Vergili,¹⁰⁴ M. Vergili,¹⁰⁴ I. V. Akin,¹⁰⁵ T. Aliev,¹⁰⁵ B. Bilin,¹⁰⁵ S. Bilmis,¹⁰⁵ M. Deniz,¹⁰⁵ H. Gamsizkan,¹⁰⁵ A. M. Guler,¹⁰⁵ K. Ocalan,¹⁰⁵ A. Ozpineci,¹⁰⁵ M. Serin,¹⁰⁵ R. Sever,¹⁰⁵ U. E. Surat,¹⁰⁵ E. Yildirim,¹⁰⁵ M. Zeyrek,¹⁰⁵ M. Deliomeroglu,¹⁰⁶ D. Demir,^{106,ii} E. Gülmmez,¹⁰⁶ B. Isildak,¹⁰⁶ M. Kaya,^{106,mm} O. Kaya,^{106,mm} M. Özbek,¹⁰⁶ S. Ozkorucuklu,^{106,nn} N. Sonmez,^{106,oo} L. Levchuk,¹⁰⁷ F. Bostock,¹⁰⁸ J. J. Brooke,¹⁰⁸ T. L. Cheng,¹⁰⁸ E. Clement,¹⁰⁸ D. Cussans,¹⁰⁸ R. Frazier,¹⁰⁸ J. Goldstein,¹⁰⁸ M. Grimes,¹⁰⁸ D. Hartley,¹⁰⁸ G. P. Heath,¹⁰⁸ H. F. Heath,¹⁰⁸ L. Kreczko,¹⁰⁸ S. Metson,¹⁰⁸ D. M. Newbold,^{108,pp} K. Nirunpong,¹⁰⁸ A. Poll,¹⁰⁸ S. Senkin,¹⁰⁸ V. J. Smith,¹⁰⁸ L. Basso,^{109,qq} A. Belyaev,^{109,qq} C. Brew,¹⁰⁹ R. M. Brown,¹⁰⁹ B. Camanzi,¹⁰⁹ D. J. A. Cockerill,¹⁰⁹ J. A. Coughlan,¹⁰⁹ K. Harder,¹⁰⁹ S. Harper,¹⁰⁹ J. Jackson,¹⁰⁹ B. W. Kennedy,¹⁰⁹ E. Olaiya,¹⁰⁹ D. Petyt,¹⁰⁹ B. C. Radburn-Smith,¹⁰⁹ C. H. Shepherd-Themistocleous,¹⁰⁹ I. R. Tomalin,¹⁰⁹ W. J. Womersley,¹⁰⁹ S. D. Worm,¹⁰⁹ R. Bainbridge,¹¹⁰ G. Ball,¹¹⁰ J. Ballin,¹¹⁰ R. Beuselinck,¹¹⁰ O. Buchmuller,¹¹⁰ D. Colling,¹¹⁰ N. Cripps,¹¹⁰ M. Cutajar,¹¹⁰ G. Davies,¹¹⁰ M. Della Negra,¹¹⁰ W. Ferguson,¹¹⁰ J. Fulcher,¹¹⁰ D. Futyan,¹¹⁰ A. Gilbert,¹¹⁰ A. Guneratne Bryer,¹¹⁰ G. Hall,¹¹⁰ Z. Hatherell,¹¹⁰ J. Hays,¹¹⁰ G. Iles,¹¹⁰ M. Jarvis,¹¹⁰ G. Karapostoli,¹¹⁰ L. Lyons,¹¹⁰ B. C. MacEvoy,¹¹⁰ A.-M. Magnan,¹¹⁰ J. Marrouche,¹¹⁰ B. Mathias,¹¹⁰ R. Nandi,¹¹⁰ J. Nash,¹¹⁰ A. Nikitenko,^{110,ee} A. Papageorgiou,¹¹⁰ M. Pesaresi,¹¹⁰ K. Petridis,¹¹⁰ M. Pioppi,^{110,rr} D. M. Raymond,¹¹⁰ S. Rogerson,¹¹⁰ N. Rompotis,¹¹⁰ A. Rose,¹¹⁰ M. J. Ryan,¹¹⁰ C. Seez,¹¹⁰ P. Sharp,¹¹⁰ A. Sparrow,¹¹⁰ A. Tapper,¹¹⁰ S. Tourneur,¹¹⁰ M. Vazquez Acosta,¹¹⁰ T. Virdee,¹¹⁰ S. Wakefield,¹¹⁰ N. Wardle,¹¹⁰ D. Wardope,¹¹⁰ T. Whyntie,¹¹⁰ M. Barrett,¹¹¹ M. Chadwick,¹¹¹ J. E. Cole,¹¹¹ P. R. Hobson,¹¹¹ A. Khan,¹¹¹ P. Kyberd,¹¹¹ D. Leslie,¹¹¹ W. Martin,¹¹¹ I. D. Reid,¹¹¹ L. Teodorescu,¹¹¹ K. Hatakeyama,¹¹² H. Liu,¹¹² C. Henderson,¹¹³ T. Bose,¹¹⁴ E. Carrera Jarrin,¹¹⁴ C. Fantasia,¹¹⁴ A. Heister,¹¹⁴ J. St. John,¹¹⁴ P. Lawson,¹¹⁴ D. Lazic,¹¹⁴ J. Rohlf,¹¹⁴ D. Sperka,¹¹⁴ L. Sulak,¹¹⁴ A. Avetisyan,¹¹⁵ S. Bhattacharya,¹¹⁵ J. P. Chou,¹¹⁵ D. Cutts,¹¹⁵ A. Ferapontov,¹¹⁵ U. Heintz,¹¹⁵ S. Jabeen,¹¹⁵ G. Kukartsev,¹¹⁵ G. Landsberg,¹¹⁵ M. Luk,¹¹⁵ M. Narain,¹¹⁵ D. Nguyen,¹¹⁵ M. Segala,¹¹⁵ T. Sinhuprasith,¹¹⁵ T. Speer,¹¹⁵ K. V. Tsang,¹¹⁵ R. Breedon,¹¹⁶ G. Breto,¹¹⁶ M. Calderon De La Barca Sanchez,¹¹⁶ S. Chauhan,¹¹⁶ M. Chertok,¹¹⁶ J. Conway,¹¹⁶ P. T. Cox,¹¹⁶ J. Dolen,¹¹⁶ R. Erbacher,¹¹⁶ E. Friis,¹¹⁶ W. Ko,¹¹⁶ A. Kopecky,¹¹⁶ R. Lander,¹¹⁶ H. Liu,¹¹⁶ S. Maruyama,¹¹⁶ T. Miceli,¹¹⁶ M. Nikolic,¹¹⁶ D. Pellett,¹¹⁶ J. Robles,¹¹⁶ S. Salur,¹¹⁶ T. Schwarz,¹¹⁶ M. Searle,¹¹⁶ J. Smith,¹¹⁶ M. Squires,¹¹⁶ M. Tripathi,¹¹⁶ R. Vasquez Sierra,¹¹⁶ C. Veelken,¹¹⁶ V. Andreev,¹¹⁷ K. Arisaka,¹¹⁷ D. Cline,¹¹⁷ R. Cousins,¹¹⁷ A. Deisher,¹¹⁷ J. Duris,¹¹⁷ S. Erhan,¹¹⁷ C. Farrell,¹¹⁷ J. Hauser,¹¹⁷ M. Ignatenko,¹¹⁷ C. Jarvis,¹¹⁷ C. Plager,¹¹⁷ G. Rakness,¹¹⁷ P. Schlein,^{117,a} J. Tucker,¹¹⁷ V. Valuev,¹¹⁷ J. Babb,¹¹⁸ A. Chandra,¹¹⁸ R. Clare,¹¹⁸ J. Ellison,¹¹⁸ J. W. Gary,¹¹⁸ F. Giordano,¹¹⁸ G. Hanson,¹¹⁸ G. Y. Jeng,¹¹⁸ S. C. Kao,¹¹⁸ F. Liu,¹¹⁸ H. Liu,¹¹⁸ O. R. Long,¹¹⁸ A. Luthor,¹¹⁸ H. Nguyen,¹¹⁸ B. C. Shen,^{118,a} R. Stringer,¹¹⁸ J. Sturdy,¹¹⁸ S. Sumowidagdo,¹¹⁸ R. Wilken,¹¹⁸ S. Wimpenny,¹¹⁸ W. Andrews,¹¹⁹ J. G. Branson,¹¹⁹ G. B. Cerati,¹¹⁹ D. Evans,¹¹⁹ F. Golf,¹¹⁹ A. Holzner,¹¹⁹ R. Kelley,¹¹⁹ M. Lebourgeois,¹¹⁹ J. Letts,¹¹⁹ B. Mangano,¹¹⁹ S. Padhi,¹¹⁹ C. Palmer,¹¹⁹ G. Petrucciani,¹¹⁹ H. Pi,¹¹⁹ M. Pieri,¹¹⁹ R. Ranieri,¹¹⁹ M. Sani,¹¹⁹ V. Sharma,¹¹⁹ S. Simon,¹¹⁹ E. Sudano,¹¹⁹ M. Tadel,¹¹⁹ Y. Tu,¹¹⁹ A. Vartak,¹¹⁹ S. Wasserbaech,^{119,ss} F. Würthwein,¹¹⁹ A. Yagil,¹¹⁹ J. Yoo,¹¹⁹ D. Barge,¹²⁰ R. Bellan,¹²⁰ C. Campagnari,¹²⁰ M. D'Alfonso,¹²⁰ T. Danielson,¹²⁰ K. Flowers,¹²⁰ P. Geffert,¹²⁰ J. Incandela,¹²⁰ C. Justus,¹²⁰ P. Kalavase,¹²⁰ S. A. Koay,¹²⁰ D. Kovalevskyi,¹²⁰ V. Krutelyov,¹²⁰ S. Lowette,¹²⁰ N. Mccoll,¹²⁰ V. Pavlunin,¹²⁰ F. Rebassoo,¹²⁰ J. Ribnik,¹²⁰ J. Richman,¹²⁰ R. Rossin,¹²⁰ D. Stuart,¹²⁰ W. To,¹²⁰ J. R. Vlimant,¹²⁰ A. Apresyan,¹²¹ A. Bornheim,¹²¹ J. Bunn,¹²¹ Y. Chen,¹²¹ M. Gataullin,¹²¹ Y. Ma,¹²¹ A. Mott,¹²¹ H. B. Newman,¹²¹ C. Rogan,¹²¹ K. Shin,¹²¹ V. Timciuc,¹²¹ P. Traczyk,¹²¹ J. Veverka,¹²¹ R. Wilkinson,¹²¹ Y. Yang,¹²¹ R. Y. Zhu,¹²¹ B. Akgun,¹²² R. Carroll,¹²² T. Ferguson,¹²² Y. Iiyama,¹²² D. W. Jang,¹²² S. Y. Jun,¹²² Y. F. Liu,¹²² M. Paulini,¹²² J. Russ,¹²² H. Vogel,¹²² I. Vorobiev,¹²² J. P. Cumalat,¹²³ M. E. Dinardo,¹²³ B. R. Drell,¹²³ C. J. Edelmaier,¹²³ W. T. Ford,¹²³ A. Gaz,¹²³ B. Heyburn,¹²³ E. Luiggi Lopez,¹²³ U. Nauenberg,¹²³ J. G. Smith,¹²³

- K. Stenson,¹²³ K. A. Ulmer,¹²³ S. R. Wagner,¹²³ S. L. Zang,¹²³ L. Agostino,¹²⁴ J. Alexander,¹²⁴ D. Cassel,¹²⁴ A. Chatterjee,¹²⁴ N. Eggert,¹²⁴ L. K. Gibbons,¹²⁴ B. Heltsley,¹²⁴ K. Henriksson,¹²⁴ W. Hopkins,¹²⁴ A. Khukhunaishvili,¹²⁴ B. Kreis,¹²⁴ G. Nicolas Kaufman,¹²⁴ J. R. Patterson,¹²⁴ D. Puigh,¹²⁴ A. Ryd,¹²⁴ M. Saelim,¹²⁴ E. Salvati,¹²⁴ X. Shi,¹²⁴ W. Sun,¹²⁴ W. D. Teo,¹²⁴ J. Thom,¹²⁴ J. Thompson,¹²⁴ J. Vaughan,¹²⁴ Y. Weng,¹²⁴ L. Winstrom,¹²⁴ P. Wittich,¹²⁴ A. Biselli,¹²⁵ G. Cirino,¹²⁵ D. Winn,¹²⁵ S. Abdullin,¹²⁶ M. Albrow,¹²⁶ J. Anderson,¹²⁶ G. Apollinaris,¹²⁶ M. Atac,¹²⁶ J. A. Bakken,¹²⁶ L. A. T. Bauerick,¹²⁶ A. Beretvas,¹²⁶ J. Berryhill,¹²⁶ P. C. Bhat,¹²⁶ I. Bloch,¹²⁶ F. Borcherding,¹²⁶ K. Burkett,¹²⁶ J. N. Butler,¹²⁶ V. Chetluru,¹²⁶ H. W. K. Cheung,¹²⁶ F. Chlebana,¹²⁶ S. Cihangir,¹²⁶ W. Cooper,¹²⁶ D. P. Eartly,¹²⁶ V. D. Elvira,¹²⁶ S. Esen,¹²⁶ I. Fisk,¹²⁶ J. Freeman,¹²⁶ Y. Gao,¹²⁶ E. Gottschalk,¹²⁶ D. Green,¹²⁶ K. Gunthoty,¹²⁶ O. Gutsche,¹²⁶ J. Hanlon,¹²⁶ R. M. Harris,¹²⁶ J. Hirschauer,¹²⁶ B. Hooberman,¹²⁶ H. Jensen,¹²⁶ M. Johnson,¹²⁶ U. Joshi,¹²⁶ R. Khatiwada,¹²⁶ B. Klima,¹²⁶ K. Kousouris,¹²⁶ S. Kunori,¹²⁶ S. Kwan,¹²⁶ C. Leonidopoulos,¹²⁶ P. Limon,¹²⁶ D. Lincoln,¹²⁶ R. Lipton,¹²⁶ J. Lykken,¹²⁶ K. Maeshima,¹²⁶ J. M. Marraffino,¹²⁶ D. Mason,¹²⁶ P. McBride,¹²⁶ T. Miao,¹²⁶ K. Mishra,¹²⁶ S. Mrenna,¹²⁶ Y. Musienko,^{126,tt} C. Newman-Holmes,¹²⁶ V. O'Dell,¹²⁶ R. Pordes,¹²⁶ O. Prokofyev,¹²⁶ N. Saoulidou,¹²⁶ E. Sexton-Kennedy,¹²⁶ S. Sharma,¹²⁶ W. J. Spalding,¹²⁶ L. Spiegel,¹²⁶ P. Tan,¹²⁶ L. Taylor,¹²⁶ S. Tkaczyk,¹²⁶ L. Uplegger,¹²⁶ E. W. Vaandering,¹²⁶ R. Vidal,¹²⁶ J. Whitmore,¹²⁶ W. Wu,¹²⁶ F. Yang,¹²⁶ F. Yumiceva,¹²⁶ J. C. Yun,¹²⁶ D. Acosta,¹²⁷ P. Avery,¹²⁷ D. Bourilkov,¹²⁷ M. Chen,¹²⁷ S. Das,¹²⁷ M. De Gruttola,¹²⁷ G. P. Di Giovanni,¹²⁷ D. Dobur,¹²⁷ A. Drozdetskiy,¹²⁷ R. D. Field,¹²⁷ M. Fisher,¹²⁷ Y. Fu,¹²⁷ I. K. Furic,¹²⁷ J. Gartner,¹²⁷ J. Hugon,¹²⁷ B. Kim,¹²⁷ J. Konigsberg,¹²⁷ A. Korytov,¹²⁷ A. Kropivnitskaya,¹²⁷ T. Kypreos,¹²⁷ J. F. Low,¹²⁷ K. Matchev,¹²⁷ G. Mitselmakher,¹²⁷ L. Muniz,¹²⁷ C. Prescott,¹²⁷ R. Remington,¹²⁷ A. Rinkevicius,¹²⁷ M. Schmitt,¹²⁷ B. Scurlock,¹²⁷ P. Sellers,¹²⁷ N. Skhirtladze,¹²⁷ M. Snowball,¹²⁷ D. Wang,¹²⁷ J. Yelton,¹²⁷ M. Zakaria,¹²⁷ V. Gaultney,¹²⁸ L. M. Lebolo,¹²⁸ S. Linn,¹²⁸ P. Markowitz,¹²⁸ G. Martinez,¹²⁸ J. L. Rodriguez,¹²⁸ T. Adams,¹²⁹ A. Askew,¹²⁹ J. Bochenek,¹²⁹ J. Chen,¹²⁹ B. Diamond,¹²⁹ S. V. Gleyzer,¹²⁹ J. Haas,¹²⁹ S. Hagopian,¹²⁹ V. Hagopian,¹²⁹ M. Jenkins,¹²⁹ K. F. Johnson,¹²⁹ H. Prosper,¹²⁹ L. Quertenmont,¹²⁹ S. Sekmen,¹²⁹ V. Veeraraghavan,¹²⁹ M. M. Baarmand,¹³⁰ B. Dorney,¹³⁰ S. Guragain,¹³⁰ M. Hohlmann,¹³⁰ H. Kalakhety,¹³⁰ R. Ralich,¹³⁰ I. Vodopiyanov,¹³⁰ M. R. Adams,¹³¹ I. M. Anghel,¹³¹ L. Apanasevich,¹³¹ Y. Bai,¹³¹ V. E. Bazterra,¹³¹ R. R. Betts,¹³¹ J. Callner,¹³¹ R. Cavanaugh,¹³¹ C. Dragoiu,¹³¹ L. Gauthier,¹³¹ C. E. Gerber,¹³¹ D. J. Hofman,¹³¹ S. Khalatyani,¹³¹ G. J. Kunde,^{131,vv} F. Lacroix,¹³¹ M. Malek,¹³¹ C. O'Brien,¹³¹ C. Silkworth,¹³¹ C. Silvestre,¹³¹ A. Smoron,¹³¹ D. Strom,¹³¹ N. Varelas,¹³¹ U. Akgun,¹³² E. A. Albayrak,¹³² B. Bilki,¹³² W. Clarida,¹³² F. Duru,¹³² C. K. Lae,¹³² E. McCliment,¹³² J.-P. Merlo,¹³² H. Mermekaya,^{132,uu} A. Mestvirishvili,¹³² A. Moeller,¹³² J. Nachtman,¹³² C. R. Newsom,¹³² E. Norbeck,¹³² J. Olson,¹³² Y. Onel,¹³² F. Ozok,¹³² S. Sen,¹³² J. Wetzel,¹³² T. Yetkin,¹³² K. Yi,¹³² B. A. Barnett,¹³³ B. Blumenfeld,¹³³ A. Bonato,¹³³ C. Eskew,¹³³ D. Fehling,¹³³ G. Giurgiu,¹³³ A. V. Gritsan,¹³³ Z. J. Guo,¹³³ G. Hu,¹³³ P. Maksimovic,¹³³ S. Rappoccio,¹³³ M. Swartz,¹³³ N. V. Tran,¹³³ A. Whitbeck,¹³³ P. Baringer,¹³⁴ A. Bean,¹³⁴ G. Benelli,¹³⁴ O. Grachov,¹³⁴ R. P. Kenny Iii,¹³⁴ M. Murray,¹³⁴ D. Noonan,¹³⁴ S. Sanders,¹³⁴ J. S. Wood,¹³⁴ V. Zhukova,¹³⁴ A. F. Barfuss,¹³⁵ T. Bolton,¹³⁵ I. Chakaberia,¹³⁵ A. Ivanov,¹³⁵ S. Khalil,¹³⁵ M. Makouski,¹³⁵ Y. Maravin,¹³⁵ S. Shrestha,¹³⁵ I. Svintradze,¹³⁵ Z. Wan,¹³⁵ J. Gronberg,¹³⁶ D. Lange,¹³⁶ D. Wright,¹³⁶ A. Baden,¹³⁷ M. Boutemeur,¹³⁷ S. C. Eno,¹³⁷ D. Ferencek,¹³⁷ J. A. Gomez,¹³⁷ N. J. Hadley,¹³⁷ R. G. Kellogg,¹³⁷ M. Kirn,¹³⁷ Y. Lu,¹³⁷ A. C. Mignerey,¹³⁷ K. Rossato,¹³⁷ P. Rumerio,¹³⁷ F. Santanastasio,¹³⁷ A. Skuja,¹³⁷ J. Temple,¹³⁷ M. B. Tonjes,¹³⁷ S. C. Tonwar,¹³⁷ E. Twedt,¹³⁷ B. Alver,¹³⁸ G. Bauer,¹³⁸ J. Bendavid,¹³⁸ W. Busza,¹³⁸ E. Butz,¹³⁸ I. A. Cali,¹³⁸ M. Chan,¹³⁸ V. Dutta,¹³⁸ P. Everaerts,¹³⁸ G. Gomez Ceballos,¹³⁸ M. Goncharov,¹³⁸ K. A. Hahn,¹³⁸ P. Harris,¹³⁸ Y. Kim,¹³⁸ M. Klute,¹³⁸ Y.-J. Lee,¹³⁸ W. Li,¹³⁸ C. Loizides,¹³⁸ P. D. Luckey,¹³⁸ T. Ma,¹³⁸ S. Nahn,¹³⁸ C. Paus,¹³⁸ D. Ralph,¹³⁸ C. Roland,¹³⁸ G. Roland,¹³⁸ M. Rudolph,¹³⁸ G. S. F. Stephans,¹³⁸ F. Stöckli,¹³⁸ K. Sumorok,¹³⁸ K. Sung,¹³⁸ D. Velicanu,¹³⁸ E. A. Wenger,¹³⁸ S. Xie,¹³⁸ M. Yang,¹³⁸ Y. Yilmaz,¹³⁸ A. S. Yoon,¹³⁸ M. Zanetti,¹³⁸ S. I. Cooper,¹³⁹ P. Cushman,¹³⁹ B. Dahmes,¹³⁹ A. De Benedetti,¹³⁹ P. R. Dudero,¹³⁹ G. Franzoni,¹³⁹ A. Gude,¹³⁹ J. Haupt,¹³⁹ K. Klapoetke,¹³⁹ Y. Kubota,¹³⁹ J. Mans,¹³⁹ N. Pastika,¹³⁹ V. Rekovic,¹³⁹ R. Rusack,¹³⁹ M. Sasseville,¹³⁹ A. Singovsky,¹³⁹ N. Tambe,¹³⁹ L. M. Cremaldi,¹⁴⁰ R. Godang,¹⁴⁰ R. Kroeger,¹⁴⁰ L. Perera,¹⁴⁰ R. Rahmat,¹⁴⁰ D. A. Sanders,¹⁴⁰ D. Summers,¹⁴⁰ K. Bloom,¹⁴¹ S. Bose,¹⁴¹ J. Butt,¹⁴¹ D. R. Claeis,¹⁴¹ A. Dominguez,¹⁴¹ M. Eads,¹⁴¹ J. Keller,¹⁴¹ T. Kelly,¹⁴¹ I. Kravchenko,¹⁴¹ J. Lazo-Flores,¹⁴¹ H. Malbouisson,¹⁴¹ S. Malik,¹⁴¹ G. R. Snow,¹⁴¹ U. Baur,¹⁴² A. Godshalk,¹⁴² I. Iashvili,¹⁴² S. Jain,¹⁴² A. Kharchilava,¹⁴² A. Kumar,¹⁴² S. P. Shipkowski,¹⁴² K. Smith,¹⁴² J. Zennamo,¹⁴² G. Alverson,¹⁴³ E. Barberis,¹⁴³ D. Baumgartel,¹⁴³ O. Boeriu,¹⁴³ M. Chasco,¹⁴³ S. Reucroft,¹⁴³ J. Swain,¹⁴³ D. Trocino,¹⁴³ D. Wood,¹⁴³ J. Zhang,¹⁴³ A. Anastassov,¹⁴⁴ A. Kubik,¹⁴⁴ N. Odell,¹⁴⁴

- R. A. Ofierzynski,¹⁴⁴ B. Pollack,¹⁴⁴ A. Pozdnyakov,¹⁴⁴ M. Schmitt,¹⁴⁴ S. Stoynev,¹⁴⁴ M. Velasco,¹⁴⁴ S. Won,¹⁴⁴
 L. Antonelli,¹⁴⁵ D. Berry,¹⁴⁵ A. Brinkerhoff,¹⁴⁵ M. Hildreth,¹⁴⁵ C. Jessop,¹⁴⁵ D. J. Karmgard,¹⁴⁵ J. Kolb,¹⁴⁵
 T. Kolberg,¹⁴⁵ K. Lannon,¹⁴⁵ W. Luo,¹⁴⁵ S. Lynch,¹⁴⁵ N. Marinelli,¹⁴⁵ D. M. Morse,¹⁴⁵ T. Pearson,¹⁴⁵ R. Ruchti,¹⁴⁵
 J. Slaunwhite,¹⁴⁵ N. Valls,¹⁴⁵ M. Wayne,¹⁴⁵ J. Ziegler,¹⁴⁵ B. Bylsma,¹⁴⁶ L. S. Durkin,¹⁴⁶ J. Gu,¹⁴⁶ C. Hill,¹⁴⁶
 P. Killewald,¹⁴⁶ K. Kotov,¹⁴⁶ T. Y. Ling,¹⁴⁶ M. Rodenburg,¹⁴⁶ G. Williams,¹⁴⁶ N. Adam,¹⁴⁷ E. Berry,¹⁴⁷ P. Elmer,¹⁴⁷
 D. Gerbaudo,¹⁴⁷ V. Halyo,¹⁴⁷ P. Hebda,¹⁴⁷ A. Hunt,¹⁴⁷ J. Jones,¹⁴⁷ E. Laird,¹⁴⁷ D. Lopes Pegna,¹⁴⁷ D. Marlow,¹⁴⁷
 T. Medvedeva,¹⁴⁷ M. Mooney,¹⁴⁷ J. Olsen,¹⁴⁷ P. Piroué,¹⁴⁷ X. Quan,¹⁴⁷ B. Safdi,¹⁴⁷ H. Saka,¹⁴⁷ D. Stickland,¹⁴⁷
 C. Tully,¹⁴⁷ J. S. Werner,¹⁴⁷ A. Zuranski,¹⁴⁷ J. G. Acosta,¹⁴⁸ X. T. Huang,¹⁴⁸ A. Lopez,¹⁴⁸ H. Mendez,¹⁴⁸
 S. Oliveros,¹⁴⁸ J. E. Ramirez Vargas,¹⁴⁸ A. Zatserklyaniy,¹⁴⁸ E. Alagoz,¹⁴⁹ V. E. Barnes,¹⁴⁹ G. Bolla,¹⁴⁹
 L. Borrello,¹⁴⁹ D. Bortoletto,¹⁴⁹ M. De Mattia,¹⁴⁹ A. Everett,¹⁴⁹ A. F. Garfinkel,¹⁴⁹ L. Gutay,¹⁴⁹ Z. Hu,¹⁴⁹
 M. Jones,¹⁴⁹ O. Koybasi,¹⁴⁹ M. Kress,¹⁴⁹ A. T. Laasanen,¹⁴⁹ N. Leonardo,¹⁴⁹ C. Liu,¹⁴⁹ V. Maroussov,¹⁴⁹
 P. Merkel,¹⁴⁹ D. H. Miller,¹⁴⁹ N. Neumeister,¹⁴⁹ I. Shipsey,¹⁴⁹ D. Silvers,¹⁴⁹ A. Svyatkovskiy,¹⁴⁹ H. D. Yoo,¹⁴⁹
 J. Zablocki,¹⁴⁹ Y. Zheng,¹⁴⁹ P. Jindal,¹⁵⁰ N. Parashar,¹⁵⁰ C. Boulahouache,¹⁵¹ K. M. Ecklund,¹⁵¹ F. J. M. Geurts,¹⁵¹
 B. P. Padley,¹⁵¹ R. Redjimi,¹⁵¹ J. Roberts,¹⁵¹ J. Zabel,¹⁵¹ B. Betchart,¹⁵² A. Bodek,¹⁵² Y. S. Chung,¹⁵² R. Covarelli,¹⁵²
 P. de Barbaro,¹⁵² R. Demina,¹⁵² Y. Eshaq,¹⁵² H. Flacher,¹⁵² A. Garcia-Bellido,¹⁵² P. Goldenzwieig,¹⁵² Y. Gotra,¹⁵²
 J. Han,¹⁵² A. Harel,¹⁵² D. C. Miner,¹⁵² D. Orbaker,¹⁵² G. Petrillo,¹⁵² W. Sakumoto,¹⁵² D. Vishnevskiy,¹⁵²
 M. Zielinski,¹⁵² A. Bhatti,¹⁵³ R. Ciesielski,¹⁵³ L. Demortier,¹⁵³ K. Goulianis,¹⁵³ G. Lungu,¹⁵³ S. Malik,¹⁵³
 C. Mesropian,¹⁵³ O. Atramentov,¹⁵⁴ A. Barker,¹⁵⁴ D. Duggan,¹⁵⁴ Y. Gershtein,¹⁵⁴ R. Gray,¹⁵⁴ E. Halkiadakis,¹⁵⁴
 D. Hidas,¹⁵⁴ D. Hits,¹⁵⁴ A. Lath,¹⁵⁴ S. Panwalkar,¹⁵⁴ R. Patel,¹⁵⁴ K. Rose,¹⁵⁴ S. Schnetzer,¹⁵⁴ S. Somalwar,¹⁵⁴
 R. Stone,¹⁵⁴ S. Thomas,¹⁵⁴ G. Cerizza,¹⁵⁵ M. Hollingsworth,¹⁵⁵ S. Spanier,¹⁵⁵ Z. C. Yang,¹⁵⁵ A. York,¹⁵⁵
 R. Eusebi,¹⁵⁶ W. Flanagan,¹⁵⁶ J. Gilmore,¹⁵⁶ A. Gurrola,¹⁵⁶ T. Kamon,¹⁵⁶ V. Khotilovich,¹⁵⁶ R. Montalvo,¹⁵⁶
 I. Osipenkov,¹⁵⁶ Y. Pakhotin,¹⁵⁶ J. Pivarski,¹⁵⁶ A. Safonov,¹⁵⁶ S. Sengupta,¹⁵⁶ A. Tatarinov,¹⁵⁶ D. Toback,¹⁵⁶
 M. Weinberger,¹⁵⁶ N. Akchurin,¹⁵⁷ C. Bardak,¹⁵⁷ J. Damgov,¹⁵⁷ C. Jeong,¹⁵⁷ K. Kovitanggoon,¹⁵⁷ S. W. Lee,¹⁵⁷
 T. Libeiro,¹⁵⁷ P. Mane,¹⁵⁷ Y. Roh,¹⁵⁷ A. Sill,¹⁵⁷ I. Volobouev,¹⁵⁷ R. Wigmans,¹⁵⁷ E. Yazgan,¹⁵⁷ E. Appelt,¹⁵⁸
 E. Brownson,¹⁵⁸ D. Engh,¹⁵⁸ C. Florez,¹⁵⁸ W. Gabella,¹⁵⁸ M. Issah,¹⁵⁸ W. Johns,¹⁵⁸ P. Kurt,¹⁵⁸ C. Maguire,¹⁵⁸
 A. Melo,¹⁵⁸ P. Sheldon,¹⁵⁸ B. Snook,¹⁵⁸ S. Tuo,¹⁵⁸ J. Velkovska,¹⁵⁸ M. W. Arenton,¹⁵⁹ M. Balazs,¹⁵⁹ S. Boutle,¹⁵⁹
 B. Cox,¹⁵⁹ B. Francis,¹⁵⁹ J. Goodell,¹⁵⁹ R. Hirosky,¹⁵⁹ A. Ledovskoy,¹⁵⁹ C. Lin,¹⁵⁹ C. Neu,¹⁵⁹ R. Yohay,¹⁵⁹
 S. Gollapinni,¹⁶⁰ R. Harr,¹⁶⁰ P. E. Karchin,¹⁶⁰ P. Lamichhane,¹⁶⁰ M. Mattson,¹⁶⁰ C. Milstène,¹⁶⁰ A. Sakharov,¹⁶⁰
 M. Anderson,¹⁶¹ M. Bachitis,¹⁶¹ J. N. Bellinger,¹⁶¹ D. Carlsmith,¹⁶¹ S. Dasu,¹⁶¹ J. Efron,¹⁶¹ L. Gray,¹⁶¹
 K. S. Grogg,¹⁶¹ M. Grothe,¹⁶¹ R. Hall-Wilton,¹⁶¹ M. Herndon,¹⁶¹ A. Hervé,¹⁶¹ P. Klabbers,¹⁶¹ J. Klukas,¹⁶¹
 A. Lanaro,¹⁶¹ C. Lazaridis,¹⁶¹ J. Leonard,¹⁶¹ R. Loveless,¹⁶¹ A. Mohapatra,¹⁶¹ F. Palmonari,¹⁶¹ D. Reeder,¹⁶¹
 I. Ross,¹⁶¹ A. Savin,¹⁶¹ W. H. Smith,¹⁶¹ J. Swanson,¹⁶¹ and M. Weinberg¹⁶¹

(CMS Collaboration)

¹*Yerevan Physics Institute, Yerevan, Armenia*²*Institut für Hochenergiephysik der OeAW, Wien, Austria*³*National Centre for Particle and High Energy Physics, Minsk, Belarus*⁴*Universiteit Antwerpen, Antwerpen, Belgium*⁵*Vrije Universiteit Brussel, Brussel, Belgium*⁶*Université Libre de Bruxelles, Bruxelles, Belgium*⁷*Ghent University, Ghent, Belgium*⁸*Université Catholique de Louvain, Louvain-la-Neuve, Belgium*⁹*Université de Mons, Mons, Belgium*¹⁰*Centro Brasileiro de Pesquisas Físicas, Rio de Janeiro, Brazil*¹¹*Universidade do Estado do Rio de Janeiro, Rio de Janeiro, Brazil*¹²*Instituto de Física Teórica, Universidade Estadual Paulista, São Paulo, Brazil*¹³*Institute for Nuclear Research and Nuclear Energy, Sofia, Bulgaria*¹⁴*University of Sofia, Sofia, Bulgaria*¹⁵*Institute of High Energy Physics, Beijing, China*¹⁶*State Key Laboratory of Nuclear Physics and Technology, Peking University, Beijing, China*¹⁷*Universidad de Los Andes, Bogota, Colombia*¹⁸*Technical University of Split, Split, Croatia*¹⁹*University of Split, Split, Croatia*

²⁰*Institute Rudjer Boskovic, Zagreb, Croatia*²¹*University of Cyprus, Nicosia, Cyprus*²²*Charles University, Prague, Czech Republic*²³*Academy of Scientific Research and Technology of the Arab Republic of Egypt,**Egyptian Network of High Energy Physics, Cairo, Egypt*²⁴*National Institute of Chemical Physics and Biophysics, Tallinn, Estonia*²⁵*Department of Physics, University of Helsinki, Helsinki, Finland*²⁶*Helsinki Institute of Physics, Helsinki, Finland*²⁷*Lappeenranta University of Technology, Lappeenranta, Finland*²⁸*Laboratoire d'Annecy-le-Vieux de Physique des Particules, IN2P3-CNRS, Annecy-le-Vieux, France*²⁹*DSM/IRFU, CEA/Saclay, Gif-sur-Yvette, France*³⁰*Laboratoire Leprince-Ringuet, Ecole Polytechnique, IN2P3-CNRS, Palaiseau, France*³¹*Institut Pluridisciplinaire Hubert Curien, Université de Strasbourg, Université de Haute Alsace Mulhouse, CNRS/IN2P3, Strasbourg, France*³²*Centre de Calcul de l'Institut National de Physique Nucléaire et de Physique des Particules (IN2P3), Villeurbanne, France*³³*Université de Lyon, Université Claude Bernard Lyon 1, CNRS-IN2P3, Institut de Physique Nucléaire de Lyon, Villeurbanne, France*³⁴*Institute of High Energy Physics and Informatization, Tbilisi State University, Tbilisi, Georgia*³⁵*RWTH Aachen University, I. Physikalisches Institut, Aachen, Germany*³⁶*RWTH Aachen University, III. Physikalisches Institut A, Aachen, Germany*³⁷*RWTH Aachen University, III. Physikalisches Institut B, Aachen, Germany*³⁸*Deutsches Elektronen-Synchrotron, Hamburg, Germany*³⁹*University of Hamburg, Hamburg, Germany*⁴⁰*Institut für Experimentelle Kernphysik, Karlsruhe, Germany*⁴¹*Institute of Nuclear Physics "Demokritos," Aghia Paraskevi, Greece*⁴²*University of Athens, Athens, Greece*⁴³*University of Ioánnina, Ioánnina, Greece*⁴⁴*KFKI Research Institute for Particle and Nuclear Physics, Budapest, Hungary*⁴⁵*Institute of Nuclear Research ATOMKI, Debrecen, Hungary*⁴⁶*University of Debrecen, Debrecen, Hungary*⁴⁷*Panjab University, Chandigarh, India*⁴⁸*University of Delhi, Delhi, India*⁴⁹*Saha Institute of Nuclear Physics, Kolkata, India*⁵⁰*Bhabha Atomic Research Centre, Mumbai, India*⁵¹*Tata Institute of Fundamental Research-EHEP, Mumbai, India*⁵²*Tata Institute of Fundamental Research-HECR, Mumbai, India*⁵³*Institute for Research and Fundamental Sciences (IPM), Tehran, Iran*^{54a}*INFN Sezione di Bari, Bari, Italy*^{54b}*Università di Bari, Bari, Italy*^{54c}*Politecnico di Bari, Bari, Italy*^{55a}*INFN Sezione di Bologna, Bologna, Italy*^{55b}*Università di Bologna, Bologna, Italy*^{56a}*INFN Sezione di Catania, Catania, Italy*^{56b}*Università di Catania, Catania, Italy*^{57a}*INFN Sezione di Firenze, Firenze, Italy*^{57b}*Università di Firenze, Firenze, Italy*⁵⁸*INFN Laboratori Nazionali di Frascati, Frascati, Italy*⁵⁹*INFN Sezione di Genova, Genova, Italy*^{60a}*INFN Sezione di Milano-Bicocca, Milano, Italy*^{60b}*Università di Milano-Bicocca, Milano, Italy*^{61a}*INFN Sezione di Napoli, Napoli, Italy*^{61b}*Università di Napoli "Federico II," Napoli, Italy*^{62a}*INFN Sezione di Padova, Padova, Italy*^{62b}*Università di Padova, Padova, Italy*^{62c}*Università di Trento (Trento), Padova, Italy*^{63a}*INFN Sezione di Pavia, Pavia, Italy*^{63b}*Università di Pavia, Pavia, Italy*^{64a}*INFN Sezione di Perugia, Perugia, Italy*^{64b}*Università di Perugia, Perugia, Italy*^{65a}*INFN Sezione di Pisa, Pisa, Italy*^{65b}*Università di Pisa, Pisa, Italy*^{65c}*Scuola Normale Superiore di Pisa, Pisa, Italy*

- ^{66a}INFN Sezione di Roma, Roma, Italy
^{66b}Università di Roma "La Sapienza," Roma, Italy
^{67a}INFN Sezione di Torino, Torino, Italy
^{67b}Università di Torino, Torino, Italy
^{67c}Università del Piemonte Orientale (Novara), Torino, Italy
^{68a}INFN Sezione di Trieste, Trieste, Italy
^{68b}Università di Trieste, Trieste, Italy
⁶⁹Kangwon National University, Chunchon, Korea
⁷⁰Kyungpook National University, Daegu, Korea
⁷¹Chonnam National University, Institute for Universe and Elementary Particles, Kwangju, Korea
⁷²Korea University, Seoul, Korea
⁷³University of Seoul, Seoul, Korea
⁷⁴Sungkyunkwan University, Suwon, Korea
⁷⁵Vilnius University, Vilnius, Lithuania
⁷⁶Centro de Investigacion y de Estudios Avanzados del IPN, Mexico City, Mexico
⁷⁷Universidad Iberoamericana, Mexico City, Mexico
⁷⁸Benemerita Universidad Autonoma de Puebla, Puebla, Mexico
⁷⁹Universidad Autónoma de San Luis Potosí, San Luis Potosí, Mexico
⁸⁰University of Auckland, Auckland, New Zealand
⁸¹University of Canterbury, Christchurch, New Zealand
⁸²National Centre for Physics, Quaid-I-Azam University, Islamabad, Pakistan
⁸³Institute of Experimental Physics, Faculty of Physics, University of Warsaw, Warsaw, Poland
⁸⁴Soltan Institute for Nuclear Studies, Warsaw, Poland
⁸⁵Laboratório de Instrumentação e Física Experimental de Partículas, Lisboa, Portugal
⁸⁶Joint Institute for Nuclear Research, Dubna, Russia
⁸⁷Petersburg Nuclear Physics Institute, Gatchina (St. Petersburg), Russia
⁸⁸Institute for Nuclear Research, Moscow, Russia
⁸⁹Institute for Theoretical and Experimental Physics, Moscow, Russia
⁹⁰Moscow State University, Moscow, Russia
⁹¹P. N. Lebedev Physical Institute, Moscow, Russia
⁹²State Research Center of Russian Federation, Institute for High Energy Physics, Protvino, Russia
⁹³University of Belgrade, Faculty of Physics and Vinca Institute of Nuclear Sciences, Belgrade, Serbia
⁹⁴Centro de Investigaciones Energéticas Medioambientales y Tecnológicas (CIEMAT), Madrid, Spain
⁹⁵Universidad Autónoma de Madrid, Madrid, Spain
⁹⁶Universidad de Oviedo, Oviedo, Spain
⁹⁷Instituto de Física de Cantabria (IFCA), CSIC-Universidad de Cantabria, Santander, Spain
⁹⁸CERN, European Organization for Nuclear Research, Geneva, Switzerland
⁹⁹Paul Scherrer Institut, Villigen, Switzerland
¹⁰⁰Institute for Particle Physics, ETH Zurich, Zurich, Switzerland
¹⁰¹Universität Zürich, Zurich, Switzerland
¹⁰²National Central University, Chung-Li, Taiwan
¹⁰³National Taiwan University (NTU), Taipei, Taiwan
¹⁰⁴Cukurova University, Adana, Turkey
¹⁰⁵Middle East Technical University, Physics Department, Ankara, Turkey
¹⁰⁶Bogazici University, Istanbul, Turkey
¹⁰⁷National Scientific Center, Kharkov Institute of Physics and Technology, Kharkov, Ukraine
¹⁰⁸University of Bristol, Bristol, United Kingdom
¹⁰⁹Rutherford Appleton Laboratory, Didcot, United Kingdom
¹¹⁰Imperial College, London, United Kingdom
¹¹¹Brunel University, Uxbridge, United Kingdom
¹¹²Baylor University, Waco, Texas 76706, USA
¹¹³The University of Alabama, Tuscaloosa, Alabama 35487, USA
¹¹⁴Boston University, Boston, Massachusetts 02215, USA
¹¹⁵Brown University, Providence, Rhode Island 02912, USA
¹¹⁶University of California, Davis, Davis, California 95616, USA
¹¹⁷University of California, Los Angeles, Los Angeles, California 90095, USA
¹¹⁸University of California, Riverside, Riverside, California 92521, USA
¹¹⁹University of California, San Diego, La Jolla, California 92093, USA
¹²⁰University of California, Santa Barbara, Santa Barbara, California 93106, USA
¹²¹California Institute of Technology, Pasadena, California 91125, USA
¹²²Carnegie Mellon University, Pittsburgh, Pennsylvania 15213, USA

- ¹²³*University of Colorado at Boulder, Boulder, Colorado 80309, USA*
¹²⁴*Cornell University, Ithaca, New York 14853, USA*
¹²⁵*Fairfield University, Fairfield, Connecticut 06824, USA*
¹²⁶*Fermi National Accelerator Laboratory, Batavia, Illinois 60510, USA*
¹²⁷*University of Florida, Gainesville, Florida 32611, USA*
¹²⁸*Florida International University, Miami, Florida 33199, USA*
¹²⁹*Florida State University, Tallahassee, Florida 32306, USA*
¹³⁰*Florida Institute of Technology, Melbourne, Florida 32901, USA*
¹³¹*University of Illinois at Chicago (UIC), Chicago, Illinois 60607, USA*
¹³²*The University of Iowa, Iowa City, Iowa 52242, USA*
¹³³*Johns Hopkins University, Baltimore, Maryland 21218, USA*
¹³⁴*The University of Kansas, Lawrence, Kansas 66045, USA*
¹³⁵*Kansas State University, Manhattan, Kansas 66506, USA*
¹³⁶*Lawrence Livermore National Laboratory, Livermore, California 94720, USA*
¹³⁷*University of Maryland, College Park, Maryland 20742, USA*
¹³⁸*Massachusetts Institute of Technology, Cambridge, Massachusetts 02139, USA*
¹³⁹*University of Minnesota, Minneapolis, Minnesota 55455, USA*
¹⁴⁰*University of Mississippi, University, Mississippi 38677, USA*
¹⁴¹*University of Nebraska-Lincoln, Lincoln, Nebraska 68588, USA*
¹⁴²*State University of New York at Buffalo, Buffalo, New York 14260, USA*
¹⁴³*Northeastern University, Boston, Massachusetts 02115, USA*
¹⁴⁴*Northwestern University, Evanston, Illinois 60208, USA*
¹⁴⁵*University of Notre Dame, Notre Dame, Indiana 46556, USA*
¹⁴⁶*The Ohio State University, Columbus, Ohio 43210, USA*
¹⁴⁷*Princeton University, Princeton, New Jersey 08544, USA*
¹⁴⁸*University of Puerto Rico, Mayaguez, Puerto Rico 00680*
¹⁴⁹*Purdue University, West Lafayette, Indiana 47907, USA*
¹⁵⁰*Purdue University Calumet, Hammond, Indiana 46323, USA*
¹⁵¹*Rice University, Houston, Texas 77251, USA*
¹⁵²*University of Rochester, Rochester, New York 14627, USA*
¹⁵³*The Rockefeller University, New York, New York 10021, USA*
¹⁵⁴*Rutgers, the State University of New Jersey, Piscataway, New Jersey 08854, USA*
¹⁵⁵*University of Tennessee, Knoxville, Tennessee 37996, USA*
¹⁵⁶*Texas A&M University, College Station, Texas 77843, USA*
¹⁵⁷*Texas Tech University, Lubbock, Texas 79409, USA*
¹⁵⁸*Vanderbilt University, Nashville, Tennessee 37235, USA*
¹⁵⁹*University of Virginia, Charlottesville, Virginia 22901, USA*
¹⁶⁰*Wayne State University, Detroit, Michigan 48202, USA*
¹⁶¹*University of Wisconsin, Madison, Wisconsin 53706, USA*

^aDeceased.^bAlso at CERN, European Organization for Nuclear Research, Geneva, Switzerland.^cAlso at Universidade Federal do ABC, Santo Andre, Brazil.^dAlso at Laboratoire Leprince-Ringuet, Ecole Polytechnique, IN2P3-CNRS, Palaiseau, France.^eAlso at Suez Canal University, Suez, Egypt.^fAlso at British University, Cairo, Egypt.^gAlso at Fayoum University, El-Fayoum, Egypt.^hAlso at Soltan Institute for Nuclear Studies, Warsaw, Poland.ⁱAlso at Massachusetts Institute of Technology, Cambridge, MA, USA.^jAlso at Université de Haute-Alsace, Mulhouse, France.^kAlso at Brandenburg University of Technology, Cottbus, Germany.^lAlso at Moscow State University, Moscow, Russia.^mAlso at Institute of Nuclear Research ATOMKI, Debrecen, Hungary.ⁿAlso at Eötvös Loránd University, Budapest, Hungary.^oAlso at Tata Institute of Fundamental Research-HECR, Mumbai, India.^pAlso at University of Visva-Bharati, Santiniketan, India.^qAlso at Sharif University of Technology, Tehran, Iran.^rAlso at Shiraz University, Shiraz, Iran.^sAlso at Isfahan University of Technology, Isfahan, Iran.

^tAlso at Facoltà Ingegneria Università di Roma “La Sapienza,” Roma, Italy.

^uAlso at Università della Basilicata, Potenza, Italy.

^vAlso at Università degli studi di Siena, Siena, Italy.

^wAlso at Faculty of Physics of University of Belgrade, Belgrade, Serbia.

^xAlso at University of California, Los Angeles, Los Angeles, CA, USA.

^yAlso at University of Florida, Gainesville, FL, USA.

^zAlso at Université de Genève, Geneva, Switzerland.

^{aa}Also at Scuola Normale e Sezione dell’ INFN, Pisa, Italy.

^{bb}Also at University of Athens, Athens, Greece.

^{cc}Also at California Institute of Technology, Pasadena, CA, USA.

^{dd}Also at The University of Kansas, Lawrence, KS, USA.

^{ee}Also at Institute for Theoretical and Experimental Physics, Moscow, Russia.

^{ff}Also at Paul Scherrer Institut, Villigen, Switzerland.

^{gg}Also at University of Belgrade, Faculty of Physics and Vinca Institute of Nuclear Sciences, Belgrade, Serbia.

^{hh}Also at Gaziosmanpasa University, Tokat, Turkey.

ⁱⁱAlso at Adiyaman University, Adiyaman, Turkey.

^{jj}Also at The University of Iowa, Iowa City, IA, USA.

^{kk}Also at Mersin University, Mersin, Turkey.

^{ll}Also at Izmir Institute of Technology, Izmir, Turkey.

^{mm}Also at Kafkas University, Kars, Turkey.

ⁿⁿAlso at Suleyman Demirel University, Isparta, Turkey.

^{oo}Also at Ege University, Izmir, Turkey.

^{pp}Also at Rutherford Appleton Laboratory, Didcot, U.K.

^{qq}Also at School of Physics and Astronomy, University of Southampton, Southampton, U.K.

^{rr}Also at INFN Sezione di Perugia, Università di Perugia, Perugia, Italy.

^{ss}Also at Utah Valley University, Orem, UT, USA.

^{tt}Also at Institute for Nuclear Research, Moscow, Russia.

^{uu}Also at Erzincan University, Erzincan, Turkey.

^{vv}Also at Los Alamos National Laboratory, Los Alamos, NM, USA.