



Search for charged Higgs bosons produced in association with a top quark and decaying via $H^\pm \rightarrow \tau\nu$ using pp collision data recorded at $\sqrt{s} = 13$ TeV by the ATLAS detector

The ATLAS Collaboration *

ARTICLE INFO

Article history:

Received 31 March 2016
Received in revised form 2 June 2016
Accepted 9 June 2016
Available online 15 June 2016
Editor: W.-D. Schlatter

ABSTRACT

Charged Higgs bosons produced in association with a single top quark and decaying via $H^\pm \rightarrow \tau\nu$ are searched for with the ATLAS experiment at the LHC, using proton–proton collision data at $\sqrt{s} = 13$ TeV corresponding to an integrated luminosity of 3.2 fb^{-1} . The final state is characterised by the presence of a hadronic τ decay and missing transverse momentum, as well as a hadronically decaying top quark, resulting in the absence of high-transverse-momentum electrons and muons. The data are found to be consistent with the expected background from Standard Model processes. A statistical analysis leads to 95% confidence-level upper limits on the production cross section times branching fraction, $\sigma(pp \rightarrow [b]tH^\pm) \times \text{BR}(H^\pm \rightarrow \tau\nu)$, between 1.9 pb and 15 fb , for charged Higgs boson masses ranging from 200 to 2000 GeV . The exclusion limits for this search surpass those obtained with the proton–proton collision data recorded at $\sqrt{s} = 8 \text{ TeV}$.

© 2016 The Author(s). Published by Elsevier B.V. This is an open access article under the CC BY license (<http://creativecommons.org/licenses/by/4.0/>). Funded by SCOAP³.

1. Introduction

Following the discovery of a neutral scalar particle at the Large Hadron Collider (LHC) in 2012 [1,2], an important question is whether this new particle is the Higgs boson of the Standard Model (SM) or part of an extended Higgs sector. Charged Higgs bosons¹ appear in several non-minimal scalar sectors, where a second doublet [3] or triplets [4–8] are added to the SM Higgs doublet. The observation of a charged Higgs boson would therefore clearly indicate physics beyond the SM.

The ATLAS and CMS collaborations have searched for light charged Higgs bosons, produced in top-quark decays, using proton–proton (pp) collisions at $\sqrt{s} = 7\text{--}8 \text{ TeV}$ in the $\tau\nu$ [9–13] and cs [14, 15] decay modes. Using data collected at $\sqrt{s} = 8 \text{ TeV}$, charged Higgs bosons heavier than the top quark were also searched for, using final states originating from both the $\tau\nu$ and tb decay modes [11,13,16]. Vector-boson-fusion H^+ production was also searched for by ATLAS using the WZ final state [17]. No evidence of a charged Higgs boson was found in any of these searches.

For m_{H^+} greater than the top-quark mass m_{top} , which is the mass range of interest in this paper, the main production mode




Fig. 1. Leading-order Feynman diagrams for the production of a charged Higgs boson with a mass $m_{H^+} > m_{\text{top}}$, in association with a single top quark (left in the 4FS, and right in the 5FS).

of a charged Higgs boson at the LHC is expected to be in association with a top quark [18–20]. The corresponding Feynman diagrams are shown in Fig. 1. When calculating the corresponding cross section in a four-flavour scheme (4FS), b -quarks are dynamically produced, whereas in a five-flavour scheme (5FS), the b -quark is also considered as an active flavour in the proton. For model-dependent interpretations, 4FS and 5FS cross sections are averaged according to Ref. [21]. In two-Higgs-doublet models (2HDMs), the production and decay of the charged Higgs boson also depend on the parameter $\tan\beta$, defined as the ratio of the vacuum expectation values of the two Higgs doublets, and the mixing angle α between the CP-even Higgs bosons. In the alignment limit, where $\cos(\beta - \alpha) \simeq 0$, the decay $H^+ \rightarrow \tau\nu$ can have a substantial branch-

* E-mail address: atlas.publications@cern.ch.

¹ In the following, charged Higgs bosons are denoted H^+ , with the charge-conjugate H^- always implied. Similarly, generic symbols are used for their decay products.



ing fraction. In a type-II 2HDM, even when the decay $H^+ \rightarrow tb$ dominates, the branching fraction $\text{BR}(H^+ \rightarrow \tau\nu)$ can reach 10–15% at large values of $\tan\beta$ [22].

This paper describes a search for charged Higgs bosons in pp collisions at $\sqrt{s} = 13$ TeV using the ATLAS experiment. The production of a charged Higgs boson in association with a single top quark and its decay via $H^+ \rightarrow \tau\nu$ are explored in the mass range 200 to 2000 GeV, extending by 1000 GeV the mass range considered by the ATLAS collaboration during Run 1 of the LHC. The final state is characterised by the presence of a hadronic τ decay and missing transverse momentum arising from the H^+ decay, as well as a fully hadronic top-quark decay, resulting in the absence of high-transverse-momentum electrons and muons. The SM prediction is compared to the data, and results for the signal cross section times branching fraction $\sigma(pp \rightarrow [b]tH^\pm) \times \text{BR}(H^\pm \rightarrow \tau\nu)$ are presented, together with an interpretation in the hMSSM benchmark scenario [23,24], in which the light CP-even Higgs boson mass m_h is set to 125 GeV, without choosing explicitly the soft-supersymmetry-breaking parameters.

2. Data and simulated events

The ATLAS experiment [25] consists of an inner detector with coverage in pseudorapidity² up to $|\eta| = 2.5$, surrounded by a thin 2 T superconducting solenoid, a calorimeter system extending up to $|\eta| = 4.9$ and a muon spectrometer extending up to $|\eta| = 2.7$ that measures the deflection of muon trajectories in the field of three superconducting toroid magnets. The innermost pixel layer, the insertable B-layer (IBL), was added between the first and second runs of the LHC, around a new, narrower and thinner beam pipe [26]. A two-level trigger system is used to select events of interest [27]. The integrated luminosity, considering only the data-taking periods of 2015 in which all relevant detector subsystems were operational, is 3.2 fb^{-1} and has an uncertainty of 5%. It is derived following a methodology similar to that detailed in Ref. [28], from a calibration of the luminosity scale using x - y beam-separation scans performed in August 2015.

Simulated events of H^+ production in association with a single top quark are generated in the 4FS at the next-to-leading order (NLO) with MADGRAPH5_AMC@NLO v.2.2.2 [29] using the NNPDF23LO [30] parton distribution function (PDF) set, interfaced to PYTHIA v8.186 [31] with the A14 set of tuned parameters (tune) [32] for the underlying event.

The main backgrounds are the production of $t\bar{t}$ pairs, single top quarks, $W+jets$, Z/γ^*+jets and electroweak gauge boson pairs ($WW/WZ/ZZ$), as well as multi-jet events. For the generation of $t\bar{t}$ pairs and single top quarks in the Wt - and s -channels, the PowHEG-Box v2 [33,34] generator with the CT10 [35,36] PDF set in the matrix-element calculations is used. Electroweak t -channel single-top-quark events are generated using the PowHEG-Box v1 generator. This generator uses the 4FS for the NLO matrix-element calculations together with the fixed four-flavour PDF set CT10F4. For this process, the top quark is decayed using MADSPIN [37], thereby preserving all spin correlations. For all backgrounds above, the parton shower, the fragmentation and the underlying event are simulated using PYTHIA v6.428 [38] with the CTEQ6L1 [39] PDF set and the corresponding Perugia 2012 (P2012) tune [40].

² ATLAS uses a right-handed coordinate system with its origin at the nominal interaction point (IP) in the centre of the detector and the z -axis along the beam pipe. The x -axis points from the IP to the centre of the LHC ring, and the y -axis points upward. Cylindrical coordinates (r, ϕ) are used in the transverse plane, ϕ being the azimuthal angle around the z -axis. The pseudorapidity is defined in terms of the polar angle θ as $\eta = -\ln \tan(\theta/2)$.

The top-quark mass is set to 172.5 GeV for all relevant background and signal samples. The $t\bar{t}$ cross section is calculated at next-to-next-to-leading order (NNLO), including soft-gluon resummation to the next-to-next-to-leading logarithmic (NNLL) order, with Top++ v2.0 [41–47]. The single-top-quark samples are normalised to the approximate NNLO cross sections [48–50]. Events containing a W or Z boson with associated jets are simulated using MADGRAPH5_AMC@NLO v.2.2.2 at LO with the NNPDF23LO PDF set, interfaced to PYTHIA v8.186 with the A14 underlying-event tune. These samples are normalised to the NNLO cross sections calculated with FEWZ [51–53]. Finally, diboson processes are simulated using the PowHEG-Box v2 generator interfaced to the PYTHIA v8.186 parton shower model. The CT10 NLO set is used as the PDF for the hard-scatter process, while the CTEQ6L1 PDF set is used for the parton shower. The non-perturbative effects are modelled using the AZNLO tune [54]. The diboson samples are normalised to their NLO cross sections, as computed by the event generator.

Whenever applicable, PHOTOS++ v3.52 [55] is employed for photon radiation from charged leptons, and EvtGEN v1.2.0 [56] is used to simulate b - and c -hadron decays. Multiple overlaid pp collisions (pile-up, with 14 collisions per bunch-crossing on average) are simulated with the soft QCD processes of PYTHIA v8.186 using the MSTW2008LO [57–59] PDF set and the A2 underlying-event tune [60]. All simulated signal and background samples are processed through a simulation [61] of the detector geometry and response using GEANT4 [62]. Finally, they are processed through the same reconstruction software as the data.

In the following, the backgrounds are categorised based on the type of reconstructed objects identified as the visible decay products³ of the hadronically decaying τ candidate ($\tau_{\text{had-vis}}$). Only simulated events having a true hadronically decaying τ at generator level (τ_{had}) or with a charged lepton (electron or muon) misidentified as a $\tau_{\text{had-vis}}$ are kept. Backgrounds arising from a jet misidentified as a $\tau_{\text{had-vis}}$ are estimated with a data-driven method.

3. Object reconstruction and identification

In the ATLAS experiment, hadronic jets are reconstructed from energy deposits in the calorimeters, using the anti- k_T algorithm [63,64] with a radius parameter $R = 0.4$. In the following, jets are required to have a transverse momentum $p_T > 25 \text{ GeV}$ and $|\eta| < 2.5$. A multi-variate technique (Jet Vertex Tagger) relying on jet energy and tracking variables to determine the likelihood that a given jet originates from pile-up [65] is applied to jets with $p_T < 50 \text{ GeV}$ and $|\eta| < 2.4$. Jets arising from b -hadron decays are identified by using an algorithm that combines impact parameter information with the explicit identification of secondary and tertiary vertices within the jet into a b -tagging score [66,67]. The minimal requirement imposed on the b -tagging score in this analysis corresponds to a 70% efficiency to tag a b -quark-initiated jet in $t\bar{t}$ events, with rejection rates of 400 for light-quark-initiated jets, 27 for τ_{had} -initiated jets and 8 for c -quark-initiated jets, enhanced with respect to Run 1 by the use of the IBL and an improved algorithm. The tagging efficiencies from simulation are corrected based on the results of flavour-tagging calibrations performed with data [68].

Candidates for identification as $\tau_{\text{had-vis}}$ arise from jets that have $p_T > 10 \text{ GeV}$ and for which one or three charged-particle tracks are found within a cone of size⁴ $\Delta R = 0.2$ around the axis of

³ This refers to all τ decay products except the neutrinos.

⁴ $\Delta R = \sqrt{(\Delta\eta)^2 + (\Delta\phi)^2}$, where $\Delta\eta$ and $\Delta\phi$ are differences in pseudorapidity and azimuthal angle, respectively.

the $\tau_{\text{had-vis}}$ candidate [69,70]. These objects are further required to have a visible transverse momentum (p_T^τ) of at least 40 GeV and to be within $|\eta| < 2.3$. The output of boosted decision tree (BDT) algorithms [71] is used in order to distinguish $\tau_{\text{had-vis}}$ candidates from jets not initiated by hadronically decaying τ -leptons. This is done separately for decays with one or three charged-particle tracks, and for varying values of the identification efficiency. In this analysis, a working point corresponding to a 55% (40%) efficiency for the identification of 1-prong (3-prong) $\tau_{\text{had-vis}}$ objects is used, with rejection rates of $\mathcal{O}(10^2)$ for jets.

In this analysis, events with isolated electron or muon candidates with a transverse energy or momentum above 20 GeV are rejected. Electron candidates [72] are reconstructed from energy deposits (clusters) in the electromagnetic calorimeter, associated with a reconstructed track in the inner detector. The pseudorapidity range for the electromagnetic clusters covers the fiducial volume of the detector, $|\eta| < 2.47$ (the transition region between the barrel and end-cap calorimeters, $1.37 < |\eta| < 1.52$, is excluded). Quality requirements on the electromagnetic clusters and the tracks, as well as isolation requirements in a cone around the electron candidate based on its transverse energy and the tracking information, are then applied in order to reduce contamination from jets. The muon candidates are reconstructed from track segments in the muon spectrometer, and matched with tracks found in the inner detector within $|\eta| < 2.5$ [73]. The final muon candidates are refitted using the complete track information from both detector systems. They must fulfil quality requirements including a p_T -dependent track-based isolation requirement in a cone of variable size around the muon, which has good performance under high pile-up conditions and/or when a muon is close to a jet.

When objects overlap geometrically, the following procedures are applied, in this order. Every $\tau_{\text{had-vis}}$ candidate that overlaps with a loosely identified electron or muon, within a cone of size ΔR of 0.4 or 0.2, respectively, is removed. Then, reconstructed jets are discarded if an electron or a $\tau_{\text{had-vis}}$ candidate fulfilling the selection criteria above is found within a cone of size $\Delta R = 0.2$.

The magnitude E_T^{miss} of the missing transverse momentum [74] is reconstructed from the negative vector sum of transverse momenta of reconstructed and fully calibrated objects (collected in the hard term), as well as from reconstructed tracks associated with the hard-scatter vertex which are not in the hard term (collected in the soft term). In order to mitigate the effects of pile-up, the E_T^{miss} is refined by using object-level corrections for the identified electrons, muons, jets and $\tau_{\text{had-vis}}$ candidates in the hard term. As the soft term contains only tracks associated with the hard-scatter vertex, it is robust against pile-up.

4. Event selection and background modelling

Charged Higgs bosons are searched for in the topology $pp \rightarrow [b]tH^+ \rightarrow [b](jjb)\tau_{\text{had}}\nu$. Events collected using an E_T^{miss} trigger with a threshold at 70 GeV are considered. After ensuring that no jets are consistent with having originated from instrumental effects or non-collision background, each event is required to contain one $\tau_{\text{had-vis}}$ with $p_T^\tau > 40$ GeV (only the highest- p_T^τ candidate must fulfil the identification criteria described in Section 3), three or more jets with $p_T > 25$ GeV, of which at least one is b -tagged, no electron or muon with a transverse energy or momentum above 20 GeV, and to have $E_T^{\text{miss}} > 150$ GeV. For the selected events, the transverse mass m_T of the $\tau_{\text{had-vis}}$ and E_T^{miss} system is defined as:

$$m_T = \sqrt{2p_T^\tau E_T^{\text{miss}}(1 - \cos \Delta\phi_{\tau,\text{miss}})}, \quad (1)$$

where $\Delta\phi_{\tau,\text{miss}}$ is the azimuthal angle between the $\tau_{\text{had-vis}}$ and the direction of the missing transverse momentum. This discrim-

inating variable takes values lower than the W boson mass for $W \rightarrow \tau\nu$ decays in background events and lower than the H^+ mass for signal events, in the absence of detector resolution effects. A requirement of $m_T > 50$ GeV is applied in order to reject events with mismeasured E_T^{miss} , where $\tau_{\text{had-vis}}$ is nearly aligned with the direction of the missing transverse momentum.

The E_T^{miss} trigger efficiency is measured in data and then used to reweight the simulated events, rather than relying on the E_T^{miss} trigger in the simulated samples. This measurement is performed in a control region of the data that is orthogonal to the signal region described above, while retaining as many similarities as possible. For this purpose, events passing a single-electron trigger with a transverse energy threshold at 24 GeV are considered and required to contain exactly one electron matched to the corresponding trigger object, exactly one $\tau_{\text{had-vis}}$ and two or more jets, of which at least one is b -tagged. Both the electron and the $\tau_{\text{had-vis}}$ fulfil loose identification criteria in order to improve the statistical precision, with little impact on the measured E_T^{miss} turn-on curve.

The “jet $\rightarrow \tau_{\text{had-vis}}$ ” background includes multi-jet events and other processes where a quark- or gluon-initiated jet is reconstructed and selected as the $\tau_{\text{had-vis}}$ candidate. This background is estimated with a data-driven method that relies on the measurement of the rate at which jets are misidentified as $\tau_{\text{had-vis}}$, hereafter referred to as the fake factor (FF). For this purpose, a control region populated primarily with misidentified $\tau_{\text{had-vis}}$ candidates is defined by using the same requirements as for the signal region, except that $E_T^{\text{miss}} < 80$ GeV and that the number of b -tagged jets is zero. The FF is defined as the ratio of the number of misidentified $\tau_{\text{had-vis}}$ candidates fulfilling the nominal object selection to the number of misidentified $\tau_{\text{had-vis}}$ candidates satisfying an “anti- $\tau_{\text{had-vis}}$ ” selection. This anti- $\tau_{\text{had-vis}}$ selection is defined by inverting the $\tau_{\text{had-vis}}$ identification criteria while maintaining a loose requirement on the BDT output score, which selects the same kind of objects mimicking $\tau_{\text{had-vis}}$ candidates as those fulfilling the identification criteria. In order to account for differences between gluon-, light-quark- and b -quark-initiated jets, FFs are parameterised as functions of p_T , the type of τ_{had} decay via the measured number of charged and neutral particles (π^0) [70], and the b -tagging score, as illustrated in Fig. 2. For each type of τ_{had} decay, the threshold value for the b -tagging score of the $\tau_{\text{had-vis}}$ candidate is optimised to keep enough entries in each of the two bins, below and above the threshold. After correcting for $\tau_{\text{had-vis}}$ candidates not fulfilling the identification criteria but matching a true τ_{had} at generator level, the number of events with a misidentified $\tau_{\text{had-vis}}$ in the signal region ($N_{\text{fakes}}^{\tau_{\text{had-vis}}}$) is derived from the subset of anti- $\tau_{\text{had-vis}}$ candidates as follows:

$$N_{\text{fakes}}^{\tau_{\text{had-vis}}} = \sum_i N_{\text{anti-}\tau_{\text{had-vis}}}(i) \times \text{FF}(i), \quad (2)$$

where the index i refers to each bin in terms of p_T , type of τ_{had} decay and b -tagging score, in which the FF is evaluated.

Backgrounds arising from events in which an electron or muon is misidentified as a $\tau_{\text{had-vis}}$ only contribute at the level of 5% to the total background, with misidentified muons contributing about one order of magnitude less than misidentified electrons. These backgrounds are estimated with simulation and include contributions from $t\bar{t}$, single-top-quark, $W/Z + \text{jets}$ and diboson processes. If an electron is misidentified as a $\tau_{\text{had-vis}}$, a correction factor is applied to the event in order to account for the misidentification rate measured in a $Z \rightarrow ee$ control region in data, where one electron is reconstructed as a $\tau_{\text{had-vis}}$. Charged leptons from in-flight decays in multi-jet events are accounted for in the misidentified jet $\rightarrow \tau_{\text{had-vis}}$ background estimate.




Fig. 2. Fake factors parameterised as a function of p_T and the reconstructed τ_{had} decay mode, for a b -tagging score of the $\tau_{\text{had-vis}}$ candidate below (left, light-flavour region) or above (right, heavy-flavour region) the chosen threshold. The τ_{had} decay mode is referred to as 1p0n, 1p1n, 1pXn, 3p0n or 3pXn, for a p-prong decay with n neutral particles (π^0), where X ≥ 2 (1) for 1pXn (3pXn) decays. The threshold value for the b -tagging score is set to keep enough entries in each of the two bins, separately for each type of τ_{had} decay. The errors shown arise from the statistical uncertainty for a given p_T bin.




Fig. 3. Distribution of m_T in the control region enriched with $W \rightarrow \tau \nu$ events, which differs from the nominal event selection by the requirements that $m_T < 100$ GeV and that the number of b -tagged jets be zero. The $W \rightarrow \tau \nu$ background is normalised to the data through an overall scale factor. The total (statistical and systematic) uncertainties in the SM prediction are shown in the lower plot.

The backgrounds with a true τ_{had} are estimated using simulation. The two dominant processes, $t\bar{t}$ and $W \rightarrow \tau \nu$, are validated in two dedicated control regions, which differ from the nominal event selection by the requirements that $m_T < 100$ GeV (instead of $m_T > 50$ GeV) and that the number of b -tagged jets be either at least two (for the control region enriched with $t\bar{t}$ events) or zero (for the control region enriched with $W \rightarrow \tau \nu$ events). The latter is also used to correct the overall normalisation of the simulated $W \rightarrow \tau \nu$ background. The m_T distributions that are predicted and measured in these two background-enriched control regions are displayed in Figs. 3 and 4. The relative signal contamination in the control region enriched in $W \rightarrow \tau \nu$ events is about two orders of magnitude smaller than the expected fraction of $H^+ \rightarrow \tau \nu$ events in the signal region. The control region enriched in $t\bar{t}$ events has a small overlap with the signal region, however the expected signal contamination is negligible, about one order of magnitude smaller than the expected fraction of $H^+ \rightarrow \tau \nu$ events in the signal region.

The expected number of background events in the signal region is shown in Table 1, together with the hypothetical contribution from charged Higgs bosons with a mass of 200 or 1000 GeV, and with $\sigma(pp \rightarrow [b]tH^\pm) \times \text{BR}(H^\pm \rightarrow \tau \nu)$ set to the prediction from the hMSSM scenario for $\tan \beta = 60$ (for a given mass, the expected signal yield increases quadratically with $\tan \beta$). The calculation of the production cross section is based on Refs. [22,75–78], while HDECAY [79] is used for computing the branching fraction. The sig-




Fig. 4. Distribution of m_T in the control region enriched with $t\bar{t}$ events, which differs from the nominal event selection by the requirements that $m_T < 100$ GeV and that the number of b -tagged jets be at least two. The total (statistical and systematic) uncertainties in the SM prediction are shown in the lower plot.

Table 1

Expected event yields for the backgrounds and a hypothetical H^+ signal after all selection criteria, and comparison with 3.2 fb^{-1} of data. The values shown for the signal assume a charged Higgs boson mass of 200 or 1000 GeV, with a cross section times branching fraction $\sigma(pp \rightarrow [b]tH^\pm) \times \text{BR}(H^\pm \rightarrow \tau \nu)$ corresponding to $\tan \beta = 60$ in the hMSSM benchmark scenario. The uncertainties include statistical and systematic components.

Sample	Event yield
True τ_{had}	
$t\bar{t}$ & single-top-quark	590 ± 170
$W \rightarrow \tau \nu$	58 ± 14
$Z \rightarrow \tau \tau$	6.4 ± 2.0
diboson (WW, WZ, ZZ)	4.3 ± 1.3
Misidentified $e, \mu \rightarrow \tau_{\text{had-vis}}$	40 ± 6
Misidentified jet $\rightarrow \tau_{\text{had-vis}}$	196 ± 24
All backgrounds	900 ± 170
H^+ (200 GeV), hMSSM $\tan \beta = 60$	175 ± 28
H^+ (1000 GeV), hMSSM $\tan \beta = 60$	2.0 ± 0.2
Data	890

nal acceptance at 200 (1000) GeV is 1.5% (12%), as evaluated with respect to simulated samples where both the τ -lepton and the associated top quark decay inclusively. The event yield observed in 3.2 fb^{-1} of data is also shown in Table 1 and found to be consistent with the expectation for the background-only hypothesis.

5. Systematic uncertainties

Several sources of systematic uncertainty, affecting the normalisation of signal and background processes or the shape of their distributions, are considered. The individual sources of systematic uncertainty are assumed to be uncorrelated. However, when applicable, correlations of a given systematic uncertainty are maintained across all processes. All systematic uncertainties are symmetrised with respect to the nominal value.

In order to assess the impact of most detector-related systematic uncertainties, in particular those arising from the simulation of pile-up and object reconstruction, the event selection is re-applied after shifting a particular parameter to its ± 1 standard-deviation value. All instrumental systematic uncertainties arising from the reconstruction, identification and energy scale of electrons, muons, (*b*-tagged) jets and $\tau_{\text{had-vis}}$ candidates are considered. They are propagated to the reconstructed E_T^{miss} and an additional uncertainty in its soft term is taken into account. The dominant detector-related systematic uncertainties for this search arise from the reconstruction and identification of $\tau_{\text{had-vis}}$ candidates, from the jet energy scale, from the $\tau_{\text{had-vis}}$ energy scale and from the *b*-tagging efficiency. Their impacts on the predicted event yield for the dominant background process ($t\bar{t}$) are, respectively, 12%, 11%, 3% and 2%. Systematic uncertainties arising from the reconstruction, identification and energy scale of electrons and muons are found to be negligible. The luminosity uncertainty of 5% is applied directly to the event yields of all simulated events.

The efficiency of the E_T^{miss} trigger is measured in a control region of the data, as described in Section 4. The parameterisation of the efficiency shows a small dependence on the identification criteria (loose versus nominal) for the electron and the $\tau_{\text{had-vis}}$ candidate, as well as on the minimum number of jets chosen for the control region. This results in small variations of the measured fit function. These variations, as well as the limited statistical precision of the bins used for the fit function and the resulting parameterisation, are accounted for as systematic uncertainties. In the signal region, the total systematic uncertainty arising from the E_T^{miss} trigger efficiency measurement is about 2%.

In the estimation of backgrounds with jets misidentified as $\tau_{\text{had-vis}}$, the dominant systematic uncertainties arise from the level of contamination of $\tau_{\text{had-vis}}$ objects matching a true τ_{had} decay at generator level and fulfilling the anti- $\tau_{\text{had-vis}}$ selection (varied by 50%), from the statistical limitation due to the control sample size and from the requirement on the BDT score in the anti- $\tau_{\text{had-vis}}$ control sample. When changing the latter, different fractions of gluon- and quark-initiated jets populate the anti- $\tau_{\text{had-vis}}$ control region. The event topology (in particular the shape of the E_T^{miss} and $\Delta\phi_{\tau,\text{miss}}$ distributions) also depends on the requirement imposed on the BDT score. The corresponding systematic uncertainty is assessed by considering the shape of the m_T distribution obtained for two alternative cuts on the BDT score, which are symmetric around the nominal cut value. The impacts of the three systematic uncertainties listed above on the event yield of the background with jets misidentified as $\tau_{\text{had-vis}}$ are, respectively, 8%, 6% and 2%.

The dominant background process with a true τ_{had} is the production of $t\bar{t}$ pairs and single-top-quark events, for which an overall cross-section uncertainty of 6% is applied, incorporating scale, PDF+ α_s and top-quark mass uncertainties [47,80,81]. In addition, systematic uncertainties due to the choice of parton shower and hadronisation models are derived by comparing $t\bar{t}$ events generated with PowHEG-Box interfaced to either PYTHIA v8.210 or HERWIG++ v2.7.1 [82], which uses the UEEES [83] underlying-event tune. The systematic uncertainties arising from initial- and final-state parton radiation, which modify the jet production rate, are computed with the same packages as for the baseline $t\bar{t}$ event

generation, by setting the corresponding parameters in PYTHIA to a range of values not excluded by the experimental data. Finally, the uncertainty due to the choice of matrix-element generator is evaluated by comparing samples generated with MADGRAPH5_AMC@NLO or PowHEG-Box, both using the CTEQ6L1 PDF set and interfaced to HERWIG++. The impacts of the three systematic uncertainties listed above on the event yield of the $t\bar{t}$ background are, respectively, 16%, 7% and 15%.

For the sub-leading background process with a true τ_{had} , $W \rightarrow \tau\nu$, a systematic uncertainty of 3% is assigned to the overall renormalisation factor, as obtained by changing various selection criteria for the control region enriched with such background events. For $Z + \text{jets}$ and diboson production, theoretical uncertainties of 5% and 6% are considered, respectively, combining PDF+ α_s and scale variation uncertainties in quadrature.

Systematic uncertainties in the H^+ signal generation are estimated as follows. The uncertainty arising from the QCD scale is obtained by varying the factorisation and renormalisation scale up and down by a factor of two. The largest variation of the signal acceptance is then symmetrised and taken as the scale uncertainty, 4–8% depending on the H^+ mass hypothesis. The variation of the signal acceptance with various PDF sets is estimated using LHAPDF [84], but is found to be negligible for all signal samples. Finally, the impact of A14 tune variations on the signal acceptance is estimated by adding in quadrature the positive and negative excursions from a subset of tune variations that cover underlying-event and jet-structure effects, as well as different aspects of extra jet production. This uncertainty amounts to 8–10% and is of the same order as the sum in quadrature of the detector-related systematic uncertainties for the H^+ signal samples.

6. Results

In order to test the compatibility of the data with the background-only and signal + background hypotheses, a profile likelihood ratio [85] is used, with m_T as the discriminating variable. The statistical analysis is based on a binned likelihood function for this distribution. All systematic uncertainties from theoretical or experimental sources are implemented as nuisance parameters. The parameter of interest (or signal strength) $\mu \equiv \sigma(pp \rightarrow [b]tH^\pm) \times \text{BR}(H^\pm \rightarrow \tau\nu)$, and the nuisance parameters are simultaneously fitted by means of a negative log-likelihood minimisation. Expected limits are derived using the asymptotic approximation of the distribution of the test statistic [86].

Fig. 5 shows the m_T distribution obtained after a fit with the background-only hypothesis, together with the m_T distributions corresponding to two H^+ mass hypotheses: 200 and 1000 GeV. The binning shown in Fig. 5 is also used in the statistical analysis. The SM predictions are found to be consistent with the data, and exclusion limits are set on $\sigma(pp \rightarrow [b]tH^\pm) \times \text{BR}(H^\pm \rightarrow \tau\nu)$ by rejecting the signal hypothesis at the 95% confidence level (CL) using the CL_s procedure [87]. Fig. 6 shows the observed and expected exclusion limits. They agree within the uncertainties over the explored H^+ mass range. The observed limits range from 1.9 pb to 15 fb in the mass range 200–2000 GeV. For the largest charged Higgs boson mass hypotheses, the exclusion limits show very little dependence on m_{H^+} , as there is only one bin entering the fit for $m_T > 500$ GeV. The impact from the various sources of systematic uncertainty on the expected 95% CL exclusion limits are summarised in Table 2, for H^+ mass hypotheses of 200 and 1000 GeV. The impact of the systematic uncertainties reported in Section 5 only represents the relative change in event yields. In the limit-setting procedure, however, m_T shape variations are also taken into account, leading to a different relative importance of the various systematic uncertainties. Those with a large impact over the ex-




Fig. 5. Distribution of m_T after full event selection and a fit to the data with the background-only hypothesis. The horizontal axis starts at $m_T = 50$ GeV and is in logarithmic scale. Two H^+ signal hypotheses are included separately on the stack. The signal sample at 200 (1000) GeV is scaled to 5 (10) times the cross section predicted at $\tan\beta = 60$ in the hMSSM benchmark scenario. Bins are 10 GeV in width up to 310 GeV and then have a varying size. The last bin includes all overflow events. The total (statistical and systematic) uncertainties in the SM prediction are shown in the lower plot.




Fig. 6. Observed and expected 95% CL exclusion limits for heavy charged Higgs boson production as a function of m_{H^+} in 3.2 fb^{-1} of pp collision data. The prediction for $\sigma(pp \rightarrow [b]tH^\pm) \times BR(H^\pm \rightarrow \tau\nu)$ as a function of the charged Higgs boson mass is also shown as a dotted-dashed line, for $\tan\beta = 60$ in the hMSSM benchmark scenario.

ploried mass range are the $\tau_{\text{had-vis}}$ identification and energy-scale uncertainties, the $t\bar{t}$ background modelling uncertainties, and the statistical precision in the estimation of the background with a jet misidentified as a $\tau_{\text{had-vis}}$. For the larger H^+ mass hypotheses, the signal modelling uncertainties also have a significant impact. The total uncertainty is dominated by the statistical uncertainty.

The limits in Fig. 6 are presented together with an illustrative signal prediction in the hMSSM benchmark scenario. Fig. 7 shows the 95% CL exclusion limits on $\tan\beta$ as a function of m_{H^+} in the context of the hMSSM, compared with the Run 1 results. Values of $\tan\beta$ in the range 42–60 are excluded for a charged Higgs boson mass of 200 GeV. At $\tan\beta = 60$, above which no reliable theoretical calculations exist, the H^+ mass range from 200 to 340 GeV is excluded. The limits of this search surpass those obtained with the pp collision data at $\sqrt{s} = 8$ TeV [11].

7. Conclusion

A search for charged Higgs bosons produced in association with a single top quark and subsequently decaying via $H^+ \rightarrow \tau\nu$ is performed, based on fully hadronic final states. The dataset used for this analysis contains 3.2 fb^{-1} of pp collisions at $\sqrt{s} =$

Table 2

Impact of various sources of uncertainty on the expected 95% CL exclusion limit, for two H^+ mass hypotheses: 200 and 1000 GeV. The impact is obtained by comparing the nominal expected limit with the expected limit when a certain set of uncertainties is not included in the limit-setting procedure.

Source of systematic uncertainty	Impact on the expected limit (in %)	
	$m_{H^+} = 200 \text{ GeV}$	$m_{H^+} = 1000 \text{ GeV}$
Experimental		
luminosity	2.0	1.1
trigger	< 0.1	< 0.1
$\tau_{\text{had-vis}}$	2.7	1.1
jet	0.4	< 0.1
E_T^{miss}	0.3	< 0.1
Fake factors		
statistical limitation	4.5	0.7
true τ_{had} contamination	< 0.1	< 0.1
anti- $\tau_{\text{had-vis}}$ BDT score	0.2	0.6
Signal and background models		
$t\bar{t}$ cross section	0.2	< 0.1
$t\bar{t}$ modelling	7.5	1.0
H^+ signal modelling	1.4	1.3




Fig. 7. 95% CL exclusion limits on $\tan\beta$ as a function of m_{H^+} , shown in the context of the hMSSM, for the regions in which reliable theoretical calculations exist ($\tan\beta \leq 60$). As a comparison, the two lighter dashed curves (in red in the web version of this article) in the upper-left corner show the observed and expected exclusion limits from Run 1 analyses of pp collisions measured at $\sqrt{s} = 8$ TeV by ATLAS [11].

13 TeV, recorded in 2015 by the ATLAS detector at the LHC. The background-only hypothesis is found to be in agreement with the data. Upper limits are set on the production cross section times branching fraction between 1.9 pb and 15 fb for a charged Higgs boson mass range of 200–2000 GeV. In the context of the hMSSM, values of $\tan\beta$ in the range 42–60 are excluded for a charged Higgs boson mass of 200 GeV. At $\tan\beta = 60$, above which no reliable theoretical calculations exist, the H^+ mass range from 200 to 340 GeV is excluded.

Acknowledgements

We thank CERN for the very successful operation of the LHC, as well as the support staff from our institutions without whom ATLAS could not be operated efficiently.

We acknowledge the support of ANPCyT, Argentina; YerPhI, Armenia; ARC, Australia; BMWFW and FWF, Austria; ANAS, Azerbaijan; SSTC, Belarus; CNPq and FAPESP, Brazil; NSERC, NRC and CFI, Canada; CERN; CONICYT, Chile; CAS, MOST and NSFC, China; COLCIENCIAS, Colombia; MSMT CR, MPO CR and VSC CR, Czech Republic; DNRF and DNSRC, Denmark; IN2P3-CNRS, CEA-DSM/IRFU, France; GNSF, Georgia; BMBF, HGF, and MPG, Germany; GSRT, Greece; RGC, Hong Kong SAR, China; ISF, I-CORE and Benoziyo Center, Israel; INFN, Italy; MEXT and JSPS, Japan; CNRST, Mo-

rocco; FOM and NWO, Netherlands; RCN, Norway; MNiSW and NCN, Poland; FCT, Portugal; MNE/IFA, Romania; MES of Russia and NRC KI, Russian Federation; JINR; MESTD, Serbia; MSSR, Slovakia; ARRS and MIZŠ, Slovenia; DST/NRF, South Africa; MINECO, Spain; SRC and Wallenberg Foundation, Sweden; SERI, SNSF and Cantons of Bern and Geneva, Switzerland; MOST, Taiwan; TAEK, Turkey; STFC, United Kingdom; DOE and NSF, United States of America. In addition, individual groups and members have received support from BCKDF, the Canada Council, Canarie, CRC, Compute Canada, FQRNT, and the Ontario Innovation Trust, Canada; EPLANET, ERC, FP7, Horizon 2020 and Marie Skłodowska-Curie Actions, European Union; Investissements d’Avenir Labex and Idex, ANR, Région Auvergne and Fondation Partager le Savoir, France; DFG and AvH Foundation, Germany; Herakleitos, Thales and Aristeia programmes co-financed by EU-ESF and the Greek NSRF; BSF, GIF and Minerva, Israel; BRF, Norway; Generalitat de Catalunya, Generalitat Valenciana, Spain; the Royal Society and Leverhulme Trust, United Kingdom.

The crucial computing support from all WLCG partners is acknowledged gratefully, in particular from CERN and the ATLAS Tier-1 facilities at TRIUMF (Canada), NDGF (Denmark, Norway, Sweden), CC-IN2P3 (France), KIT/GridKA (Germany), INFN-CNAF (Italy), NL-T1 (Netherlands), PIC (Spain), ASGC (Taiwan), RAL (UK) and BNL (USA) and in the Tier-2 facilities worldwide.

References

- [1] ATLAS Collaboration, Observation of a new particle in the search for the Standard Model Higgs boson with the ATLAS detector at the LHC, *Phys. Lett. B* 716 (2012) 1, arXiv:1207.7214 [hep-ex].
- [2] CMS Collaboration, Observation of a new boson at a mass of 125 GeV with the CMS experiment at the LHC, *Phys. Lett. B* 716 (2012) 30, arXiv:1207.7235 [hep-ex].
- [3] T.D. Lee, A theory of spontaneous t violation, *Phys. Rev. D* 8 (1973) 1226–1239.
- [4] T.P. Cheng, L.-F. Li, Neutrino masses, mixings and oscillations in $SU(2) \times U(1)$ models of electroweak interactions, *Phys. Rev. D* 22 (1980) 2860.
- [5] J. Schechter, J.W.F. Valle, Neutrino masses in $SU(2) \times U(1)$ theories, *Phys. Rev. D* 22 (1980) 2227.
- [6] G. Lazarides, Q. Shafi, C. Wetterich, Proton lifetime and fermion masses in an SO(10) model, *Nucl. Phys. B* 181 (1981) 287–300.
- [7] R.N. Mohapatra, G. Senjanovic, Neutrino masses and mixings in gauge models with spontaneous parity violation, *Phys. Rev. D* 23 (1981) 165.
- [8] M. Magg, C. Wetterich, Neutrino mass problem and gauge hierarchy, *Phys. Lett. B* 94 (1980) 61.
- [9] ATLAS Collaboration, Search for charged Higgs bosons decaying via $H^+ \rightarrow \tau\nu$ in top quark pair events using pp collision data at $\sqrt{s} = 7$ TeV with the ATLAS detector, *J. High Energy Phys.* 06 (2012) 039, arXiv:1204.2760 [hep-ex].
- [10] ATLAS Collaboration, Search for charged Higgs bosons through the violation of lepton universality in $t\bar{t}$ events using pp collision data at $\sqrt{s} = 7$ TeV with the ATLAS experiment, *J. High Energy Phys.* 03 (2013) 076, arXiv:1212.3572 [hep-ex].
- [11] ATLAS Collaboration, Search for charged Higgs bosons decaying via $H^+ \rightarrow \tau\nu$ in fully hadronic final states using pp collision data at $\sqrt{s} = 8$ TeV with the ATLAS detector, *J. High Energy Phys.* 03 (2015) 088, arXiv:1412.6663 [hep-ex].
- [12] CMS Collaboration, Search for a light charged Higgs boson in top quark decays in pp collisions at $\sqrt{s} = 7$ TeV, *J. High Energy Phys.* 07 (2012) 143, arXiv:1205.5736 [hep-ex].
- [13] CMS Collaboration, Search for a charged Higgs boson in pp collisions at $\sqrt{s} = 8$ TeV, *J. High Energy Phys.* 11 (2015) 018, arXiv:1508.07774 [hep-ex].
- [14] ATLAS Collaboration, Search for a light charged Higgs boson in the decay channel $H^+ \rightarrow c\bar{s}$ in $t\bar{t}$ events using pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector, *Eur. Phys. J. C* 73 (2013) 2465, arXiv:1302.3694 [hep-ex].
- [15] CMS Collaboration, Search for a light charged Higgs boson decaying to $c\bar{s}$ in pp collisions at $\sqrt{s} = 8$ TeV, *J. High Energy Phys.* 12 (2015) 178, arXiv:1510.04252 [hep-ex].
- [16] ATLAS Collaboration, Search for charged Higgs bosons in the $H^\pm \rightarrow tb$ decay channel in pp collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector, *J. High Energy Phys.* 03 (2016) 127, arXiv:1512.03704 [hep-ex].
- [17] ATLAS Collaboration, Search for a charged Higgs boson produced in the vector-boson fusion mode with decay $H^+ \rightarrow WZ$ using pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS experiment, *Phys. Rev. Lett.* 114 (2015) 231801, arXiv:1503.04233 [hep-ex].
- [18] R.M. Barnett, H.E. Haber, D.E. Soper, Ultra-heavy particle production from heavy partons at hadron colliders, *Nucl. Phys. B* 306 (1988) 697.
- [19] A.C. Bawa, C.S. Kim, A.D. Martin, Charged Higgs production at hadron colliders, *Z. Phys. C* 47 (1990) 75.
- [20] V.D. Barger, R.J.N. Phillips, D.P. Roy, Heavy charged Higgs signals at the LHC, *Phys. Lett. B* 324 (1994) 236, arXiv:hep-ph/9311372.
- [21] R. Harlander, M. Krämer, M. Schumacher, Bottom-quark associated Higgs-boson production: reconciling the four- and five-flavour scheme approach, arXiv:1112.3478 [hep-ph], 2011.
- [22] J.R. Andersen, et al., Handbook of LHC Higgs cross sections: 3. Higgs properties, *CERN-2013-004*, arXiv:1307.1347 [hep-ph], 2013.
- [23] A. Djouadi, et al., The post-Higgs MSSM scenario: Habemus MSSM?, *Eur. Phys. J. C* 73 (2013) 2650, arXiv:1307.5205 [hep-ph].
- [24] E. Bagnaschi, et al., Benchmark scenarios for low $\tan\beta$ in the MSSM, *LHCXSWG-2015-002*, <http://cdsweb.cern.ch/record/2039911>.
- [25] ATLAS Collaboration, The ATLAS experiment at the CERN Large Hadron Collider, *J. Instrum.* 3 (2008) S08003.
- [26] ATLAS Collaboration, Early inner detector tracking performance in the 2015 data at $\sqrt{s} = 13$ TeV, *ATL-PHYS-PUB-2015-051*, <http://cdsweb.cern.ch/record/2110140>.
- [27] ATLAS Collaboration, 2015 start-up trigger menu and initial performance assessment of the ATLAS trigger using Run-2 data, *ATL-DAQ-PUB-2016-001*, <http://cdsweb.cern.ch/record/2136007>.
- [28] ATLAS Collaboration, Improved luminosity determination in pp collisions at $\sqrt{s} = 7$ TeV using the ATLAS detector at the LHC, *Eur. Phys. J. C* 73 (2013) 2518, arXiv:1302.4393 [hep-ex].
- [29] J. Alwall, et al., The automated computation of tree-level and next-to-leading order differential cross sections, and their matching to parton shower simulations, *J. High Energy Phys.* 07 (2014) 158, arXiv:1405.0301 [hep-ph].
- [30] R.D. Ball, et al., Parton distributions with LHC data, *Nucl. Phys. B* 867 (2013) 244–289, arXiv:1207.1303 [hep-ph].
- [31] T. Sjöstrand, S. Mrenna, P.Z. Skands, A brief introduction to PYTHIA 8.1, *Comput. Phys. Commun.* 178 (2008) 852–867, arXiv:0710.3820 [hep-ph].
- [32] ATLAS Collaboration, ATLAS Pythia 8 tunes to 7 TeV data, *ATL-PHYS-PUB-2014-021*, <http://cdsweb.cern.ch/record/1966419>.
- [33] S. Frixione, P. Nason, G. Ridolfi, A positive-weight next-to-leading-order Monte Carlo for heavy flavour hadroproduction, *J. High Energy Phys.* 09 (2007) 126, arXiv:0707.3088 [hep-ph].
- [34] S. Alioli, et al., A general framework for implementing NLO calculations in shower Monte Carlo programs: the POWHEG BOX, *J. High Energy Phys.* 06 (2010) 043, arXiv:1002.2581 [hep-ph].
- [35] H.-L. Lai, et al., New parton distributions for collider physics, *Phys. Rev. D* 82 (2010) 074024, arXiv:1007.2241 [hep-ph].
- [36] J. Gao, et al., The CT10 NNLO global analysis of QCD, *Phys. Rev. D* 89 (2014) 033009, arXiv:1302.6246 [hep-ph].
- [37] P. Artoisenet, et al., Automatic spin-entangled decays of heavy resonances in Monte Carlo simulations, *J. High Energy Phys.* 03 (2013) 015, arXiv:1212.3460 [hep-ph].
- [38] T. Sjostrand, et al., High-energy physics event generation with PYTHIA 6.1, *Comput. Phys. Commun.* 135 (2001) 238–259, arXiv:hep-ph/0010017.
- [39] P.M. Nadolsky, et al., Implications of CTEQ global analysis for collider observables, *Phys. Rev. D* 78 (2008) 013004, arXiv:0802.0007 [hep-ph].
- [40] P.Z. Skands, Tuning Monte Carlo generators: the Perugia tunes, *Phys. Rev. D* 82 (2010) 074018, arXiv:1005.3457 [hep-ph].
- [41] M. Cacciari, et al., Top-pair production at hadron colliders with next-to-next-to-leading logarithmic soft-gluon resummation, *Phys. Lett. B* 710 (2012) 612–622, arXiv:1111.5869 [hep-ph].
- [42] M. Beneke, et al., Hadronic top-quark pair production with NNLL threshold resummation, *Nucl. Phys. B* 855 (2012) 695–741, arXiv:1109.1536 [hep-ph].
- [43] P. Bärnreuther, M. Czakon, A. Mitov, Percent level precision physics at the Tevatron: first genuine NNLO QCD corrections to $q\bar{q} \rightarrow t\bar{t} + X$, *Phys. Rev. Lett.* 109 (2012) 132001, arXiv:1204.5201 [hep-ph].
- [44] M. Czakon, A. Mitov, NNLO corrections to top-pair production at hadron colliders: the all-fermionic scattering channels, *J. High Energy Phys.* 12 (2012) 054, arXiv:1207.0236 [hep-ph].
- [45] M. Czakon, A. Mitov, NNLO corrections to top pair production at hadron colliders: the quark-gluon reaction, *J. High Energy Phys.* 01 (2013) 080, arXiv:1210.6832 [hep-ph].
- [46] M. Czakon, P. Fiedler, A. Mitov, Total top-quark pair-production cross section at hadron colliders through $\mathcal{O}(\alpha_s^4)$, *Phys. Rev. Lett.* 110 (2013) 252004, arXiv:1303.6254 [hep-ph].
- [47] M. Czakon, A. Mitov, Top++: a program for the calculation of the top-pair cross-section at hadron colliders, *Comput. Phys. Commun.* 185 (2014) 2930, arXiv:1112.5675 [hep-ph].
- [48] N. Kidonakis, Next-to-next-to-leading-order collinear and soft gluon corrections for t-channel single top quark production, *Phys. Rev. D* 83 (2011) 091503, arXiv:1103.2792 [hep-ph].
- [49] N. Kidonakis, NNLL resummation for s-channel single top quark production, *Phys. Rev. D* 81 (2010) 054028, arXiv:1001.5034 [hep-ph].

- [50] N. Kidonakis, Two-loop soft anomalous dimensions for single top quark associated production with a W^- or H^- , Phys. Rev. D 82 (2010) 054018, arXiv: 1005.4451 [hep-ph].
- [51] C. Anastasiou, et al., High-precision QCD at hadron colliders: electroweak gauge boson rapidity distributions at NNLO, Phys. Rev. D 69 (2004) 094008, arXiv:hep-ph/0312266.
- [52] K. Melnikov, F. Petriello, Electroweak gauge boson production at hadron colliders through $\mathcal{O}(\alpha_S^2)$, Phys. Rev. D 74 (2006) 114017, arXiv:hep-ph/0609070.
- [53] R. Gavin, et al., FEWZ 2.0: a code for hadronic Z production at next-to-next-to-leading order, Comput. Phys. Commun. 181 (2011) 2388–2403, arXiv:1011.3540 [hep-ph].
- [54] ATLAS Collaboration, Measurement of the Z/γ^* boson transverse momentum distribution in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector, J. High Energy Phys. 09 (2014) 55, arXiv:1406.3660 [hep-ex].
- [55] N. Davidson, T. Przedzinski, Z. Was, PHOTOS interface in C++: technical and physics documentation, Comput. Phys. Commun. 199 (2016) 86, arXiv:1011.0937 [hep-ph].
- [56] D.J. Lange, The EvtGen particle decay simulation package, Nucl. Instrum. Methods A 462 (2001) 152.
- [57] A.D. Martin, et al., Parton distributions for the LHC, Eur. Phys. J. C 63 (2009) 189, arXiv:0901.0002 [hep-ph].
- [58] A.D. Martin, et al., Uncertainties on α_S in global PDF analyses and implications for predicted hadronic cross sections, Eur. Phys. J. C 64 (2009) 653, arXiv:0905.3531 [hep-ph].
- [59] A.D. Martin, et al., Heavy-quark mass dependence in global PDF analyses and 3- and 4-flavour parton distributions, Eur. Phys. J. C 70 (2010) 51, arXiv:1007.2624 [hep-ph].
- [60] ATLAS Collaboration, Summary of ATLAS Pythia 8 tunes, ATL-PHYS-PUB-2012-003, <http://cdsweb.cern.ch/record/1474107>.
- [61] ATLAS Collaboration, The ATLAS simulation infrastructure, Eur. Phys. J. C 70 (2010) 823–874, arXiv:1005.4568 [physics.ins-det].
- [62] S. Agostinelli, et al., GEANT4 – a simulation toolkit, Nucl. Instrum. Methods A 506 (2003) 250.
- [63] M. Cacciari, G.P. Salam, G. Soyez, The anti- k_T jet clustering algorithm, J. High Energy Phys. 04 (2008) 063, arXiv:0802.1189 [hep-ph].
- [64] M. Cacciari, G.P. Salam, Dispelling the N^3 myth for the k_T jet-finder, Phys. Lett. B 641 (2006) 57, arXiv:hep-ph/0512210.
- [65] ATLAS Collaboration, Tagging and suppression of pileup jets with the ATLAS detector, ATLAS-CONF-2014-018, <http://cdsweb.cern.ch/record/1700870>.
- [66] ATLAS Collaboration, Expected performance of the ATLAS b-tagging algorithms in Run-2, ATL-PHYS-PUB-2015-022, <http://cdsweb.cern.ch/record/2037697>.
- [67] ATLAS Collaboration, Performance of b-jet identification in the ATLAS experiment, J. Instrum. 11 (2016) P04008, arXiv:1512.01094 [hep-ex].
- [68] ATLAS Collaboration, Commissioning of the ATLAS b-tagging algorithms using $t\bar{t}$ events in early Run-2 data, ATL-PHYS-PUB-2015-039, <http://cdsweb.cern.ch/record/2047871>.
- [69] ATLAS Collaboration, Reconstruction, energy calibration, and identification of hadronically decaying tau leptons in the ATLAS experiment for Run-2 of the LHC, ATL-PHYS-PUB-2015-045, <http://cdsweb.cern.ch/record/2064383>.
- [70] ATLAS Collaboration, Reconstruction of hadronic decay products of tau leptons with the ATLAS experiment, Eur. Phys. J. C 76 (2016) 26, <http://dx.doi.org/10.1140/epjc/s10052-016-4110-0>, arXiv:1512.05955 [hep-ex].
- [71] A. Höcker, et al., TMVA – Toolkit for Multivariate Data Analysis, PoS ACAT (2007) 040, arXiv:physics/0703039, http://pos.sissa.it/archive/conferences/050/040/ACAT_040.pdf.
- [72] ATLAS Collaboration, Electron efficiency measurements with the ATLAS detector using the 2012 LHC proton–proton collision data, ATLAS-CONF-2014-032, <http://cdsweb.cern.ch/record/1706245>.
- [73] ATLAS Collaboration, Muon reconstruction performance of the ATLAS detector in proton–proton collision data at $\sqrt{s} = 13$ TeV, Eur. Phys. J. C 76 (2016) 292, <http://dx.doi.org/10.1140/epjc/s10052-016-4120-y>, arXiv:1603.05598 [hep-ex].
- [74] ATLAS Collaboration, Performance of missing transverse momentum reconstruction for the ATLAS detector in the first proton–proton collisions at $\sqrt{s} = 13$ TeV, ATL-PHYS-PUB-2015-027, <http://cdsweb.cern.ch/record/2037904>.
- [75] C. Degrande, et al., Heavy charged Higgs boson production at the LHC, J. High Energy Phys. 10 (2015) 145, arXiv:1507.02549 [hep-ph].
- [76] M. Flechl, et al., Improved cross-section predictions for heavy charged Higgs boson production at the LHC, Phys. Rev. D 91 (2015) 075015, arXiv:1409.5615 [hep-ph].
- [77] S. Dittmaier, et al., Charged-Higgs-boson production at the LHC: NLO supersymmetric QCD corrections, Phys. Rev. D 83 (2011) 055005, arXiv:0906.2648 [hep-ph].
- [78] E.L. Berger, et al., Associated production of a top quark and a charged Higgs boson, Phys. Rev. D 71 (2005) 115012, arXiv:hep-ph/0312286.
- [79] A. Djouadi, J. Kalinowski, M. Spira, HDECAY: a program for Higgs boson decays in the standard model and its supersymmetric extension, Comput. Phys. Commun. 108 (1998) 56–74, arXiv:hep-ph/9704448.
- [80] M. Aliev, et al., HATHOR: Hadronic top and heavy quarks crOss section calculator, Comput. Phys. Commun. 182 (2011) 1034, arXiv:1007.1327 [hep-ph].
- [81] P. Kant, et al., HatFor for single top-quark production: updated predictions and uncertainty estimates for single top-quark production in hadronic collisions, Comput. Phys. Commun. 191 (2015) 74–89, arXiv:1406.4403 [hep-ph].
- [82] M. Bähr, et al., Herwig++ physics and manual, Eur. Phys. J. C 58 (2008) 639–707, arXiv:0803.0883 [hep-ph].
- [83] M.H. Seymour, A. Siódmiok, Constraining MPI models using σ_{eff} and recent Tevatron and LHC underlying event data, J. High Energy Phys. 10 (2013) 113, arXiv:1307.5015 [hep-ph].
- [84] A. Buckley, et al., LHAPDF6: parton density access in the LHC precision era, Eur. Phys. J. C 75 (2015) 132, arXiv:1412.7420 [hep-ph].
- [85] ATLAS Collaboration, Combined search for the Standard Model Higgs boson in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector, Phys. Rev. D 86 (2012) 032003, arXiv:1207.0319 [hep-ex].
- [86] G. Cowan, Asymptotic formulae for likelihood-based tests of new physics, Eur. Phys. J. C 71 (2011) 1554, arXiv:1007.1727 [physics.data-an]; Eur. Phys. J. C 73 (2013) 2501 (Erratum).
- [87] A.L. Read, Presentation of search results: the CL_s technique, J. Phys. G 28 (2002) 2693–2704.

The ATLAS Collaboration

- M. Aaboud ^{135d}, G. Aad ⁸⁶, B. Abbott ¹¹³, J. Abdallah ⁶⁴, O. Abdinov ¹¹, B. Abeloos ¹¹⁷, R. Aben ¹⁰⁷, O.S. AbouZeid ¹³⁷, N.L. Abraham ¹⁴⁹, H. Abramowicz ¹⁵³, B.S. Acharya ^{163a,163b,a}, L. Adamczyk ^{39a}, D.L. Adams ²⁶, A.A. Affolder ⁷⁵, T. Agatonovic-Jovin ¹³, J. Agricola ⁵⁵, F. Ahmadov ^{66,b}, G. Aielli ^{133a,133b}, H. Akerstedt ^{146a,146b}, G.L. Alberghi ^{21a,21b}, J. Albert ¹⁶⁸, S. Albrand ⁵⁶, M.J. Alconada Verzini ⁷², M. Aleksić ³¹, I.N. Aleksandrov ⁶⁶, C. Alexa ^{27b}, G. Alexander ¹⁵³, T. Alexopoulos ¹⁰, M. Alhroob ¹¹³, J. Alison ³², S.P. Alkire ³⁶, B.M.M. Allbrooke ¹⁴⁹, B.W. Allen ¹¹⁶, P.P. Allport ¹⁸, A. Aloisio ^{104a,104b}, A. Alonso ³⁷, F. Alonso ⁷², C. Alpigiani ¹³⁸, M. Alstathy ⁸⁶, B. Alvarez Gonzalez ³¹, D. Álvarez Piqueras ¹⁶⁶, M.G. Alviggi ^{104a,104b}, B.T. Amadio ¹⁵, K. Amako ⁶⁷, Y. Amaral Coutinho ^{25a}, C. Amelung ²⁴, D. Amidei ⁹⁰, S.P. Amor Dos Santos ^{126a,126c}, A. Amorim ^{126a,126b}, S. Amoroso ³¹, G. Amundsen ²⁴, C. Anastopoulos ¹³⁹, L.S. Ancu ⁵⁰, N. Andari ¹⁰⁸, T. Andeen ³², C.F. Anders ^{59b}, G. Anders ³¹, J.K. Anders ⁷⁵, K.J. Anderson ³², A. Andreazza ^{92a,92b}, V. Andrei ^{59a}, S. Angelidakis ⁹, I. Angelozzi ¹⁰⁷, P. Anger ⁴⁵, A. Angerami ³⁶, F. Anghinolfi ³¹, A.V. Anisenkov ^{109,c}, N. Anjos ¹², A. Annovi ^{124a,124b}, M. Antonelli ⁴⁸, A. Antonov ⁹⁸, F. Anulli ^{132a}, M. Aoki ⁶⁷, L. Aperio Bella ¹⁸, G. Arabidze ⁹¹, Y. Arai ⁶⁷, J.P. Araque ^{126a}, A.T.H. Arce ⁴⁶, F.A. Arduh ⁷², J.-F. Arguin ⁹⁵, S. Argyropoulos ⁶⁴, M. Arik ^{19a}, A.J. Armbruster ¹⁴³, L.J. Armitage ⁷⁷, O. Arnaez ³¹, H. Arnold ⁴⁹, M. Arratia ²⁹, O. Arslan ²², A. Artamonov ⁹⁷, G. Artoni ¹²⁰, S. Artz ⁸⁴, S. Asai ¹⁵⁵, N. Asbah ⁴³, A. Ashkenazi ¹⁵³, B. Åsman ^{146a,146b}, L. Asquith ¹⁴⁹, K. Assamagan ²⁶, R. Astalos ^{144a},

- M. Atkinson 165, N.B. Atlay 141, K. Augsten 128, G. Avolio 31, B. Axen 15, M.K. Ayoub 117, G. Azuelos 95,d,
 M.A. Baak 31, A.E. Baas 59a, M.J. Baca 18, H. Bachacou 136, K. Bachas 74a,74b, M. Backes 31, M. Backhaus 31,
 P. Bagiacchi 132a,132b, P. Bagnaia 132a,132b, Y. Bai 34a, J.T. Baines 131, O.K. Baker 175, E.M. Baldin 109,c,
 P. Balek 129, T. Balestri 148, F. Balli 136, W.K. Balunas 122, E. Banas 40, Sw. Banerjee 172,e, A.A.E. Bannoura 174,
 L. Barak 31, E.L. Barberio 89, D. Barberis 51a,51b, M. Barbero 86, T. Barillari 101, M. Barisonzi 163a,163b,
 T. Barklow 143, N. Barlow 29, S.L. Barnes 85, B.M. Barnett 131, R.M. Barnett 15, Z. Barnovska 5,
 A. Baroncelli 134a, G. Barone 24, A.J. Barr 120, L. Barranco Navarro 166, F. Barreiro 83,
 J. Barreiro Guimaraes da Costa 34a, R. Bartoldus 143, A.E. Barton 73, P. Bartos 144a, A. Basalaev 123,
 A. Bassalat 117, R.L. Bates 54, S.J. Batista 158, J.R. Batley 29, M. Battaglia 137, M. Bauce 132a,132b, F. Bauer 136,
 H.S. Bawa 143,f, J.B. Beacham 111, M.D. Beattie 73, T. Beau 81, P.H. Beauchemin 161, P. Bechtle 22,
 H.P. Beck 17,g, K. Becker 120, M. Becker 84, M. Beckingham 169, C. Becot 110, A.J. Beddall 19e, A. Beddall 19b,
 V.A. Bednyakov 66, M. Bedognetti 107, C.P. Bee 148, L.J. Beemster 107, T.A. Beermann 31, M. Begel 26,
 J.K. Behr 43, C. Belanger-Champagne 88, A.S. Bell 79, G. Bella 153, L. Bellagamba 21a, A. Bellerive 30,
 M. Bellomo 87, K. Belotskiy 98, O. Beltramello 31, N.L. Belyaev 98, O. Benary 153, D. Benchekroun 135a,
 M. Bender 100, K. Bendtz 146a,146b, N. Benekos 10, Y. Benhammou 153, E. Benhar Noccioli 175, J. Benitez 64,
 D.P. Benjamin 46, J.R. Bensinger 24, S. Bentvelsen 107, L. Beresford 120, M. Beretta 48, D. Berge 107,
 E. Bergeaas Kuutmann 164, N. Berger 5, J. Beringer 15, S. Berlendis 56, N.R. Bernard 87, C. Bernius 110,
 F.U. Bernlochner 22, T. Berry 78, P. Berta 129, C. Bertella 84, G. Bertoli 146a,146b, F. Bertolucci 124a,124b,
 I.A. Bertram 73, C. Bertsche 43, D. Bertsche 113, G.J. Besjes 37, O. Bessidskaia Bylund 146a,146b, M. Bessner 43,
 N. Besson 136, C. Betancourt 49, S. Bethke 101, A.J. Bevan 77, W. Bhimji 15, R.M. Bianchi 125, L. Bianchini 24,
 M. Bianco 31, O. Biebel 100, D. Biedermann 16, R. Bielski 85, N.V. Biesuz 124a,124b, M. Biglietti 134a,
 J. Bilbao De Mendizabal 50, H. Bilokon 48, M. Bindi 55, S. Binet 117, A. Bingul 19b, C. Bini 132a,132b,
 S. Biondi 21a,21b, D.M. Bjergaard 46, C.W. Black 150, J.E. Black 143, K.M. Black 23, D. Blackburn 138,
 R.E. Blair 6, J.-B. Blanchard 136, J.E. Blanco 78, T. Blazek 144a, I. Bloch 43, C. Blocker 24, W. Blum 84,*
 U. Blumenschein 55, S. Blunier 33a, G.J. Bobbink 107, V.S. Bobrovnikov 109,c, S.S. Bocchetta 82, A. Bocci 46,
 C. Bock 100, M. Boehler 49, D. Boerner 174, J.A. Bogaerts 31, D. Bogavac 13, A.G. Bogdanchikov 109,
 C. Bohm 146a, V. Boisvert 78, P. Bokan 13, T. Bold 39a, A.S. Boldyrev 163a,163c, M. Bomben 81, M. Bona 77,
 M. Boonekamp 136, A. Borisov 130, G. Borissov 73, J. Bortfeldt 100, D. Bortoletto 120, V. Bortolotto 61a,61b,61c,
 K. Bos 107, D. Boscherini 21a, M. Bosman 12, J.D. Bossio Sola 28, J. Boudreau 125, J. Bouffard 2,
 E.V. Bouhova-Thacker 73, D. Boumediene 35, C. Bourdarios 117, S.K. Boutle 54, A. Boveia 31, J. Boyd 31,
 I.R. Boyko 66, J. Bracinik 18, A. Brandt 8, G. Brandt 55, O. Brandt 59a, U. Bratzler 156, B. Brau 87, J.E. Brau 116,
 H.M. Braun 174,* , W.D. Breaden Madden 54, K. Brendlinger 122, A.J. Brennan 89, L. Brenner 107,
 R. Brenner 164, S. Bressler 171, T.M. Bristow 47, D. Britton 54, D. Britzger 43, F.M. Brochu 29, I. Brock 22,
 R. Brock 91, G. Brooijmans 36, T. Brooks 78, W.K. Brooks 33b, J. Brosamer 15, E. Brost 116, J.H. Broughton 18,
 P.A. Bruckman de Renstrom 40, D. Bruncko 144b, R. Bruneliere 49, A. Bruni 21a, G. Bruni 21a, B.H. Brunt 29,
 M. Bruschi 21a, N. Bruscino 22, P. Bryant 32, L. Bryngemark 82, T. Buanes 14, Q. Buat 142, P. Buchholz 141,
 A.G. Buckley 54, I.A. Budagov 66, F. Buehrer 49, M.K. Bugge 119, O. Bulekov 98, D. Bullock 8, H. Burckhart 31,
 S. Burdin 75, C.D. Burgard 49, B. Burghgrave 108, K. Burka 40, S. Burke 131, I. Burmeister 44, E. Busato 35,
 D. Büscher 49, V. Büscher 84, P. Bussey 54, J.M. Butler 23, C.M. Buttar 54, J.M. Butterworth 79, P. Butti 107,
 W. Buttlinger 26, A. Buzatu 54, A.R. Buzykaev 109,c, S. Cabrera Urbán 166, D. Caforio 128, V.M. Cairo 38a,38b,
 O. Cakir 4a, N. Calace 50, P. Calafiura 15, A. Calandri 86, G. Calderini 81, P. Calfayan 100, L.P. Caloba 25a,
 D. Calvet 35, S. Calvet 35, T.P. Calvet 86, R. Camacho Toro 32, S. Camarda 31, P. Camarri 133a,133b,
 D. Cameron 119, R. Caminal Armadans 165, C. Camincher 56, S. Campana 31, M. Campanelli 79,
 A. Camplani 92a,92b, A. Campoverde 148, V. Canale 104a,104b, A. Canepa 159a, M. Cano Bret 34e, J. Cantero 114,
 R. Cantrill 126a, T. Cao 41, M.D.M. Capeans Garrido 31, I. Caprini 27b, M. Caprini 27b, M. Capua 38a,38b,
 R. Caputo 84, R.M. Carbone 36, R. Cardarelli 133a, F. Cardillo 49, T. Carli 31, G. Carlino 104a,
 L. Carminati 92a,92b, S. Caron 106, E. Carquin 33b, G.D. Carrillo-Montoya 31, J.R. Carter 29, J. Carvalho 126a,126c,
 D. Casadei 18, M.P. Casado 12,h, M. Casolino 12, D.W. Casper 162, E. Castaneda-Miranda 145a, R. Castelijn 107,
 A. Castelli 107, V. Castillo Gimenez 166, N.F. Castro 126a,i, A. Catinaccio 31, J.R. Catmore 119, A. Cattai 31,
 J. Caudron 84, V. Cavaliere 165, E. Cavallaro 12, D. Cavalli 92a, M. Cavalli-Sforza 12, V. Cavasinni 124a,124b,
 F. Ceradini 134a,134b, L. Cerdá Alberich 166, B.C. Cerio 46, A.S. Cerqueira 25b, A. Cerri 149, L. Cerrito 77,
 F. Cerutti 15, M. Cerv 31, A. Cervelli 17, S.A. Cetin 19d, A. Chafaq 135a, D. Chakraborty 108, I. Chalupkova 129,

- S.K. Chan ⁵⁸, Y.L. Chan ^{61a}, P. Chang ¹⁶⁵, J.D. Chapman ²⁹, D.G. Charlton ¹⁸, A. Chatterjee ⁵⁰, C.C. Chau ¹⁵⁸, C.A. Chavez Barajas ¹⁴⁹, S. Che ¹¹¹, S. Cheatham ⁷³, A. Chegwidden ⁹¹, S. Chekanov ⁶, S.V. Chekulaev ^{159a}, G.A. Chelkov ^{66,j}, M.A. Chelstowska ⁹⁰, C. Chen ⁶⁵, H. Chen ²⁶, K. Chen ¹⁴⁸, S. Chen ^{34c}, S. Chen ¹⁵⁵, X. Chen ^{34f}, Y. Chen ⁶⁸, H.C. Cheng ⁹⁰, H.J. Cheng ^{34a}, Y. Cheng ³², A. Cheplakov ⁶⁶, E. Cheremushkina ¹³⁰, R. Cherkaoui El Moursli ^{135e}, V. Chernyatin ^{26,*}, E. Cheu ⁷, L. Chevalier ¹³⁶, V. Chiarella ⁴⁸, G. Chiarelli ^{124a,124b}, G. Chiodini ^{74a}, A.S. Chisholm ¹⁸, A. Chitan ^{27b}, M.V. Chizhov ⁶⁶, K. Choi ⁶², A.R. Chomont ³⁵, S. Chouridou ⁹, B.K.B. Chow ¹⁰⁰, V. Christodoulou ⁷⁹, D. Chromek-Burckhart ³¹, J. Chudoba ¹²⁷, A.J. Chuinard ⁸⁸, J.J. Chwastowski ⁴⁰, L. Chytka ¹¹⁵, G. Ciapetti ^{132a,132b}, A.K. Ciftci ^{4a}, D. Cinca ⁵⁴, V. Cindro ⁷⁶, I.A. Cioara ²², A. Ciocio ¹⁵, F. Cirotto ^{104a,104b}, Z.H. Citron ¹⁷¹, M. Citterio ^{92a}, M. Ciubancan ^{27b}, A. Clark ⁵⁰, B.L. Clark ⁵⁸, M.R. Clark ³⁶, P.J. Clark ⁴⁷, R.N. Clarke ¹⁵, C. Clement ^{146a,146b}, Y. Coadou ⁸⁶, M. Cobal ^{163a,163c}, A. Coccaro ⁵⁰, J. Cochran ⁶⁵, L. Coffey ²⁴, L. Colasurdo ¹⁰⁶, B. Cole ³⁶, A.P. Colijn ¹⁰⁷, J. Collot ⁵⁶, T. Colombo ³¹, G. Compostella ¹⁰¹, P. Conde Muiño ^{126a,126b}, E. Coniavitis ⁴⁹, S.H. Connell ^{145b}, I.A. Connolly ⁷⁸, V. Consorti ⁴⁹, S. Constantinescu ^{27b}, G. Conti ³¹, F. Conventi ^{104a,k}, M. Cooke ¹⁵, B.D. Cooper ⁷⁹, A.M. Cooper-Sarkar ¹²⁰, K.J.R. Cormier ¹⁵⁸, T. Cornelissen ¹⁷⁴, M. Corradi ^{132a,132b}, F. Corriveau ^{88,l}, A. Corso-Radu ¹⁶², A. Cortes-Gonzalez ¹², G. Cortiana ¹⁰¹, G. Costa ^{92a}, M.J. Costa ¹⁶⁶, D. Costanzo ¹³⁹, G. Cottin ²⁹, G. Cowan ⁷⁸, B.E. Cox ⁸⁵, K. Cranmer ¹¹⁰, S.J. Crawley ⁵⁴, G. Cree ³⁰, S. Crépé-Renaudin ⁵⁶, F. Crescioli ⁸¹, W.A. Cribbs ^{146a,146b}, M. Crispin Ortuzar ¹²⁰, M. Cristinziani ²², V. Croft ¹⁰⁶, G. Crosetti ^{38a,38b}, T. Cuhadar Donszelmann ¹³⁹, J. Cummings ¹⁷⁵, M. Curatolo ⁴⁸, J. Cúth ⁸⁴, C. Cuthbert ¹⁵⁰, H. Czirr ¹⁴¹, P. Czodrowski ³, G. D'amen ^{21a,21b}, S. D'Auria ⁵⁴, M. D'Onofrio ⁷⁵, M.J. Da Cunha Sargedas De Sousa ^{126a,126b}, C. Da Via ⁸⁵, W. Dabrowski ^{39a}, T. Dado ^{144a}, T. Dai ⁹⁰, O. Dale ¹⁴, F. Dallaire ⁹⁵, C. Dallapiccola ⁸⁷, M. Dam ³⁷, J.R. Dandoy ³², N.P. Dang ⁴⁹, A.C. Daniells ¹⁸, N.S. Dann ⁸⁵, M. Danninger ¹⁶⁷, M. Dano Hoffmann ¹³⁶, V. Dao ⁴⁹, G. Darbo ^{51a}, S. Darmora ⁸, J. Dassoulas ³, A. Dattagupta ⁶², W. Davey ²², C. David ¹⁶⁸, T. Davidek ¹²⁹, M. Davies ¹⁵³, P. Davison ⁷⁹, E. Dawe ⁸⁹, I. Dawson ¹³⁹, R.K. Daya-Ishmukhametova ⁸⁷, K. De ⁸, R. de Asmundis ^{104a}, A. De Benedetti ¹¹³, S. De Castro ^{21a,21b}, S. De Cecco ⁸¹, N. De Groot ¹⁰⁶, P. de Jong ¹⁰⁷, H. De la Torre ⁸³, F. De Lorenzi ⁶⁵, A. De Maria ⁵⁵, D. De Pedis ^{132a}, A. De Salvo ^{132a}, U. De Sanctis ¹⁴⁹, A. De Santo ¹⁴⁹, J.B. De Vivie De Regie ¹¹⁷, W.J. Dearnaley ⁷³, R. Debbe ²⁶, C. Debenedetti ¹³⁷, D.V. Dedovich ⁶⁶, N. Dehghanian ³, I. Deigaard ¹⁰⁷, M. Del Gaudio ^{38a,38b}, J. Del Peso ⁸³, T. Del Prete ^{124a,124b}, D. Delgove ¹¹⁷, F. Deliot ¹³⁶, C.M. Delitzsch ⁵⁰, M. Deliyergiyev ⁷⁶, A. Dell'Acqua ³¹, L. Dell'Asta ²³, M. Dell'Orso ^{124a,124b}, M. Della Pietra ^{104a,k}, D. della Volpe ⁵⁰, M. Delmastro ⁵, P.A. Delsart ⁵⁶, C. Deluca ¹⁰⁷, D.A. DeMarco ¹⁵⁸, S. Demers ¹⁷⁵, M. Demichev ⁶⁶, A. Demilly ⁸¹, S.P. Denisov ¹³⁰, D. Denysiuk ¹³⁶, D. Derendarz ⁴⁰, J.E. Derkaoui ^{135d}, F. Derue ⁸¹, P. Dervan ⁷⁵, K. Desch ²², C. Deterre ⁴³, K. Dette ⁴⁴, P.O. Deviveiros ³¹, A. Dewhurst ¹³¹, S. Dhaliwal ²⁴, A. Di Ciacio ^{133a,133b}, L. Di Ciacio ⁵, W.K. Di Clemente ¹²², C. Di Donato ^{132a,132b}, A. Di Girolamo ³¹, B. Di Girolamo ³¹, B. Di Micco ^{134a,134b}, R. Di Nardo ⁴⁸, A. Di Simone ⁴⁹, R. Di Sipio ¹⁵⁸, D. Di Valentino ³⁰, C. Diaconu ⁸⁶, M. Diamond ¹⁵⁸, F.A. Dias ⁴⁷, M.A. Diaz ^{33a}, E.B. Diehl ⁹⁰, J. Dietrich ¹⁶, S. Diglio ⁸⁶, A. Dimitrijevska ¹³, J. Dingfelder ²², P. Dita ^{27b}, S. Dita ^{27b}, F. Dittus ³¹, F. Djama ⁸⁶, T. Djobava ^{52b}, J.I. Djuvsland ^{59a}, M.A.B. do Vale ^{25c}, D. Dobos ³¹, M. Dobre ^{27b}, C. Doglioni ⁸², T. Dohmae ¹⁵⁵, J. Dolejsi ¹²⁹, Z. Dolezal ¹²⁹, B.A. Dolgoshein ^{98,*}, M. Donadelli ^{25d}, S. Donati ^{124a,124b}, P. Dondero ^{121a,121b}, J. Donini ³⁵, J. Dopke ¹³¹, A. Doria ^{104a}, M.T. Dova ⁷², A.T. Doyle ⁵⁴, E. Drechsler ⁵⁵, M. Dris ¹⁰, Y. Du ^{34d}, J. Duarte-Campderros ¹⁵³, E. Duchovni ¹⁷¹, G. Duckeck ¹⁰⁰, O.A. Ducu ^{95,m}, D. Duda ¹⁰⁷, A. Dudarev ³¹, E.M. Duffield ¹⁵, L. Duflot ¹¹⁷, L. Duguid ⁷⁸, M. Dührssen ³¹, M. Dumancic ¹⁷¹, M. Dunford ^{59a}, H. Duran Yildiz ^{4a}, M. Düren ⁵³, A. Durglishvili ^{52b}, D. Duschinger ⁴⁵, B. Dutta ⁴³, M. Dyndal ^{39a}, C. Eckardt ⁴³, K.M. Ecker ¹⁰¹, R.C. Edgar ⁹⁰, N.C. Edwards ⁴⁷, T. Eifert ³¹, G. Eigen ¹⁴, K. Einsweiler ¹⁵, T. Ekelof ¹⁶⁴, M. El Kacimi ^{135c}, V. Ellajosyula ⁸⁶, M. Ellert ¹⁶⁴, S. Elles ⁵, F. Ellinghaus ¹⁷⁴, A.A. Elliot ¹⁶⁸, N. Ellis ³¹, J. Elmsheuser ²⁶, M. Elsing ³¹, D. Emeliyanov ¹³¹, Y. Enari ¹⁵⁵, O.C. Endner ⁸⁴, M. Endo ¹¹⁸, J.S. Ennis ¹⁶⁹, J. Erdmann ⁴⁴, A. Ereditato ¹⁷, G. Ernis ¹⁷⁴, J. Ernst ², M. Ernst ²⁶, S. Errede ¹⁶⁵, E. Ertel ⁸⁴, M. Escalier ¹¹⁷, H. Esch ⁴⁴, C. Escobar ¹²⁵, B. Esposito ⁴⁸, A.I. Etienne ¹³⁶, E. Etzion ¹⁵³, H. Evans ⁶², A. Ezhilov ¹²³, F. Fabbri ^{21a,21b}, L. Fabbri ^{21a,21b}, G. Facini ³², R.M. Fakhrutdinov ¹³⁰, S. Falciano ^{132a}, R.J. Falla ⁷⁹, J. Faltova ¹²⁹, Y. Fang ^{34a}, M. Fanti ^{92a,92b}, A. Farbin ⁸, A. Farilla ^{134a}, C. Farina ¹²⁵, T. Farooque ¹², S. Farrell ¹⁵, S.M. Farrington ¹⁶⁹, P. Farthouat ³¹, F. Fassi ^{135e}, P. Fassnacht ³¹, D. Fassouliotis ⁹, M. Fauci Giannelli ⁷⁸, A. Favareto ^{51a,51b}, W.J. Fawcett ¹²⁰, L. Fayard ¹¹⁷, O.L. Fedin ^{123,n}, W. Fedorko ¹⁶⁷, S. Feigl ¹¹⁹, L. Feligioni ⁸⁶, C. Feng ^{34d}, E.J. Feng ³¹, H. Feng ⁹⁰,

- A.B. Fenyuk ¹³⁰, L. Feremenga ⁸, P. Fernandez Martinez ¹⁶⁶, S. Fernandez Perez ¹², J. Ferrando ⁵⁴,
 A. Ferrari ¹⁶⁴, P. Ferrari ¹⁰⁷, R. Ferrari ^{121a}, D.E. Ferreira de Lima ^{59b}, A. Ferrer ¹⁶⁶, D. Ferrere ⁵⁰,
 C. Ferretti ⁹⁰, A. Ferretto Parodi ^{51a,51b}, F. Fiedler ⁸⁴, A. Filipčič ⁷⁶, M. Filipuzzi ⁴³, F. Filthaut ¹⁰⁶,
 M. Fincke-Keeler ¹⁶⁸, K.D. Finelli ¹⁵⁰, M.C.N. Fiolhais ^{126a,126c}, L. Fiorini ¹⁶⁶, A. Firan ⁴¹, A. Fischer ²,
 C. Fischer ¹², J. Fischer ¹⁷⁴, W.C. Fisher ⁹¹, N. Flaschel ⁴³, I. Fleck ¹⁴¹, P. Fleischmann ⁹⁰, G.T. Fletcher ¹³⁹,
 R.R.M. Fletcher ¹²², T. Flick ¹⁷⁴, A. Floderus ⁸², L.R. Flores Castillo ^{61a}, M.J. Flowerdew ¹⁰¹, G.T. Forcolin ⁸⁵,
 A. Formica ¹³⁶, A. Forti ⁸⁵, A.G. Foster ¹⁸, D. Fournier ¹¹⁷, H. Fox ⁷³, S. Fracchia ¹², P. Francavilla ⁸¹,
 M. Franchini ^{21a,21b}, D. Francis ³¹, L. Franconi ¹¹⁹, M. Franklin ⁵⁸, M. Frate ¹⁶², M. Fraternali ^{121a,121b},
 D. Freeborn ⁷⁹, S.M. Fressard-Batraneanu ³¹, F. Friedrich ⁴⁵, D. Froidevaux ³¹, J.A. Frost ¹²⁰, C. Fukunaga ¹⁵⁶,
 E. Fullana Torregrosa ⁸⁴, T. Fusayasu ¹⁰², J. Fuster ¹⁶⁶, C. Gabaldon ⁵⁶, O. Gabizon ¹⁷⁴, A. Gabrielli ^{21a,21b},
 A. Gabrielli ¹⁵, G.P. Gach ^{39a}, S. Gadatsch ³¹, S. Gadomski ⁵⁰, G. Gagliardi ^{51a,51b}, L.G. Gagnon ⁹⁵,
 P. Gagnon ⁶², C. Galea ¹⁰⁶, B. Galhardo ^{126a,126c}, E.J. Gallas ¹²⁰, B.J. Gallop ¹³¹, P. Gallus ¹²⁸, G. Galster ³⁷,
 K.K. Gan ¹¹¹, J. Gao ^{34b,86}, Y. Gao ⁴⁷, Y.S. Gao ^{143,f}, F.M. Garay Walls ⁴⁷, C. García ¹⁶⁶, J.E. García Navarro ¹⁶⁶,
 M. Garcia-Sciveres ¹⁵, R.W. Gardner ³², N. Garelli ¹⁴³, V. Garonne ¹¹⁹, A. Gascon Bravo ⁴³, C. Gatti ⁴⁸,
 A. Gaudiello ^{51a,51b}, G. Gaudio ^{121a}, B. Gaur ¹⁴¹, L. Gauthier ⁹⁵, I.L. Gavrilenko ⁹⁶, C. Gay ¹⁶⁷, G. Gaycken ²²,
 E.N. Gazis ¹⁰, Z. Gecse ¹⁶⁷, C.N.P. Gee ¹³¹, Ch. Geich-Gimbel ²², M. Geisen ⁸⁴, M.P. Geisler ^{59a},
 C. Gemme ^{51a}, M.H. Genest ⁵⁶, C. Geng ^{34b,o}, S. Gentile ^{132a,132b}, S. George ⁷⁸, D. Gerbaudo ¹²,
 A. Gershon ¹⁵³, S. Ghasemi ¹⁴¹, H. Ghazlane ^{135b}, M. Ghneimat ²², B. Giacobbe ^{21a}, S. Giagu ^{132a,132b},
 P. Giannetti ^{124a,124b}, B. Gibbard ²⁶, S.M. Gibson ⁷⁸, M. Gignac ¹⁶⁷, M. Gilchriese ¹⁵, T.P.S. Gillam ²⁹,
 D. Gillberg ³⁰, G. Gilles ¹⁷⁴, D.M. Gingrich ^{3,d}, N. Giokaris ⁹, M.P. Giordani ^{163a,163c}, F.M. Giorgi ^{21a},
 F.M. Giorgi ¹⁶, P.F. Giraud ¹³⁶, P. Giromini ⁵⁸, D. Giugni ^{92a}, F. Juli ¹²⁰, C. Giuliani ¹⁰¹, M. Giuliani ^{59b},
 B.K. Gjelsten ¹¹⁹, S. Gkaitatzis ¹⁵⁴, I. Gkialas ¹⁵⁴, E.L. Gkougkousis ¹¹⁷, L.K. Gladilin ⁹⁹, C. Glasman ⁸³,
 J. Glatzer ³¹, P.C.F. Glaysher ⁴⁷, A. Glazov ⁴³, M. Goblirsch-Kolb ¹⁰¹, J. Godlewski ⁴⁰, S. Goldfarb ⁹⁰,
 T. Golling ⁵⁰, D. Golubkov ¹³⁰, A. Gomes ^{126a,126b,126d}, R. Gonçalo ^{126a},
 J. Goncalves Pinto Firmino Da Costa ¹³⁶, L. Gonella ¹⁸, A. Gongadze ⁶⁶, S. González de la Hoz ¹⁶⁶,
 G. Gonzalez Parra ¹², S. Gonzalez-Sevilla ⁵⁰, L. Goossens ³¹, P.A. Gorbounov ⁹⁷, H.A. Gordon ²⁶,
 I. Gorelov ¹⁰⁵, B. Gorini ³¹, E. Gorini ^{74a,74b}, A. Gorišek ⁷⁶, E. Gornicki ⁴⁰, A.T. Goshaw ⁴⁶, C. Gössling ⁴⁴,
 M.I. Gostkin ⁶⁶, C.R. Goudet ¹¹⁷, D. Goujdami ^{135c}, A.G. Goussiou ¹³⁸, N. Govender ^{145b}, E. Gozani ¹⁵²,
 L. Graber ⁵⁵, I. Grabowska-Bold ^{39a}, P.O.J. Gradin ⁵⁶, P. Grafström ^{21a,21b}, J. Gramling ⁵⁰, E. Gramstad ¹¹⁹,
 S. Grancagnolo ¹⁶, V. Gratchev ¹²³, P.M. Gravila ^{27e}, H.M. Gray ³¹, E. Graziani ^{134a}, Z.D. Greenwood ^{80,p},
 C. Grefe ²², K. Gregersen ⁷⁹, I.M. Gregor ⁴³, P. Grenier ¹⁴³, K. Grevtsov ⁵, J. Griffiths ⁸, A.A. Grillo ¹³⁷,
 K. Grimm ⁷³, S. Grinstein ^{12,q}, Ph. Gris ³⁵, J.-F. Grivaz ¹¹⁷, S. Groh ⁸⁴, J.P. Grohs ⁴⁵, E. Gross ¹⁷¹,
 J. Grosse-Knetter ⁵⁵, G.C. Grossi ⁸⁰, Z.J. Grout ¹⁴⁹, L. Guan ⁹⁰, W. Guan ¹⁷², J. Guenther ¹²⁸, F. Guescini ⁵⁰,
 D. Guest ¹⁶², O. Gueta ¹⁵³, E. Guido ^{51a,51b}, T. Guillemin ⁵, S. Guindon ², U. Gul ⁵⁴, C. Gumpert ³¹, J. Guo ^{34e},
 Y. Guo ^{34b,o}, S. Gupta ¹²⁰, G. Gustavino ^{132a,132b}, P. Gutierrez ¹¹³, N.G. Gutierrez Ortiz ⁷⁹, C. Gutschow ⁴⁵,
 C. Guyot ¹³⁶, C. Gwenlan ¹²⁰, C.B. Gwilliam ⁷⁵, A. Haas ¹¹⁰, C. Haber ¹⁵, H.K. Hadavand ⁸, N. Haddad ^{135e},
 A. Hadef ⁸⁶, P. Haefner ²², S. Hageböck ²², Z. Hajduk ⁴⁰, H. Hakobyan ^{176,*}, M. Haleem ⁴³, J. Haley ¹¹⁴,
 G. Halladjian ⁹¹, G.D. Hallewell ⁸⁶, K. Hamacher ¹⁷⁴, P. Hamal ¹¹⁵, K. Hamano ¹⁶⁸, A. Hamilton ^{145a},
 G.N. Hamity ¹³⁹, P.G. Hamnett ⁴³, L. Han ^{34b}, K. Hanagaki ^{67,r}, K. Hanawa ¹⁵⁵, M. Hance ¹³⁷, B. Haney ¹²²,
 P. Hanke ^{59a}, R. Hanna ¹³⁶, J.B. Hansen ³⁷, J.D. Hansen ³⁷, M.C. Hansen ²², P.H. Hansen ³⁷, K. Hara ¹⁶⁰,
 A.S. Hard ¹⁷², T. Harenberg ¹⁷⁴, F. Hariri ¹¹⁷, S. Harkusha ⁹³, R.D. Harrington ⁴⁷, P.F. Harrison ¹⁶⁹,
 F. Hartjes ¹⁰⁷, N.M. Hartmann ¹⁰⁰, M. Hasegawa ⁶⁸, Y. Hasegawa ¹⁴⁰, A. Hasib ¹¹³, S. Hassani ¹³⁶, S. Haug ¹⁷,
 R. Hauser ⁹¹, L. Hauswald ⁴⁵, M. Havranek ¹²⁷, C.M. Hawkes ¹⁸, R.J. Hawkings ³¹, D. Hayden ⁹¹,
 C.P. Hays ¹²⁰, J.M. Hays ⁷⁷, H.S. Hayward ⁷⁵, S.J. Haywood ¹³¹, S.J. Head ¹⁸, T. Heck ⁸⁴, V. Hedberg ⁸²,
 L. Heelan ⁸, S. Heim ¹²², T. Heim ¹⁵, B. Heinemann ¹⁵, J.J. Heinrich ¹⁰⁰, L. Heinrich ¹¹⁰, C. Heinz ⁵³,
 J. Hejbal ¹²⁷, L. Helary ²³, S. Hellman ^{146a,146b}, C. Helsens ³¹, J. Henderson ¹²⁰, R.C.W. Henderson ⁷³,
 Y. Heng ¹⁷², S. Henkelmann ¹⁶⁷, A.M. Henriques Correia ³¹, S. Henrot-Versille ¹¹⁷, G.H. Herbert ¹⁶,
 Y. Hernández Jiménez ¹⁶⁶, G. Herten ⁴⁹, R. Hertenberger ¹⁰⁰, L. Hervas ³¹, G.G. Hesketh ⁷⁹, N.P. Hessey ¹⁰⁷,
 J.W. Hetherly ⁴¹, R. Hickling ⁷⁷, E. Higón-Rodriguez ¹⁶⁶, E. Hill ¹⁶⁸, J.C. Hill ²⁹, K.H. Hiller ⁴³, S.J. Hillier ¹⁸,
 I. Hinchliffe ¹⁵, E. Hines ¹²², R.R. Hinman ¹⁵, M. Hirose ¹⁵⁷, D. Hirschbuehl ¹⁷⁴, J. Hobbs ¹⁴⁸, N. Hod ^{159a},
 M.C. Hodgkinson ¹³⁹, P. Hodgson ¹³⁹, A. Hoecker ³¹, M.R. Hoferkamp ¹⁰⁵, F. Hoenig ¹⁰⁰, D. Hohn ²²,
 T.R. Holmes ¹⁵, M. Homann ⁴⁴, T.M. Hong ¹²⁵, B.H. Hooberman ¹⁶⁵, W.H. Hopkins ¹¹⁶, Y. Horii ¹⁰³,

- A.J. Horton ¹⁴², J.-Y. Hostachy ⁵⁶, S. Hou ¹⁵¹, A. Hoummada ^{135a}, J. Howarth ⁴³, M. Hrabovsky ¹¹⁵,
 I. Hristova ¹⁶, J. Hrivnac ¹¹⁷, T. Hrynevich ⁹⁴, C. Hsu ^{145c}, P.J. Hsu ^{151,s}, S.-C. Hsu ¹³⁸, D. Hu ³⁶,
 Q. Hu ^{34b}, Y. Huang ⁴³, Z. Hubacek ¹²⁸, F. Hubaut ⁸⁶, F. Huegging ²², T.B. Huffman ¹²⁰, E.W. Hughes ³⁶,
 G. Hughes ⁷³, M. Huhtinen ³¹, T.A. Hüsing ⁸⁴, P. Huo ¹⁴⁸, N. Huseynov ^{66,b}, J. Huston ⁹¹, J. Huth ⁵⁸,
 G. Iacobucci ⁵⁰, G. Iakovidis ²⁶, I. Ibragimov ¹⁴¹, L. Iconomidou-Fayard ¹¹⁷, E. Ideal ¹⁷⁵, Z. Idrissi ^{135e},
 P. Iengo ³¹, O. Igonkina ¹⁰⁷, T. Iizawa ¹⁷⁰, Y. Ikegami ⁶⁷, M. Ikeno ⁶⁷, Y. Ilchenko ^{32,t}, D. Iliadis ¹⁵⁴, N. Ilic ¹⁴³,
 T. Ince ¹⁰¹, G. Introzzi ^{121a,121b}, P. Ioannou ^{9,*}, M. Iodice ^{134a}, K. Iordanidou ³⁶, V. Ippolito ⁵⁸, M. Ishino ⁶⁹,
 M. Ishitsuka ¹⁵⁷, R. Ishmukhametov ¹¹¹, C. Issever ¹²⁰, S. Istiin ^{19a}, F. Ito ¹⁶⁰, J.M. Iturbe Ponce ⁸⁵,
 R. Iuppa ^{133a,133b}, W. Iwanski ⁴⁰, H. Iwasaki ⁶⁷, J.M. Izen ⁴², V. Izzo ^{104a}, S. Jabbar ³, B. Jackson ¹²²,
 M. Jackson ⁷⁵, P. Jackson ¹, V. Jain ², K.B. Jakobi ⁸⁴, K. Jakobs ⁴⁹, S. Jakobsen ³¹, T. Jakoubek ¹²⁷,
 D.O. Jamin ¹¹⁴, D.K. Jana ⁸⁰, E. Jansen ⁷⁹, R. Jansky ⁶³, J. Janssen ²², M. Janus ⁵⁵, G. Jarlskog ⁸²,
 N. Javadov ^{66,b}, T. Javůrek ⁴⁹, F. Jeanneau ¹³⁶, L. Jeanty ¹⁵, J. Jejelava ^{52a,u}, G.-Y. Jeng ¹⁵⁰, D. Jennens ⁸⁹,
 P. Jenni ^{49,v}, J. Jentzsch ⁴⁴, C. Jeske ¹⁶⁹, S. Jézéquel ⁵, H. Ji ¹⁷², J. Jia ¹⁴⁸, H. Jiang ⁶⁵, Y. Jiang ^{34b}, S. Jiggins ⁷⁹,
 J. Jimenez Pena ¹⁶⁶, S. Jin ^{34a}, A. Jinaru ^{27b}, O. Jinnouchi ¹⁵⁷, P. Johansson ¹³⁹, K.A. Johns ⁷, W.J. Johnson ¹³⁸,
 K. Jon-And ^{146a,146b}, G. Jones ¹⁶⁹, R.W.L. Jones ⁷³, S. Jones ⁷, T.J. Jones ⁷⁵, J. Jongmanns ^{59a},
 P.M. Jorge ^{126a,126b}, J. Jovicevic ^{159a}, X. Ju ¹⁷², A. Juste Rozas ^{12,q}, M.K. Köhler ¹⁷¹, A. Kaczmarska ⁴⁰,
 M. Kado ¹¹⁷, H. Kagan ¹¹¹, M. Kagan ¹⁴³, S.J. Kahn ⁸⁶, E. Kajomovitz ⁴⁶, C.W. Kalderon ¹²⁰, A. Kaluza ⁸⁴,
 S. Kama ⁴¹, A. Kamenshchikov ¹³⁰, N. Kanaya ¹⁵⁵, S. Kaneti ²⁹, L. Kanjir ⁷⁶, V.A. Kantserov ⁹⁸, J. Kanzaki ⁶⁷,
 B. Kaplan ¹¹⁰, L.S. Kaplan ¹⁷², A. Kapliy ³², D. Kar ^{145c}, K. Karakostas ¹⁰, A. Karamaoun ³, N. Karastathis ¹⁰,
 M.J. Kareem ⁵⁵, E. Karentzos ¹⁰, M. Karnevskiy ⁸⁴, S.N. Karpov ⁶⁶, Z.M. Karpova ⁶⁶, K. Karthik ¹¹⁰,
 V. Kartvelishvili ⁷³, A.N. Karyukhin ¹³⁰, K. Kasahara ¹⁶⁰, L. Kashif ¹⁷², R.D. Kass ¹¹¹, A. Kastanas ¹⁴,
 Y. Kataoka ¹⁵⁵, C. Kato ¹⁵⁵, A. Katre ⁵⁰, J. Katzy ⁴³, K. Kawagoe ⁷¹, T. Kawamoto ¹⁵⁵, G. Kawamura ⁵⁵,
 S. Kazama ¹⁵⁵, V.F. Kazanin ^{109,c}, R. Keeler ¹⁶⁸, R. Kehoe ⁴¹, J.S. Keller ⁴³, J.J. Kempster ⁷⁸, K. Kentaro ¹⁰³,
 H. Keoshkerian ¹⁵⁸, O. Kepka ¹²⁷, B.P. Kerševan ⁷⁶, S. Kersten ¹⁷⁴, R.A. Keyes ⁸⁸, F. Khalil-zada ¹¹,
 A. Khanov ¹¹⁴, A.G. Kharlamov ^{109,c}, T.J. Khoo ⁵⁰, V. Khovanskiy ⁹⁷, E. Khramov ⁶⁶, J. Khubua ^{52b,w},
 S. Kido ⁶⁸, H.Y. Kim ⁸, S.H. Kim ¹⁶⁰, Y.K. Kim ³², N. Kimura ¹⁵⁴, O.M. Kind ¹⁶, B.T. King ⁷⁵, M. King ¹⁶⁶,
 S.B. King ¹⁶⁷, J. Kirk ¹³¹, A.E. Kiryunin ¹⁰¹, T. Kishimoto ⁶⁸, D. Kisielewska ^{39a}, F. Kiss ⁴⁹, K. Kiuchi ¹⁶⁰,
 O. Kivernyk ¹³⁶, E. Kladiva ^{144b}, M.H. Klein ³⁶, M. Klein ⁷⁵, U. Klein ⁷⁵, K. Kleinknecht ⁸⁴, P. Klimek ^{146a,146b},
 A. Klimentov ²⁶, R. Klingenberg ⁴⁴, J.A. Klinger ¹³⁹, T. Klioutchnikova ³¹, E.-E. Kluge ^{59a}, P. Kluit ¹⁰⁷,
 S. Kluth ¹⁰¹, J. Knapik ⁴⁰, E. Kneringer ⁶³, E.B.F.G. Knoops ⁸⁶, A. Knue ⁵⁴, A. Kobayashi ¹⁵⁵, D. Kobayashi ¹⁵⁷,
 T. Kobayashi ¹⁵⁵, M. Kobel ⁴⁵, M. Kocian ¹⁴³, P. Kodys ¹²⁹, T. Koffas ³⁰, E. Koffeman ¹⁰⁷, T. Koi ¹⁴³,
 H. Kolanoski ¹⁶, M. Kolb ^{59b}, I. Koletsou ⁵, A.A. Komar ^{96,*}, Y. Komori ¹⁵⁵, T. Kondo ⁶⁷, N. Kondrashova ⁴³,
 K. Köneke ⁴⁹, A.C. König ¹⁰⁶, T. Kono ^{67,x}, R. Konoplich ^{110,y}, N. Konstantinidis ⁷⁹, R. Kopeliansky ⁶²,
 S. Koperny ^{39a}, L. Köpke ⁸⁴, A.K. Kopp ⁴⁹, K. Korcyl ⁴⁰, K. Kordas ¹⁵⁴, A. Korn ⁷⁹, A.A. Korol ^{109,c},
 I. Korolkov ¹², E.V. Korolkova ¹³⁹, O. Kortner ¹⁰¹, S. Kortner ¹⁰¹, T. Kosek ¹²⁹, V.V. Kostyukhin ²²,
 A. Kotwal ⁴⁶, A. Kourkoumeli-Charalampidi ¹⁵⁴, C. Kourkoumelis ⁹, V. Kouskoura ²⁶, A.B. Kowalewska ⁴⁰,
 R. Kowalewski ¹⁶⁸, T.Z. Kowalski ^{39a}, C. Kozakai ¹⁵⁵, W. Kozanecki ¹³⁶, A.S. Kozhin ¹³⁰, V.A. Kramarenko ⁹⁹,
 G. Kramberger ⁷⁶, D. Krasnopevtsev ⁹⁸, M.W. Krasny ⁸¹, A. Krasznahorkay ³¹, J.K. Kraus ²²,
 A. Kravchenko ²⁶, M. Kretz ^{59c}, J. Kretzschmar ⁷⁵, K. Kreutzfeldt ⁵³, P. Krieger ¹⁵⁸, K. Krizka ³²,
 K. Kroeninger ⁴⁴, H. Kroha ¹⁰¹, J. Kroll ¹²², J. Kroseberg ²², J. Krstic ¹³, U. Kruchonak ⁶⁶, H. Krüger ²²,
 N. Krumnack ⁶⁵, A. Kruse ¹⁷², M.C. Kruse ⁴⁶, M. Kruskal ²³, T. Kubota ⁸⁹, H. Kucuk ⁷⁹, S. Kuday ^{4b},
 J.T. Kuechler ¹⁷⁴, S. Kuehn ⁴⁹, A. Kugel ^{59c}, F. Kuger ¹⁷³, A. Kuhl ¹³⁷, T. Kuhl ⁴³, V. Kukhtin ⁶⁶, R. Kukla ¹³⁶,
 Y. Kulchitsky ⁹³, S. Kuleshov ^{33b}, M. Kuna ^{132a,132b}, T. Kunigo ⁶⁹, A. Kupco ¹²⁷, H. Kurashige ⁶⁸,
 Y.A. Kurochkin ⁹³, V. Kus ¹²⁷, E.S. Kuwertz ¹⁶⁸, M. Kuze ¹⁵⁷, J. Kvita ¹¹⁵, T. Kwan ¹⁶⁸, D. Kyriazopoulos ¹³⁹,
 A. La Rosa ¹⁰¹, J.L. La Rosa Navarro ^{25d}, L. La Rotonda ^{38a,38b}, C. Lacasta ¹⁶⁶, F. Lacava ^{132a,132b}, J. Lacey ³⁰,
 H. Lacker ¹⁶, D. Lacour ⁸¹, V.R. Lacuesta ¹⁶⁶, E. Ladygin ⁶⁶, R. Lafaye ⁵, B. Laforge ⁸¹, T. Lagouri ¹⁷⁵, S. Lai ⁵⁵,
 S. Lammers ⁶², W. Lampl ⁷, E. Lançon ¹³⁶, U. Landgraf ⁴⁹, M.P.J. Landon ⁷⁷, V.S. Lang ^{59a}, J.C. Lange ¹²,
 A.J. Lankford ¹⁶², F. Lanni ²⁶, K. Lantzsch ²², A. Lanza ^{121a}, S. Laplace ⁸¹, C. Lapoire ³¹, J.F. Laporte ¹³⁶,
 T. Lari ^{92a}, F. Lasagni Manghi ^{21a,21b}, M. Lassnig ³¹, P. Laurelli ⁴⁸, W. Lavrijsen ¹⁵, A.T. Law ¹³⁷, P. Laycock ⁷⁵,
 T. Lazovich ⁵⁸, M. Lazzaroni ^{92a,92b}, B. Le ⁸⁹, O. Le Dertz ⁸¹, E. Le Guirriec ⁸⁶, E.P. Le Quilleuc ¹³⁶,
 M. LeBlanc ¹⁶⁸, T. LeCompte ⁶, F. Ledroit-Guillon ⁵⁶, C.A. Lee ²⁶, S.C. Lee ¹⁵¹, L. Lee ¹, G. Lefebvre ⁸¹,
 M. Lefebvre ¹⁶⁸, F. Legger ¹⁰⁰, C. Leggett ¹⁵, A. Lehan ⁷⁵, G. Lehmann Miotto ³¹, X. Lei ⁷, W.A. Leight ³⁰,

- A. Leisos ^{154,z}, A.G. Leister ¹⁷⁵, M.A.L. Leite ^{25d}, R. Leitner ¹²⁹, D. Lellouch ¹⁷¹, B. Lemmer ⁵⁵, K.J.C. Leney ⁷⁹, T. Lenz ²², B. Lenzi ³¹, R. Leone ⁷, S. Leone ^{124a,124b}, C. Leonidopoulos ⁴⁷, S. Leontsinis ¹⁰, G. Lerner ¹⁴⁹, C. Leroy ⁹⁵, A.A.J. Lesage ¹³⁶, C.G. Lester ²⁹, M. Levchenko ¹²³, J. Levêque ⁵, D. Levin ⁹⁰, L.J. Levinson ¹⁷¹, M. Levy ¹⁸, D. Lewis ⁷⁷, A.M. Leyko ²², M. Leyton ⁴², B. Li ^{34b,aa}, H. Li ¹⁴⁸, H.L. Li ³², L. Li ⁴⁶, L. Li ^{34e}, Q. Li ^{34a}, S. Li ⁴⁶, X. Li ⁸⁵, Y. Li ¹⁴¹, Z. Liang ^{34a}, B. Liberti ^{133a}, A. Liblong ¹⁵⁸, P. Lichard ³¹, K. Lie ¹⁶⁵, J. Liebal ²², W. Liebig ¹⁴, A. Limosani ¹⁵⁰, S.C. Lin ^{151,ab}, T.H. Lin ⁸⁴, B.E. Lindquist ¹⁴⁸, A.E. Lionti ⁵⁰, E. Lipeles ¹²², A. Lipniacka ¹⁴, M. Lisovyi ^{59b}, T.M. Liss ¹⁶⁵, A. Lister ¹⁶⁷, A.M. Litke ¹³⁷, B. Liu ^{151,ac}, D. Liu ¹⁵¹, H. Liu ⁹⁰, H. Liu ²⁶, J. Liu ⁸⁶, J.B. Liu ^{34b}, K. Liu ⁸⁶, L. Liu ¹⁶⁵, M. Liu ⁴⁶, M. Liu ^{34b}, Y.L. Liu ^{34b}, Y. Liu ^{34b}, M. Livan ^{121a,121b}, A. Lleres ⁵⁶, J. Llorente Merino ^{34a}, S.L. Lloyd ⁷⁷, F. Lo Sterzo ¹⁵¹, E. Lobodzinska ⁴³, P. Loch ⁷, W.S. Lockman ¹³⁷, F.K. Loebinger ⁸⁵, A.E. Loevschall-Jensen ³⁷, K.M. Loew ²⁴, A. Loginov ¹⁷⁵, T. Lohse ¹⁶, K. Lohwasser ⁴³, M. Lokajicek ¹²⁷, B.A. Long ²³, J.D. Long ¹⁶⁵, R.E. Long ⁷³, L. Longo ^{74a,74b}, K.A.Looper ¹¹¹, L. Lopes ^{126a}, D. Lopez Mateos ⁵⁸, B. Lopez Paredes ¹³⁹, I. Lopez Paz ¹², A. Lopez Solis ⁸¹, J. Lorenz ¹⁰⁰, N. Lorenzo Martinez ⁶², M. Losada ²⁰, P.J. Lösel ¹⁰⁰, X. Lou ^{34a}, A. Lounis ¹¹⁷, J. Love ⁶, P.A. Love ⁷³, H. Lu ^{61a}, N. Lu ⁹⁰, H.J. Lubatti ¹³⁸, C. Luci ^{132a,132b}, A. Lucotte ⁵⁶, C. Luedtke ⁴⁹, F. Luehring ⁶², W. Lukas ⁶³, L. Luminari ^{132a}, O. Lundberg ^{146a,146b}, B. Lund-Jensen ¹⁴⁷, P.M. Luzi ⁸¹, D. Lynn ²⁶, R. Lysak ¹²⁷, E. Lytken ⁸², V. Lyubushkin ⁶⁶, H. Ma ²⁶, L.L. Ma ^{34d}, Y. Ma ^{34d}, G. Maccarrone ⁴⁸, A. Macchiolo ¹⁰¹, C.M. Macdonald ¹³⁹, B. Maček ⁷⁶, J. Machado Miguens ^{122,126b}, D. Madaffari ⁸⁶, R. Madar ³⁵, H.J. Maddocks ¹⁶⁴, W.F. Mader ⁴⁵, A. Madsen ⁴³, J. Maeda ⁶⁸, S. Maeland ¹⁴, T. Maeno ²⁶, A. Maevskiy ⁹⁹, E. Magradze ⁵⁵, J. Mahlstedt ¹⁰⁷, C. Maiani ¹¹⁷, C. Maidantchik ^{25a}, A.A. Maier ¹⁰¹, T. Maier ¹⁰⁰, A. Maio ^{126a,126b,126d}, S. Majewski ¹¹⁶, Y. Makida ⁶⁷, N. Makovec ¹¹⁷, B. Malaescu ⁸¹, Pa. Malecki ⁴⁰, V.P. Maleev ¹²³, F. Malek ⁵⁶, U. Mallik ⁶⁴, D. Malon ⁶, C. Malone ¹⁴³, S. Maltezos ¹⁰, V.M. Malyshev ¹⁰⁹, S. Malyukov ³¹, J. Mamuzic ¹⁶⁶, G. Mancini ⁴⁸, B. Mandelli ³¹, L. Mandelli ^{92a}, I. Mandić ⁷⁶, J. Maneira ^{126a,126b}, L. Manhaes de Andrade Filho ^{25b}, J. Manjarres Ramos ^{159b}, A. Mann ¹⁰⁰, A. Manousos ³¹, B. Mansoulie ¹³⁶, J.D. Mansour ^{34a}, R. Mantifel ⁸⁸, M. Mantoani ⁵⁵, S. Manzoni ^{92a,92b}, L. Mapelli ³¹, G. Marceca ²⁸, L. March ⁵⁰, G. Marchiori ⁸¹, M. Marcisovsky ¹²⁷, M. Marjanovic ¹³, D.E. Marley ⁹⁰, F. Marroquim ^{25a}, S.P. Marsden ⁸⁵, Z. Marshall ¹⁵, S. Marti-Garcia ¹⁶⁶, B. Martin ⁹¹, T.A. Martin ¹⁶⁹, V.J. Martin ⁴⁷, B. Martin dit Latour ¹⁴, M. Martinez ^{12,q}, S. Martin-Haugh ¹³¹, V.S. Martoiu ^{27b}, A.C. Martyniuk ⁷⁹, M. Marx ¹³⁸, A. Marzin ³¹, L. Masetti ⁸⁴, T. Mashimo ¹⁵⁵, R. Mashinistov ⁹⁶, J. Masik ⁸⁵, A.L. Maslennikov ^{109,c}, I. Massa ^{21a,21b}, L. Massa ^{21a,21b}, P. Mastrandrea ⁵, A. Mastroberardino ^{38a,38b}, T. Masubuchi ¹⁵⁵, P. Mättig ¹⁷⁴, J. Mattmann ⁸⁴, J. Maurer ^{27b}, S.J. Maxfield ⁷⁵, D.A. Maximov ^{109,c}, R. Mazini ¹⁵¹, S.M. Mazza ^{92a,92b}, N.C. Mc Fadden ¹⁰⁵, G. Mc Goldrick ¹⁵⁸, S.P. Mc Kee ⁹⁰, A. McCarn ⁹⁰, R.L. McCarthy ¹⁴⁸, T.G. McCarthy ³⁰, L.I. McClymont ⁷⁹, E.F. McDonald ⁸⁹, K.W. McFarlane ^{57,*}, J.A. McFayden ⁷⁹, G. Mchedlidze ⁵⁵, S.J. McMahon ¹³¹, R.A. McPherson ^{168,l}, M. Medinnis ⁴³, S. Meehan ¹³⁸, S. Mehlhase ¹⁰⁰, A. Mehta ⁷⁵, K. Meier ^{59a}, C. Meineck ¹⁰⁰, B. Meirose ⁴², D. Melini ¹⁶⁶, B.R. Mellado Garcia ^{145c}, M. Melo ^{144a}, F. Meloni ¹⁷, A. Mengarelli ^{21a,21b}, S. Menke ¹⁰¹, E. Meoni ¹⁶¹, S. Mergelmeyer ¹⁶, P. Mermod ⁵⁰, L. Merola ^{104a,104b}, C. Meroni ^{92a}, F.S. Merritt ³², A. Messina ^{132a,132b}, J. Metcalfe ⁶, A.S. Mete ¹⁶², C. Meyer ⁸⁴, C. Meyer ¹²², J.-P. Meyer ¹³⁶, J. Meyer ¹⁰⁷, H. Meyer Zu Theenhausen ^{59a}, R.P. Middleton ¹³¹, S. Miglioranzi ^{51a,51b}, L. Mijović ²², G. Mikenberg ¹⁷¹, M. Mikestikova ¹²⁷, M. Mikuž ⁷⁶, M. Milesi ⁸⁹, A. Milic ⁶³, D.W. Miller ³², C. Mills ⁴⁷, A. Milov ¹⁷¹, D.A. Milstead ^{146a,146b}, A.A. Minaenko ¹³⁰, Y. Minami ¹⁵⁵, I.A. Minashvili ⁶⁶, A.I. Mincer ¹¹⁰, B. Mindur ^{39a}, M. Mineev ⁶⁶, Y. Ming ¹⁷², L.M. Mir ¹², K.P. Mistry ¹²², T. Mitani ¹⁷⁰, J. Mitrevski ¹⁰⁰, V.A. Mitsou ¹⁶⁶, A. Miucci ⁵⁰, P.S. Miyagawa ¹³⁹, J.U. Mjörnmark ⁸², T. Moa ^{146a,146b}, K. Mochizuki ⁹⁵, S. Mohapatra ³⁶, S. Molander ^{146a,146b}, R. Moles-Valls ²², R. Monden ⁶⁹, M.C. Mondragon ⁹¹, K. Mönig ⁴³, J. Monk ³⁷, E. Monnier ⁸⁶, A. Montalbano ¹⁴⁸, J. Montejo Berlingen ³¹, F. Monticelli ⁷², S. Monzani ^{92a,92b}, R.W. Moore ³, N. Morange ¹¹⁷, D. Moreno ²⁰, M. Moreno Llácer ⁵⁵, P. Morettini ^{51a}, D. Mori ¹⁴², T. Mori ¹⁵⁵, M. Morii ⁵⁸, M. Morinaga ¹⁵⁵, V. Morisbak ¹¹⁹, S. Moritz ⁸⁴, A.K. Morley ¹⁵⁰, G. Mornacchi ³¹, J.D. Morris ⁷⁷, S.S. Mortensen ³⁷, L. Morvaj ¹⁴⁸, M. Mosidze ^{52b}, J. Moss ¹⁴³, K. Motohashi ¹⁵⁷, R. Mount ¹⁴³, E. Mountricha ²⁶, S.V. Mouraviev ^{96,*}, E.J.W. Moyse ⁸⁷, S. Muanza ⁸⁶, R.D. Mudd ¹⁸, F. Mueller ¹⁰¹, J. Mueller ¹²⁵, R.S.P. Mueller ¹⁰⁰, T. Mueller ²⁹, D. Muenstermann ⁷³, P. Mullen ⁵⁴, G.A. Mullier ¹⁷, F.J. Munoz Sanchez ⁸⁵, J.A. Murillo Quijada ¹⁸, W.J. Murray ^{169,131}, H. Musheghyan ⁵⁵, M. Muskinja ⁷⁶, A.G. Myagkov ^{130,ad}, M. Myska ¹²⁸, B.P. Nachman ¹⁴³, O. Nackenhorst ⁵⁰, K. Nagai ¹²⁰, R. Nagai ^{67,x}, K. Nagano ⁶⁷, Y. Nagasaka ⁶⁰, K. Nagata ¹⁶⁰, M. Nagel ⁴⁹, E. Nagy ⁸⁶, A.M. Nairz ³¹, Y. Nakahama ³¹,

- K. Nakamura ⁶⁷, T. Nakamura ¹⁵⁵, I. Nakano ¹¹², H. Namasivayam ⁴², R.F. Naranjo Garcia ⁴³, R. Narayan ³², D.I. Narrias Villar ^{59a}, I. Naryshkin ¹²³, T. Naumann ⁴³, G. Navarro ²⁰, R. Nayyar ⁷, H.A. Neal ⁹⁰, P.Yu. Nechaeva ⁹⁶, T.J. Neep ⁸⁵, P.D. Nef ¹⁴³, A. Negri ^{121a,121b}, M. Negrini ^{21a}, S. Nektarijevic ¹⁰⁶, C. Nellist ¹¹⁷, A. Nelson ¹⁶², S. Nemecsek ¹²⁷, P. Nemethy ¹¹⁰, A.A. Nepomuceno ^{25a}, M. Nessi ^{31,ae}, M.S. Neubauer ¹⁶⁵, M. Neumann ¹⁷⁴, R.M. Neves ¹¹⁰, P. Nevski ²⁶, P.R. Newman ¹⁸, D.H. Nguyen ⁶, T. Nguyen Manh ⁹⁵, R.B. Nickerson ¹²⁰, R. Nicolaïdou ¹³⁶, J. Nielsen ¹³⁷, A. Nikiforov ¹⁶, V. Nikolaenko ^{130,ad}, I. Nikolic-Audit ⁸¹, K. Nikolopoulos ¹⁸, J.K. Nilsen ¹¹⁹, P. Nilsson ²⁶, Y. Ninomiya ¹⁵⁵, A. Nisati ^{132a}, R. Nisius ¹⁰¹, T. Nobe ¹⁵⁵, L. Nodulman ⁶, M. Nomachi ¹¹⁸, I. Nomidis ³⁰, T. Nooney ⁷⁷, S. Norberg ¹¹³, M. Nordberg ³¹, N. Norjoharuddeen ¹²⁰, O. Novgorodova ⁴⁵, S. Nowak ¹⁰¹, M. Nozaki ⁶⁷, L. Nozka ¹¹⁵, K. Ntekas ¹⁰, E. Nurse ⁷⁹, F. Nuti ⁸⁹, F. O'grady ⁷, D.C. O'Neil ¹⁴², A.A. O'Rourke ⁴³, V. O'Shea ⁵⁴, F.G. Oakham ^{30,d}, H. Oberlack ¹⁰¹, T. Obermann ²², J. Ocariz ⁸¹, A. Ochi ⁶⁸, I. Ochoa ³⁶, J.P. Ochoa-Ricoux ^{33a}, S. Oda ⁷¹, S. Odaka ⁶⁷, H. Ogren ⁶², A. Oh ⁸⁵, S.H. Oh ⁴⁶, C.C. Ohm ¹⁵, H. Ohman ¹⁶⁴, H. Oide ³¹, H. Okawa ¹⁶⁰, Y. Okumura ³², T. Okuyama ⁶⁷, A. Olariu ^{27b}, L.F. Oleiro Seabra ^{126a}, S.A. Olivares Pino ⁴⁷, D. Oliveira Damazio ²⁶, A. Olszewski ⁴⁰, J. Olszowska ⁴⁰, A. Onofre ^{126a,126e}, K. Onogi ¹⁰³, P.U.E. Onyisi ^{32,t}, M.J. Oreglia ³², Y. Oren ¹⁵³, D. Orestano ^{134a,134b}, N. Orlando ^{61b}, R.S. Orr ¹⁵⁸, B. Osculati ^{51a,51b}, R. Ospanov ⁸⁵, G. Otero y Garzon ²⁸, H. Otono ⁷¹, M. Ouchrif ^{135d}, F. Ould-Saada ¹¹⁹, A. Ouraou ¹³⁶, K.P. Oussoren ¹⁰⁷, Q. Ouyang ^{34a}, M. Owen ⁵⁴, R.E. Owen ¹⁸, V.E. Ozcan ^{19a}, N. Ozturk ⁸, K. Pachal ¹⁴², A. Pacheco Pages ¹², C. Padilla Aranda ¹², M. Pagáčová ⁴⁹, S. Pagan Griso ¹⁵, F. Paige ²⁶, P. Pais ⁸⁷, K. Pajchel ¹¹⁹, G. Palacino ^{159b}, S. Palestini ³¹, M. Palka ^{39b}, D. Pallin ³⁵, A. Palma ^{126a,126b}, E.St. Panagiotopoulou ¹⁰, C.E. Pandini ⁸¹, J.G. Panduro Vazquez ⁷⁸, P. Pani ^{146a,146b}, S. Panitkin ²⁶, D. Pantea ^{27b}, L. Paolozzi ⁵⁰, Th.D. Papadopoulou ¹⁰, K. Papageorgiou ¹⁵⁴, A. Paramonov ⁶, D. Paredes Hernandez ¹⁷⁵, A.J. Parker ⁷³, M.A. Parker ²⁹, K.A. Parker ¹³⁹, F. Parodi ^{51a,51b}, J.A. Parsons ³⁶, U. Parzefall ⁴⁹, V.R. Pascuzzi ¹⁵⁸, E. Pasqualucci ^{132a}, S. Passaggio ^{51a}, Fr. Pastore ⁷⁸, G. Pásztor ^{30,af}, S. Pataria ¹⁷⁴, J.R. Pater ⁸⁵, T. Pauly ³¹, J. Pearce ¹⁶⁸, B. Pearson ¹¹³, L.E. Pedersen ³⁷, M. Pedersen ¹¹⁹, S. Pedraza Lopez ¹⁶⁶, R. Pedro ^{126a,126b}, S.V. Peleganchuk ^{109,c}, D. Pelikan ¹⁶⁴, O. Penc ¹²⁷, C. Peng ^{34a}, H. Peng ^{34b}, J. Penwell ⁶², B.S. Peralva ^{25b}, M.M. Perego ¹³⁶, D.V. Perepelitsa ²⁶, E. Perez Codina ^{159a}, L. Perini ^{92a,92b}, H. Pernegger ³¹, S. Perrella ^{104a,104b}, R. Peschke ⁴³, V.D. Peshekhonov ⁶⁶, K. Peters ⁴³, R.F.Y. Peters ⁸⁵, B.A. Petersen ³¹, T.C. Petersen ³⁷, E. Petit ⁵⁶, A. Petridis ¹, C. Petridou ¹⁵⁴, P. Petroff ¹¹⁷, E. Petrolo ^{132a}, M. Petrov ¹²⁰, F. Petrucci ^{134a,134b}, N.E. Pettersson ⁸⁷, A. Peyaud ¹³⁶, R. Pezoa ^{33b}, P.W. Phillips ¹³¹, G. Piacquadio ¹⁴³, E. Pianori ¹⁶⁹, A. Picazio ⁸⁷, E. Piccaro ⁷⁷, M. Piccinini ^{21a,21b}, M.A. Pickering ¹²⁰, R. Piegaia ²⁸, J.E. Pilcher ³², A.D. Pilkington ⁸⁵, A.W.J. Pin ⁸⁵, M. Pinamonti ^{163a,163c,ag}, J.L. Pinfold ³, A. Pingel ³⁷, S. Pires ⁸¹, H. Pirumov ⁴³, M. Pitt ¹⁷¹, L. Plazak ^{144a}, M.-A. Pleier ²⁶, V. Pleskot ⁸⁴, E. Plotnikova ⁶⁶, P. Plucinski ⁹¹, D. Pluth ⁶⁵, R. Poettgen ^{146a,146b}, L. Poggioli ¹¹⁷, D. Pohl ²², G. Polesello ^{121a}, A. Poley ⁴³, A. Policicchio ^{38a,38b}, R. Polifka ¹⁵⁸, A. Polini ^{21a}, C.S. Pollard ⁵⁴, V. Polychronakos ²⁶, K. Pommès ³¹, L. Pontecorvo ^{132a}, B.G. Pope ⁹¹, G.A. Popeneciu ^{27c}, D.S. Popovic ¹³, A. Poppleton ³¹, S. Pospisil ¹²⁸, K. Potamianos ¹⁵, I.N. Potrap ⁶⁶, C.J. Potter ²⁹, C.T. Potter ¹¹⁶, G. Poulard ³¹, J. Poveda ³¹, V. Pozdnyakov ⁶⁶, M.E. Pozo Astigarraga ³¹, P. Pralavorio ⁸⁶, A. Pranko ¹⁵, S. Prell ⁶⁵, D. Price ⁸⁵, L.E. Price ⁶, M. Primavera ^{74a}, S. Prince ⁸⁸, M. Proissl ⁴⁷, K. Prokofiev ^{61c}, F. Prokoshin ^{33b}, S. Protopopescu ²⁶, J. Proudfoot ⁶, M. Przybycien ^{39a}, D. Puddu ^{134a,134b}, M. Purohit ^{26,ah}, P. Puzo ¹¹⁷, J. Qian ⁹⁰, G. Qin ⁵⁴, Y. Qin ⁸⁵, A. Quadt ⁵⁵, W.B. Quayle ^{163a,163b}, M. Queitsch-Maitland ⁸⁵, D. Quilty ⁵⁴, S. Raddum ¹¹⁹, V. Radeka ²⁶, V. Radescu ^{59b}, S.K. Radhakrishnan ¹⁴⁸, P. Radloff ¹¹⁶, P. Rados ⁸⁹, F. Ragusa ^{92a,92b}, G. Rahal ¹⁷⁷, J.A. Raine ⁸⁵, S. Rajagopalan ²⁶, M. Rammensee ³¹, C. Rangel-Smith ¹⁶⁴, M.G. Ratti ^{92a,92b}, F. Rauscher ¹⁰⁰, S. Rave ⁸⁴, T. Ravenscroft ⁵⁴, M. Raymond ³¹, A.L. Read ¹¹⁹, N.P. Readioff ⁷⁵, M. Reale ^{74a,74b}, D.M. Rebuzzi ^{121a,121b}, A. Redelbach ¹⁷³, G. Redlinger ²⁶, R. Reece ¹³⁷, K. Reeves ⁴², L. Rehnisch ¹⁶, J. Reichert ¹²², H. Reisin ²⁸, C. Rembser ³¹, H. Ren ^{34a}, M. Rescigno ^{132a}, S. Resconi ^{92a}, O.L. Rezanova ^{109,c}, P. Reznicek ¹²⁹, R. Rezvani ⁹⁵, R. Richter ¹⁰¹, S. Richter ⁷⁹, E. Richter-Was ^{39b}, O. Ricken ²², M. Ridel ⁸¹, P. Rieck ¹⁶, C.J. Riegel ¹⁷⁴, J. Rieger ⁵⁵, O. Rifki ¹¹³, M. Rijssenbeek ¹⁴⁸, A. Rimoldi ^{121a,121b}, M. Rimoldi ¹⁷, L. Rinaldi ^{21a}, B. Ristić ⁵⁰, E. Ritsch ³¹, I. Riu ¹², F. Rizatdinova ¹¹⁴, E. Rizvi ⁷⁷, C. Rizzi ¹², S.H. Robertson ^{88,l}, A. Robichaud-Veronneau ⁸⁸, D. Robinson ²⁹, J.E.M. Robinson ⁴³, A. Robson ⁵⁴, C. Roda ^{124a,124b}, Y. Rodina ⁸⁶, A. Rodriguez Perez ¹², D. Rodriguez Rodriguez ¹⁶⁶, S. Roe ³¹, C.S. Rogan ⁵⁸, O. Røhne ¹¹⁹, A. Romanouk ⁹⁸, M. Romano ^{21a,21b}, S.M. Romano Saez ³⁵, E. Romero Adam ¹⁶⁶, N. Rompotis ¹³⁸, M. Ronzani ⁴⁹, L. Roos ⁸¹, E. Ros ¹⁶⁶,

- S. Rosati 132a, K. Rosbach 49, P. Rose 137, O. Rosenthal 141, N.-A. Rosien 55, V. Rossetti 146a, 146b,
 E. Rossi 104a, 104b, L.P. Rossi 51a, J.H.N. Rosten 29, R. Rosten 138, M. Rotaru 27b, I. Roth 171, J. Rothberg 138,
 D. Rousseau 117, C.R. Royon 136, A. Rozanov 86, Y. Rozen 152, X. Ruan 145c, F. Rubbo 143, M.S. Rudolph 158,
 F. Rühr 49, A. Ruiz-Martinez 30, Z. Rurikova 49, N.A. Rusakovich 66, A. Ruschke 100, H.L. Russell 138,
 J.P. Rutherford 7, N. Ruthmann 31, Y.F. Ryabov 123, M. Rybar 165, G. Rybkin 117, S. Ryu 6, A. Ryzhov 130,
 G.F. Rzehorz 55, A.F. Saavedra 150, G. Sabato 107, S. Sacerdoti 28, H.F-W. Sadrozinski 137, R. Sadykov 66,
 F. Safai Tehrani 132a, P. Saha 108, M. Sahinsoy 59a, M. Saimpert 136, T. Saito 155, H. Sakamoto 155,
 Y. Sakurai 170, G. Salamanna 134a, 134b, A. Salamon 133a, 133b, J.E. Salazar Loyola 33b, D. Salek 107,
 P.H. Sales De Bruin 138, D. Salihagic 101, A. Salnikov 143, J. Salt 166, D. Salvatore 38a, 38b, F. Salvatore 149,
 A. Salvucci 61a, A. Salzburger 31, D. Sammel 49, D. Sampsonidis 154, A. Sanchez 104a, 104b, J. Sánchez 166,
 V. Sanchez Martinez 166, H. Sandaker 119, R.L. Sandbach 77, H.G. Sander 84, M. Sandhoff 174, C. Sandoval 20,
 R. Sandstroem 101, D.P.C. Sankey 131, M. Sannino 51a, 51b, A. Sansoni 48, C. Santoni 35, R. Santonico 133a, 133b,
 H. Santos 126a, I. Santoyo Castillo 149, K. Sapp 125, A. Sapronov 66, J.G. Saraiva 126a, 126d, B. Sarrazin 22,
 O. Sasaki 67, Y. Sasaki 155, K. Sato 160, G. Sauvage 5,* E. Sauvan 5, G. Savage 78, P. Savard 158,d,
 C. Sawyer 131, L. Sawyer 80,p, J. Saxon 32, C. Sbarra 21a, A. Sbrizzi 21a, 21b, T. Scanlon 79, D.A. Scannicchio 162,
 M. Scarcella 150, V. Scarfone 38a, 38b, J. Schaarschmidt 171, P. Schacht 101, B.M. Schachtner 100,
 D. Schaefer 31, R. Schaefer 43, J. Schaeffer 84, S. Schaepe 22, S. Schaetzel 59b, U. Schäfer 84, A.C. Schaffer 117,
 D. Schaile 100, R.D. Schamberger 148, V. Scharf 59a, V.A. Schegelsky 123, D. Scheirich 129, M. Schernau 162,
 C. Schiavi 51a, 51b, S. Schier 137, C. Schillo 49, M. Schioppa 38a, 38b, S. Schlenker 31,
 K.R. Schmidt-Sommerfeld 101, K. Schmieden 31, C. Schmitt 84, S. Schmitt 43, S. Schmitz 84,
 B. Schneider 159a, U. Schnoor 49, L. Schoeffel 136, A. Schoening 59b, B.D. Schoenrock 91, E. Schopf 22,
 M. Schott 84, J. Schovancova 8, S. Schramm 50, M. Schreyer 173, N. Schuh 84, M.J. Schultens 22,
 H.-C. Schultz-Coulon 59a, H. Schulz 16, M. Schumacher 49, B.A. Schumm 137, Ph. Schune 136,
 A. Schwartzman 143, T.A. Schwarz 90, Ph. Schwegler 101, H. Schweiger 85, Ph. Schwemling 136,
 R. Schwienhorst 91, J. Schwindling 136, T. Schwindt 22, G. Sciolla 24, F. Scuri 124a, 124b, F. Scutti 89,
 J. Searcy 90, P. Seema 22, S.C. Seidel 105, A. Seiden 137, F. Seifert 128, J.M. Seixas 25a, G. Sekhniaidze 104a,
 K. Sekhon 90, S.J. Sekula 41, D.M. Seliverstov 123,* N. Semprini-Cesari 21a, 21b, C. Serfon 119, L. Serin 117,
 L. Serkin 163a, 163b, M. Sessa 134a, 134b, R. Seuster 168, H. Severini 113, T. Sfiligoj 76, F. Sforza 31, A. Sfyrla 50,
 E. Shabalina 55, N.W. Shaikh 146a, 146b, L.Y. Shan 34a, R. Shang 165, J.T. Shank 23, M. Shapiro 15,
 P.B. Shatalov 97, K. Shaw 163a, 163b, S.M. Shaw 85, A. Shcherbakova 146a, 146b, C.Y. Shehu 149, P. Sherwood 79,
 L. Shi 151, ai, S. Shimizu 68, C.O. Shimmin 162, M. Shimojima 102, M. Shiyakova 66, aj, A. Shmeleva 96,
 D. Shoaleh Saadi 95, M.J. Shochet 32, S. Shojaii 92a, 92b, S. Shrestha 111, E. Shulga 98, M.A. Shupe 7,
 P. Sicho 127, A.M. Sickles 165, P.E. Sidebo 147, O. Sidiropoulou 173, D. Sidorov 114, A. Sidoti 21a, 21b,
 F. Siegert 45, Dj. Sijacki 13, J. Silva 126a, 126d, S.B. Silverstein 146a, V. Simak 128, O. Simard 5, Lj. Simic 13,
 S. Simion 117, E. Simioni 84, B. Simmons 79, D. Simon 35, M. Simon 84, P. Sinervo 158, N.B. Sinev 116,
 M. Sioli 21a, 21b, G. Siragusa 173, S.Yu. Sivoklokov 99, J. Sjölin 146a, 146b, T.B. Sjursen 14, M.B. Skinner 73,
 H.P. Skottowe 58, P. Skubic 113, M. Slater 18, T. Slavicek 128, M. Slawinska 107, K. Sliwa 161, R. Slovák 129,
 V. Smakhtin 171, B.H. Smart 5, L. Smestad 14, J. Smiesko 144a, S.Yu. Smirnov 98, Y. Smirnov 98,
 L.N. Smirnova 99, ak, O. Smirnova 82, M.N.K. Smith 36, R.W. Smith 36, M. Smizanska 73, K. Smolek 128,
 A.A. Snesarev 96, S. Snyder 26, R. Sobie 168, l, F. Socher 45, A. Soffer 153, D.A. Soh 151, ai, G. Sokhrannyi 76,
 C.A. Solans Sanchez 31, M. Solar 128, E.Yu. Soldatov 98, U. Soldevila 166, A.A. Solodkov 130, A. Soloshenko 66,
 O.V. Solovyanov 130, V. Solovyev 123, P. Sommer 49, H. Son 161, H.Y. Song 34b, aa, A. Sood 15, A. Sopczak 128,
 V. Sopko 128, V. Sorin 12, D. Sosa 59b, C.L. Sotiropoulou 124a, 124b, R. Soualah 163a, 163c, A.M. Soukharev 109, c,
 D. South 43, B.C. Sowden 78, S. Spagnolo 74a, 74b, M. Spalla 124a, 124b, M. Spangenberg 169, F. Spanò 78,
 D. Sperlich 16, F. Spettel 101, R. Spighi 21a, G. Spigo 31, L.A. Spiller 89, M. Spousta 129, R.D. St. Denis 54, *,
 A. Stabile 92a, R. Stamen 59a, S. Stamm 16, E. Stanecka 40, R.W. Stanek 6, C. Stanescu 134a,
 M. Stanescu-Bellu 43, M.M. Stanitzki 43, S. Stapnes 119, E.A. Starchenko 130, G.H. Stark 32, J. Stark 56,
 P. Staroba 127, P. Starovoitov 59a, S. Stärz 31, R. Staszewski 40, P. Steinberg 26, B. Stelzer 142, H.J. Stelzer 31,
 O. Stelzer-Chilton 159a, H. Stenzel 53, G.A. Stewart 54, J.A. Stillings 22, M.C. Stockton 88, M. Stoebe 88,
 G. Stoica 27b, P. Stolte 55, S. Stonjek 101, A.R. Stradling 8, A. Straessner 45, M.E. Stramaglia 17,
 J. Strandberg 147, S. Strandberg 146a, 146b, A. Strandlie 119, M. Strauss 113, P. Strizenec 144b, R. Ströhmer 173,
 D.M. Strom 116, R. Stroynowski 41, A. Strubig 106, S.A. Stucci 17, B. Stugu 14, N.A. Styles 43, D. Su 143,

- J. Su ¹²⁵, R. Subramaniam ⁸⁰, S. Suchek ^{59a}, Y. Sugaya ¹¹⁸, M. Suk ¹²⁸, V.V. Sulin ⁹⁶, S. Sultansoy ^{4c}, T. Sumida ⁶⁹, S. Sun ⁵⁸, X. Sun ^{34a}, J.E. Sundermann ⁴⁹, K. Suruliz ¹⁴⁹, G. Susinno ^{38a,38b}, M.R. Sutton ¹⁴⁹, S. Suzuki ⁶⁷, M. Svatos ¹²⁷, M. Swiatlowski ³², I. Sykora ^{144a}, T. Sykora ¹²⁹, D. Ta ⁴⁹, C. Taccini ^{134a,134b}, K. Tackmann ⁴³, J. Taenzer ¹⁵⁸, A. Taffard ¹⁶², R. Tafirout ^{159a}, N. Taiblum ¹⁵³, H. Takai ²⁶, R. Takashima ⁷⁰, T. Takeshita ¹⁴⁰, Y. Takubo ⁶⁷, M. Talby ⁸⁶, A.A. Talyshov ^{109,c}, K.G. Tan ⁸⁹, J. Tanaka ¹⁵⁵, R. Tanaka ¹¹⁷, S. Tanaka ⁶⁷, B.B. Tannenwald ¹¹¹, S. Tapia Araya ^{33b}, S. Tapprogge ⁸⁴, S. Tarem ¹⁵², G.F. Tartarelli ^{92a}, P. Tas ¹²⁹, M. Tasevsky ¹²⁷, T. Tashiro ⁶⁹, E. Tassi ^{38a,38b}, A. Tavares Delgado ^{126a,126b}, Y. Tayalati ^{135d}, A.C. Taylor ¹⁰⁵, G.N. Taylor ⁸⁹, P.T.E. Taylor ⁸⁹, W. Taylor ^{159b}, F.A. Teischinger ³¹, P. Teixeira-Dias ⁷⁸, K.K. Temming ⁴⁹, D. Temple ¹⁴², H. Ten Kate ³¹, P.K. Teng ¹⁵¹, J.J. Teoh ¹¹⁸, F. Tepel ¹⁷⁴, S. Terada ⁶⁷, K. Terashi ¹⁵⁵, J. Terron ⁸³, S. Terzo ¹⁰¹, M. Testa ⁴⁸, R.J. Teuscher ^{158,l}, T. Theveneaux-Pelzer ⁸⁶, J.P. Thomas ¹⁸, J. Thomas-Wilsker ⁷⁸, E.N. Thompson ³⁶, P.D. Thompson ¹⁸, A.S. Thompson ⁵⁴, L.A. Thomsen ¹⁷⁵, E. Thomson ¹²², M. Thomson ²⁹, M.J. Tibbetts ¹⁵, R.E. Ticse Torres ⁸⁶, V.O. Tikhomirov ^{96,al}, Yu.A. Tikhonov ^{109,c}, S. Timoshenko ⁹⁸, P. Tipton ¹⁷⁵, S. Tisserant ⁸⁶, K. Todome ¹⁵⁷, T. Todorov ^{5,*}, S. Todorova-Nova ¹²⁹, J. Tojo ⁷¹, S. Tokár ^{144a}, K. Tokushuku ⁶⁷, E. Tolley ⁵⁸, L. Tomlinson ⁸⁵, M. Tomoto ¹⁰³, L. Tompkins ^{143,am}, K. Toms ¹⁰⁵, B. Tong ⁵⁸, E. Torrence ¹¹⁶, H. Torres ¹⁴², E. Torró Pastor ¹³⁸, J. Toth ^{86,an}, F. Touchard ⁸⁶, D.R. Tovey ¹³⁹, T. Trefzger ¹⁷³, A. Tricoli ²⁶, I.M. Trigger ^{159a}, S. Trincaz-Duvold ⁸¹, M.F. Tripiana ¹², W. Trischuk ¹⁵⁸, B. Trocmé ⁵⁶, A. Trofymov ⁴³, C. Troncon ^{92a}, M. Trottier-McDonald ¹⁵, M. Trovatelli ¹⁶⁸, L. Truong ^{163a,163c}, M. Trzebinski ⁴⁰, A. Trzupek ⁴⁰, J.-C.-L. Tseng ¹²⁰, P.V. Tsiareshka ⁹³, G. Tsipolitis ¹⁰, N. Tsirintanis ⁹, S. Tsiskaridze ¹², V. Tsiskaridze ⁴⁹, E.G. Tskhadadze ^{52a}, K.M. Tsui ^{61a}, I.I. Tsukerman ⁹⁷, V. Tsulaia ¹⁵, S. Tsuno ⁶⁷, D. Tsybychev ¹⁴⁸, A. Tudorache ^{27b}, V. Tudorache ^{27b}, A.N. Tuna ⁵⁸, S.A. Tupputi ^{21a,21b}, S. Turchikhin ^{99,ak}, D. Turecek ¹²⁸, D. Turgeman ¹⁷¹, R. Turra ^{92a,92b}, A.J. Turvey ⁴¹, P.M. Tuts ³⁶, M. Tyndel ¹³¹, G. Ucchielli ^{21a,21b}, I. Ueda ¹⁵⁵, R. Ueno ³⁰, M. Ughetto ^{146a,146b}, F. Ukegawa ¹⁶⁰, G. Unal ³¹, A. Undrus ²⁶, G. Unel ¹⁶², F.C. Ungaro ⁸⁹, Y. Unno ⁶⁷, C. Unverdorben ¹⁰⁰, J. Urban ^{144b}, P. Urquijo ⁸⁹, P. Urrejola ⁸⁴, G. Usai ⁸, A. Usanova ⁶³, L. Vacavant ⁸⁶, V. Vacek ¹²⁸, B. Vachon ⁸⁸, C. Valderanis ¹⁰⁰, E. Valdes Santurio ^{146a,146b}, N. Valencic ¹⁰⁷, S. Valentinetto ^{21a,21b}, A. Valero ¹⁶⁶, L. Valery ¹², S. Valkar ¹²⁹, S. Vallecorsa ⁵⁰, J.A. Valls Ferrer ¹⁶⁶, W. Van Den Wollenberg ¹⁰⁷, P.C. Van Der Deijl ¹⁰⁷, R. van der Geer ¹⁰⁷, H. van der Graaf ¹⁰⁷, N. van Eldik ¹⁵², P. van Gemmeren ⁶, J. Van Nieuwkoop ¹⁴², I. van Vulpen ¹⁰⁷, M.C. van Woerden ³¹, M. Vanadia ^{132a,132b}, W. Vandelli ³¹, R. Vanguri ¹²², A. Vaniachine ⁶, P. Vankov ¹⁰⁷, G. Vardanyan ¹⁷⁶, R. Vari ^{132a}, E.W. Varnes ⁷, T. Varol ⁴¹, D. Varouchas ⁸¹, A. Vartapetian ⁸, K.E. Varvell ¹⁵⁰, J.G. Vasquez ¹⁷⁵, F. Vazeille ³⁵, T. Vazquez Schroeder ⁸⁸, J. Veatch ⁵⁵, L.M. Veloce ¹⁵⁸, F. Veloso ^{126a,126c}, S. Veneziano ^{132a}, A. Ventura ^{74a,74b}, M. Venturi ¹⁶⁸, N. Venturi ¹⁵⁸, A. Venturini ²⁴, V. Vercesi ^{121a}, M. Verducci ^{132a,132b}, W. Verkerke ¹⁰⁷, J.C. Vermeulen ¹⁰⁷, A. Vest ^{45,ao}, M.C. Vetterli ^{142,d}, O. Viazlo ⁸², I. Vichou ¹⁶⁵, T. Vickey ¹³⁹, O.E. Vickey Boeriu ¹³⁹, G.H.A. Viehhauser ¹²⁰, S. Viel ¹⁵, L. Vigani ¹²⁰, R. Vigne ⁶³, M. Villa ^{21a,21b}, M. Villaplana Perez ^{92a,92b}, E. Vilucchi ⁴⁸, M.G. Vincter ³⁰, V.B. Vinogradov ⁶⁶, C. Vittori ^{21a,21b}, I. Vivarelli ¹⁴⁹, S. Vlachos ¹⁰, M. Vlasak ¹²⁸, M. Vogel ¹⁷⁴, P. Vokac ¹²⁸, G. Volpi ^{124a,124b}, M. Volpi ⁸⁹, H. von der Schmitt ¹⁰¹, E. von Toerne ²², V. Vorobel ¹²⁹, K. Vorobev ⁹⁸, M. Vos ¹⁶⁶, R. Voss ³¹, J.H. Vossebeld ⁷⁵, N. Vranjes ¹³, M. Vranjes Milosavljevic ¹³, V. Vrba ¹²⁷, M. Vreeswijk ¹⁰⁷, R. Vuillermet ³¹, I. Vukotic ³², Z. Vykydal ¹²⁸, P. Wagner ²², W. Wagner ¹⁷⁴, H. Wahlberg ⁷², S. Wahrmund ⁴⁵, J. Wakabayashi ¹⁰³, J. Walder ⁷³, R. Walker ¹⁰⁰, W. Walkowiak ¹⁴¹, V. Wallangen ^{146a,146b}, C. Wang ^{34c}, C. Wang ^{34d,86}, F. Wang ¹⁷², H. Wang ¹⁵, H. Wang ⁴¹, J. Wang ⁴³, J. Wang ¹⁵⁰, K. Wang ⁸⁸, R. Wang ⁶, S.M. Wang ¹⁵¹, T. Wang ²², T. Wang ³⁶, W. Wang ^{34b}, X. Wang ¹⁷⁵, C. Wanotayaroj ¹¹⁶, A. Warburton ⁸⁸, C.P. Ward ²⁹, D.R. Wardrope ⁷⁹, A. Washbrook ⁴⁷, P.M. Watkins ¹⁸, A.T. Watson ¹⁸, M.F. Watson ¹⁸, G. Watts ¹³⁸, S. Watts ⁸⁵, B.M. Waugh ⁷⁹, S. Webb ⁸⁴, M.S. Weber ¹⁷, S.W. Weber ¹⁷³, J.S. Webster ⁶, A.R. Weidberg ¹²⁰, B. Weinert ⁶², J. Weingarten ⁵⁵, C. Weiser ⁴⁹, H. Weits ¹⁰⁷, P.S. Wells ³¹, T. Wenaus ²⁶, T. Wengler ³¹, S. Wenig ³¹, N. Wermes ²², M. Werner ⁴⁹, P. Werner ³¹, M. Wessels ^{59a}, J. Wetter ¹⁶¹, K. Whalen ¹¹⁶, N.L. Whallon ¹³⁸, A.M. Wharton ⁷³, A. White ⁸, M.J. White ¹, R. White ^{33b}, D. Whiteson ¹⁶², F.J. Wickens ¹³¹, W. Wiedenmann ¹⁷², M. Wielers ¹³¹, P. Wienemann ²², C. Wiglesworth ³⁷, L.A.M. Wiik-Fuchs ²², A. Wildauer ¹⁰¹, F. Wilk ⁸⁵, H.G. Wilkens ³¹, H.H. Williams ¹²², S. Williams ¹⁰⁷, C. Willis ⁹¹, S. Willocq ⁸⁷, J.A. Wilson ¹⁸, I. Wingerter-Seez ⁵, F. Winklmeier ¹¹⁶, O.J. Winston ¹⁴⁹, B.T. Winter ²², M. Wittgen ¹⁴³, J. Wittkowski ¹⁰⁰, S.J. Wollstadt ⁸⁴, M.W. Wolter ⁴⁰, H. Wolters ^{126a,126c}, B.K. Wosiek ⁴⁰, J. Wotschack ³¹, M.J. Woudstra ⁸⁵, K.W. Wozniak ⁴⁰, M. Wu ⁵⁶, M. Wu ³², S.L. Wu ¹⁷²,

X. Wu ⁵⁰, Y. Wu ⁹⁰, T.R. Wyatt ⁸⁵, B.M. Wynne ⁴⁷, S. Xella ³⁷, D. Xu ^{34a}, L. Xu ²⁶, B. Yabsley ¹⁵⁰,
 S. Yacoob ^{145a}, R. Yakabe ⁶⁸, D. Yamaguchi ¹⁵⁷, Y. Yamaguchi ¹¹⁸, A. Yamamoto ⁶⁷, S. Yamamoto ¹⁵⁵,
 T. Yamanaka ¹⁵⁵, K. Yamauchi ¹⁰³, Y. Yamazaki ⁶⁸, Z. Yan ²³, H. Yang ^{34e}, H. Yang ¹⁷², Y. Yang ¹⁵¹, Z. Yang ¹⁴,
 W-M. Yao ¹⁵, Y.C. Yap ⁸¹, Y. Yasu ⁶⁷, E. Yatsenko ⁵, K.H. Yau Wong ²², J. Ye ⁴¹, S. Ye ²⁶, I. Yeletskikh ⁶⁶,
 A.L. Yen ⁵⁸, E. Yildirim ⁸⁴, K. Yorita ¹⁷⁰, R. Yoshida ⁶, K. Yoshihara ¹²², C. Young ¹⁴³, C.J.S. Young ³¹,
 S. Youssef ²³, D.R. Yu ¹⁵, J. Yu ⁸, J.M. Yu ⁹⁰, J. Yu ⁶⁵, L. Yuan ⁶⁸, S.P.Y. Yuen ²², I. Yusuff ^{29,ap}, B. Zabinski ⁴⁰,
 R. Zaidan ^{34d}, A.M. Zaitsev ^{130,ad}, N. Zakharchuk ⁴³, J. Zalieckas ¹⁴, A. Zaman ¹⁴⁸, S. Zambito ⁵⁸,
 L. Zanello ^{132a,132b}, D. Zanzi ⁸⁹, C. Zeitnitz ¹⁷⁴, M. Zeman ¹²⁸, A. Zemla ^{39a}, J.C. Zeng ¹⁶⁵, Q. Zeng ¹⁴³,
 K. Zengel ²⁴, O. Zenin ¹³⁰, T. Ženiš ^{144a}, D. Zerwas ¹¹⁷, D. Zhang ⁹⁰, F. Zhang ¹⁷², G. Zhang ^{34b,aa},
 H. Zhang ^{34c}, J. Zhang ⁶, L. Zhang ⁴⁹, R. Zhang ²², R. Zhang ^{34b,aq}, X. Zhang ^{34d}, Z. Zhang ¹¹⁷, X. Zhao ⁴¹,
 Y. Zhao ^{34d,117}, Z. Zhao ^{34b}, A. Zhemchugov ⁶⁶, J. Zhong ¹²⁰, B. Zhou ⁹⁰, C. Zhou ⁴⁶, L. Zhou ³⁶, L. Zhou ⁴¹,
 M. Zhou ¹⁴⁸, N. Zhou ^{34f}, C.G. Zhu ^{34d}, H. Zhu ^{34a}, J. Zhu ⁹⁰, Y. Zhu ^{34b}, X. Zhuang ^{34a}, K. Zhukov ⁹⁶,
 A. Zibell ¹⁷³, D. Ziemińska ⁶², N.I. Zimine ⁶⁶, C. Zimmermann ⁸⁴, S. Zimmermann ⁴⁹, Z. Zinonos ⁵⁵,
 M. Zinser ⁸⁴, M. Ziolkowski ¹⁴¹, L. Živković ¹³, G. Zobernig ¹⁷², A. Zoccoli ^{21a,21b}, M. zur Nedden ¹⁶,
 G. Zurzolo ^{104a,104b}, L. Zwalinski ³¹

¹ Department of Physics, University of Adelaide, Adelaide, Australia² Physics Department, SUNY Albany, Albany, NY, United States³ Department of Physics, University of Alberta, Edmonton, AB, Canada⁴ ^(a) Department of Physics, Ankara University, Ankara; ^(b) Istanbul Aydin University, Istanbul; ^(c) Division of Physics, TOBB University of Economics and Technology, Ankara, Turkey⁵ LAPP, CNRS/IN2P3 and Université Savoie Mont Blanc, Annecy-le-Vieux, France⁶ High Energy Physics Division, Argonne National Laboratory, Argonne, IL, United States⁷ Department of Physics, University of Arizona, Tucson, AZ, United States⁸ Department of Physics, The University of Texas at Arlington, Arlington, TX, United States⁹ Physics Department, University of Athens, Athens, Greece¹⁰ Physics Department, National Technical University of Athens, Zografou, Greece¹¹ Institute of Physics, Azerbaijan Academy of Sciences, Baku, Azerbaijan¹² Institut de Física d'Altes Energies (IFAE), The Barcelona Institute of Science and Technology, Barcelona, Spain¹³ Institute of Physics, University of Belgrade, Belgrade, Serbia¹⁴ Department of Physics and Technology, University of Bergen, Bergen, Norway¹⁵ Physics Division, Lawrence Berkeley National Laboratory and University of California, Berkeley, CA, United States¹⁶ Department of Physics, Humboldt University, Berlin, Germany¹⁷ Albert Einstein Center for Fundamental Physics and Laboratory for High Energy Physics, University of Bern, Bern, Switzerland¹⁸ School of Physics and Astronomy, University of Birmingham, Birmingham, United Kingdom¹⁹ ^(a) Department of Physics, Bogazici University, Istanbul; ^(b) Department of Physics Engineering, Gaziantep University, Gaziantep; ^(d) Istanbul Bilgi University, Faculty of Engineering and Natural Sciences, Istanbul, Turkey; ^(e) Bahçeşehir University, Faculty of Engineering and Natural Sciences, Istanbul, Turkey²⁰ Centro de Investigaciones, Universidad Antonio Narino, Bogota, Colombia²¹ ^(a) INFN Sezione di Bologna; ^(b) Dipartimento di Fisica e Astronomia, Università di Bologna, Bologna, Italy²² Physikalisches Institut, University of Bonn, Bonn, Germany²³ Department of Physics, Boston University, Boston, MA, United States²⁴ Department of Physics, Brandeis University, Waltham, MA, United States²⁵ ^(a) Universidade Federal do Rio De Janeiro COPPE/EE/IF, Rio de Janeiro; ^(b) Electrical Circuits Department, Federal University of Juiz de Fora (UFJF), Juiz de Fora; ^(c) Federal University of São João del Rei (UFSJ), São João del Rei; ^(d) Instituto de Física, Universidade de São Paulo, São Paulo, Brazil²⁶ Physics Department, Brookhaven National Laboratory, Upton, NY, United States²⁷ ^(a) Transilvania University of Brasov, Brasov, Romania; ^(b) National Institute of Physics and Nuclear Engineering, Bucharest; ^(c) National Institute for Research and Development of Isotopic and Molecular Technologies, Physics Department, Cluj Napoca; ^(d) University Politehnica Bucharest, Bucharest; ^(e) West University in Timisoara, Timisoara, Romania²⁸ Departamento de Física, Universidad de Buenos Aires, Buenos Aires, Argentina²⁹ Cavendish Laboratory, University of Cambridge, Cambridge, United Kingdom³⁰ Department of Physics, Carleton University, Ottawa, ON, Canada³¹ CERN, Geneva, Switzerland³² Enrico Fermi Institute, University of Chicago, Chicago, IL, United States³³ ^(a) Departamento de Física, Pontificia Universidad Católica de Chile, Santiago; ^(b) Departamento de Física, Universidad Técnica Federico Santa María, Valparaíso, Chile³⁴ ^(a) Institute of High Energy Physics, Chinese Academy of Sciences, Beijing; ^(b) Department of Modern Physics, University of Science and Technology of China, Anhui; ^(c) Department of Physics, Nanjing University, Jiangsu; ^(d) School of Physics, Shandong University, Shandong; ^(e) Department of Physics and Astronomy, Shanghai Key Laboratory for Particle Physics and Cosmology, Shanghai Jiao Tong University, Shanghai; ^(f) Physics Department, Tsinghua University, Beijing 100084, China³⁵ Laboratoire de Physique Corpusculaire, Clermont Université and Université Blaise Pascal and CNRS/IN2P3, Clermont-Ferrand, France³⁶ Nevis Laboratory, Columbia University, Irvington, NY, United States³⁷ Niels Bohr Institute, University of Copenhagen, Copenhagen, Denmark³⁸ ^(a) INFN Gruppo Collegato di Cosenza, Laboratori Nazionali di Frascati; ^(b) Dipartimento di Fisica, Università della Calabria, Rende, Italy³⁹ ^(a) AGH University of Science and Technology, Faculty of Physics and Applied Computer Science, Krakow; ^(b) Marian Smoluchowski Institute of Physics, Jagiellonian University, Krakow, Poland⁴⁰ Institute of Nuclear Physics Polish Academy of Sciences, Krakow, Poland⁴¹ Physics Department, Southern Methodist University, Dallas, TX, United States⁴² Physics Department, University of Texas at Dallas, Richardson, TX, United States⁴³ DESY, Hamburg and Zeuthen, Germany⁴⁴ Institut für Experimentelle Physik IV, Technische Universität Dortmund, Dortmund, Germany⁴⁵ Institut für Kern- und Teilchenphysik, Technische Universität Dresden, Dresden, Germany⁴⁶ Department of Physics, Duke University, Durham, NC, United States⁴⁷ SUPA – School of Physics and Astronomy, University of Edinburgh, Edinburgh, United Kingdom⁴⁸ INFN Laboratori Nazionali di Frascati, Frascati, Italy⁴⁹ Fakultät für Mathematik und Physik, Albert-Ludwigs-Universität, Freiburg, Germany⁵⁰ Section de Physique, Université de Genève, Geneva, Switzerland

- 51 ^(a) INFN Sezione di Genova; ^(b) Dipartimento di Fisica, Università di Genova, Genova, Italy
- 52 ^(a) E. Andronikashvili Institute of Physics, Iv. Javakhishvili Tbilisi State University, Tbilisi; ^(b) High Energy Physics Institute, Tbilisi State University, Tbilisi, Georgia
- 53 II Physikalisches Institut, Justus-Liebig-Universität Giessen, Giessen, Germany
- 54 SUPA – School of Physics and Astronomy, University of Glasgow, Glasgow, United Kingdom
- 55 II Physikalisches Institut, Georg-August-Universität, Göttingen, Germany
- 56 Laboratoire de Physique Subatomique et de Cosmologie, Université Grenoble-Alpes, CNRS/IN2P3, Grenoble, France
- 57 Department of Physics, Hampton University, Hampton, VA, United States
- 58 Laboratory for Particle Physics and Cosmology, Harvard University, Cambridge, MA, United States
- 59 ^(a) Kirchhoff-Institut für Physik, Ruprecht-Karls-Universität Heidelberg, Heidelberg; ^(b) Physikalisches Institut, Ruprecht-Karls-Universität Heidelberg, Heidelberg; ^(c) ZITI Institut für technische Informatik, Ruprecht-Karls-Universität Heidelberg, Mannheim, Germany
- 60 Faculty of Applied Information Science, Hiroshima Institute of Technology, Hiroshima, Japan
- 61 ^(a) Department of Physics, The Chinese University of Hong Kong, Shatin, N.T., Hong Kong; ^(b) Department of Physics, The University of Hong Kong, Hong Kong; ^(c) Department of Physics, The Hong Kong University of Science and Technology, Clear Water Bay, Kowloon, Hong Kong, China
- 62 Department of Physics, Indiana University, Bloomington, IN, United States
- 63 Institut für Astro- und Teilchenphysik, Leopold-Franzens-Universität, Innsbruck, Austria
- 64 University of Iowa, Iowa City, IA, United States
- 65 Department of Physics and Astronomy, Iowa State University, Ames, IA, United States
- 66 Joint Institute for Nuclear Research, JINR Dubna, Dubna, Russia
- 67 KEK, High Energy Accelerator Research Organization, Tsukuba, Japan
- 68 Graduate School of Science, Kobe University, Kobe, Japan
- 69 Faculty of Science, Kyoto University, Kyoto, Japan
- 70 Kyoto University of Education, Kyoto, Japan
- 71 Department of Physics, Kyushu University, Fukuoka, Japan
- 72 Instituto de Física La Plata, Universidad Nacional de La Plata and CONICET, La Plata, Argentina
- 73 Physics Department, Lancaster University, Lancaster, United Kingdom
- 74 ^(a) INFN Sezione di Lecce; ^(b) Dipartimento di Matematica e Fisica, Università del Salento, Lecce, Italy
- 75 Oliver Lodge Laboratory, University of Liverpool, Liverpool, United Kingdom
- 76 Department of Physics, Jožef Stefan Institute and University of Ljubljana, Ljubljana, Slovenia
- 77 School of Physics and Astronomy, Queen Mary University of London, London, United Kingdom
- 78 Department of Physics, Royal Holloway University of London, Surrey, United Kingdom
- 79 Department of Physics and Astronomy, University College London, London, United Kingdom
- 80 Louisiana Tech University, Ruston, LA, United States
- 81 Laboratoire de Physique Nucléaire et de Hautes Energies, UPMC and Université Paris-Diderot and CNRS/IN2P3, Paris, France
- 82 Fysiska institutionen, Lunds universitet, Lund, Sweden
- 83 Departamento de Física Teórica C-15, Universidad Autónoma de Madrid, Madrid, Spain
- 84 Institut für Physik, Universität Mainz, Mainz, Germany
- 85 School of Physics and Astronomy, University of Manchester, Manchester, United Kingdom
- 86 CPPM, Aix-Marseille Université and CNRS/IN2P3, Marseille, France
- 87 Department of Physics, University of Massachusetts, Amherst, MA, United States
- 88 Department of Physics, McGill University, Montreal, QC, Canada
- 89 School of Physics, University of Melbourne, Victoria, Australia
- 90 Department of Physics, The University of Michigan, Ann Arbor, MI, United States
- 91 Department of Physics and Astronomy, Michigan State University, East Lansing, MI, United States
- 92 ^(a) INFN Sezione di Milano; ^(b) Dipartimento di Fisica, Università di Milano, Milano, Italy
- 93 B.I. Stepanov Institute of Physics, National Academy of Sciences of Belarus, Minsk, Belarus
- 94 National Scientific and Educational Centre for Particle and High Energy Physics, Minsk, Belarus
- 95 Group of Particle Physics, University of Montreal, Montreal, QC, Canada
- 96 P.N. Lebedev Physical Institute of the Russian Academy of Sciences, Moscow, Russia
- 97 Institute for Theoretical and Experimental Physics (ITEP), Moscow, Russia
- 98 National Research Nuclear University MEPhI, Moscow, Russia
- 99 D.V. Skobeltsyn Institute of Nuclear Physics, M.V. Lomonosov Moscow State University, Moscow, Russia
- 100 Fakultät für Physik, Ludwig-Maximilians-Universität München, München, Germany
- 101 Max-Planck-Institut für Physik (Werner-Heisenberg-Institut), München, Germany
- 102 Nagasaki Institute of Applied Science, Nagasaki, Japan
- 103 Graduate School of Science and Kobayashi-Maskawa Institute, Nagoya University, Nagoya, Japan
- 104 ^(a) INFN Sezione di Napoli; ^(b) Dipartimento di Fisica, Università di Napoli, Napoli, Italy
- 105 Department of Physics and Astronomy, University of New Mexico, Albuquerque, NM, United States
- 106 Institute for Mathematics, Astrophysics and Particle Physics, Radboud University Nijmegen/Nikhef, Nijmegen, Netherlands
- 107 Nikhef National Institute for Subatomic Physics and University of Amsterdam, Amsterdam, Netherlands
- 108 Department of Physics, Northern Illinois University, DeKalb, IL, United States
- 109 Budker Institute of Nuclear Physics, SB RAS, Novosibirsk, Russia
- 110 Department of Physics, New York University, New York, NY, United States
- 111 Ohio State University, Columbus, OH, United States
- 112 Faculty of Science, Okayama University, Okayama, Japan
- 113 Homer L. Dodge Department of Physics and Astronomy, University of Oklahoma, Norman, OK, United States
- 114 Department of Physics, Oklahoma State University, Stillwater, OK, United States
- 115 Palacký University, RCPTM, Olomouc, Czech Republic
- 116 Center for High Energy Physics, University of Oregon, Eugene, OR, United States
- 117 LAL, Univ. Paris-Sud, CNRS/IN2P3, Université Paris-Saclay, Orsay, France
- 118 Graduate School of Science, Osaka University, Osaka, Japan
- 119 Department of Physics, University of Oslo, Oslo, Norway
- 120 Department of Physics, Oxford University, Oxford, United Kingdom
- 121 ^(a) INFN Sezione di Pavia; ^(b) Dipartimento di Fisica, Università di Pavia, Pavia, Italy
- 122 Department of Physics, University of Pennsylvania, Philadelphia, PA, United States
- 123 National Research Centre "Kurchatov Institute", B.P. Konstantinov Petersburg Nuclear Physics Institute, St. Petersburg, Russia
- 124 ^(a) INFN Sezione di Pisa; ^(b) Dipartimento di Fisica E. Fermi, Università di Pisa, Pisa, Italy
- 125 Department of Physics and Astronomy, University of Pittsburgh, Pittsburgh, PA, United States

- 126 ^(a) Laboratório de Instrumentação e Física Experimental de Partículas – LIP, Lisboa; ^(b) Faculdade de Ciências, Universidade de Lisboa, Lisboa; ^(c) Department of Physics, University of Coimbra, Coimbra; ^(d) Centro de Física Nuclear da Universidade de Lisboa, Lisboa; ^(e) Departamento de Física, Universidade do Minho, Braga; ^(f) Departamento de Física Teórica y del Cosmos and CAFPE, Universidad de Granada, Granada (Spain); ^(g) Dep Física and CEFITEC of Faculdade de Ciencias e Tecnologia, Universidade Nova de Lisboa, Caparica, Portugal
- 127 Institute of Physics, Academy of Sciences of the Czech Republic, Praha, Czech Republic
- 128 Czech Technical University in Prague, Praha, Czech Republic
- 129 Faculty of Mathematics and Physics, Charles University in Prague, Praha, Czech Republic
- 130 State Research Center Institute for High Energy Physics (Protvino), NRC KI, Russia
- 131 Particle Physics Department, Rutherford Appleton Laboratory, Didcot, United Kingdom
- 132 ^(a) INFN Sezione di Roma; ^(b) Dipartimento di Fisica, Sapienza Università di Roma, Roma, Italy
- 133 ^(a) INFN Sezione di Roma Tor Vergata; ^(b) Dipartimento di Fisica, Università di Roma Tor Vergata, Roma, Italy
- 134 ^(a) INFN Sezione di Roma Tre; ^(b) Dipartimento di Matematica e Fisica, Università Roma Tre, Roma, Italy
- 135 ^(a) Faculté des Sciences Ain Chock, Réseau Universitaire de Physique des Hautes Energies – Université Hassan II, Casablanca; ^(b) Centre National de l'Energie des Sciences Techniques Nucléaires, Rabat; ^(c) Faculté des Sciences Semlalia, Université Cadi Ayyad, LPHEA, Marrakech; ^(d) Faculté des Sciences, Université Mohamed Premier and LPTPM, Oujda; ^(e) Faculté des sciences, Université Mohammed V, Rabat, Morocco
- 136 DSM/IRFU (Institut de Recherches sur les Lois Fondamentales de l'Univers), CEA Saclay (Commissariat à l'Energie Atomique et aux Energies Alternatives), Gif-sur-Yvette, France
- 137 Santa Cruz Institute for Particle Physics, University of California Santa Cruz, Santa Cruz, CA, United States
- 138 Department of Physics, University of Washington, Seattle, WA, United States
- 139 Department of Physics and Astronomy, University of Sheffield, Sheffield, United Kingdom
- 140 Department of Physics, Shinshu University, Nagano, Japan
- 141 Fachbereich Physik, Universität Siegen, Siegen, Germany
- 142 Department of Physics, Simon Fraser University, Burnaby, BC, Canada
- 143 SLAC National Accelerator Laboratory, Stanford, CA, United States
- 144 ^(a) Faculty of Mathematics, Physics & Informatics, Comenius University, Bratislava; ^(b) Department of Subnuclear Physics, Institute of Experimental Physics of the Slovak Academy of Sciences, Košice, Slovak Republic
- 145 ^(a) Department of Physics, University of Cape Town, Cape Town; ^(b) Department of Physics, University of Johannesburg, Johannesburg; ^(c) School of Physics, University of the Witwatersrand, Johannesburg, South Africa
- 146 ^(a) Department of Physics, Stockholm University; ^(b) The Oskar Klein Centre, Stockholm, Sweden
- 147 Physics Department, Royal Institute of Technology, Stockholm, Sweden
- 148 Departments of Physics & Astronomy and Chemistry, Stony Brook University, Stony Brook, NY, United States
- 149 Department of Physics and Astronomy, University of Sussex, Brighton, United Kingdom
- 150 School of Physics, University of Sydney, Sydney, Australia
- 151 Institute of Physics, Academia Sinica, Taipei, Taiwan
- 152 Department of Physics, Technion: Israel Institute of Technology, Haifa, Israel
- 153 Raymond and Beverly Sackler School of Physics and Astronomy, Tel Aviv University, Tel Aviv, Israel
- 154 Department of Physics, Aristotle University of Thessaloniki, Thessaloniki, Greece
- 155 International Center for Elementary Particle Physics and Department of Physics, The University of Tokyo, Tokyo, Japan
- 156 Graduate School of Science and Technology, Tokyo Metropolitan University, Tokyo, Japan
- 157 Department of Physics, Tokyo Institute of Technology, Tokyo, Japan
- 158 Department of Physics, University of Toronto, Toronto, ON, Canada
- 159 ^(a) TRIUMF, Vancouver, BC; ^(b) Department of Physics and Astronomy, York University, Toronto, ON, Canada
- 160 Faculty of Pure and Applied Sciences, and Center for Integrated Research in Fundamental Science and Engineering, University of Tsukuba, Tsukuba, Japan
- 161 Department of Physics and Astronomy, Tufts University, Medford, MA, United States
- 162 Department of Physics and Astronomy, University of California Irvine, Irvine, CA, United States
- 163 ^(a) INFN Gruppo Collegato di Udine, Sezione di Trieste, Udine; ^(b) ICTP, Trieste; ^(c) Dipartimento di Chimica, Fisica e Ambiente, Università di Udine, Udine, Italy
- 164 Department of Physics and Astronomy, University of Uppsala, Uppsala, Sweden
- 165 Department of Physics, University of Illinois, Urbana, IL, United States
- 166 Instituto de Física Corpuscular (IFIC) and Departamento de Física Atómica, Molecular y Nuclear and Departamento de Ingeniería Electrónica and Instituto de Microelectrónica de Barcelona (IMB-CNM), University of Valencia and CSIC, Valencia, Spain
- 167 Department of Physics, University of British Columbia, Vancouver, BC, Canada
- 168 Department of Physics and Astronomy, University of Victoria, Victoria, BC, Canada
- 169 Department of Physics, University of Warwick, Coventry, United Kingdom
- 170 Waseda University, Tokyo, Japan
- 171 Department of Particle Physics, The Weizmann Institute of Science, Rehovot, Israel
- 172 Department of Physics, University of Wisconsin, Madison, WI, United States
- 173 Fakultät für Physik und Astronomie, Julius-Maximilians-Universität, Würzburg, Germany
- 174 Fakultät für Mathematik und Naturwissenschaften, Fachgruppe Physik, Bergische Universität Wuppertal, Wuppertal, Germany
- 175 Department of Physics, Yale University, New Haven, CT, United States
- 176 Yerevan Physics Institute, Yerevan, Armenia
- 177 Centre de Calcul de l'Institut National de Physique Nucléaire et de Physique des Particules (IN2P3), Villeurbanne, France

^a Also at Department of Physics, King's College London, London, United Kingdom.^b Also at Institute of Physics, Azerbaijan Academy of Sciences, Baku, Azerbaijan.^c Also at Novosibirsk State University, Novosibirsk, Russia.^d Also at TRIUMF, Vancouver, BC, Canada.^e Also at Department of Physics & Astronomy, University of Louisville, Louisville, KY, United States.^f Also at Department of Physics, California State University, Fresno, CA, United States.^g Also at Department of Physics, University of Fribourg, Fribourg, Switzerland.^h Also at Departament de Física de la Universitat Autònoma de Barcelona, Barcelona, Spain.ⁱ Also at Departamento de Física e Astronomia, Faculdade de Ciencias, Universidade do Porto, Portugal.^j Also at Tomsk State University, Tomsk, Russia.^k Also at Università di Napoli Parthenope, Napoli, Italy.^l Also at Institute of Particle Physics (IPP), Canada.^m Also at National Institute of Physics and Nuclear Engineering, Bucharest, Romania.ⁿ Also at Department of Physics, St. Petersburg State Polytechnical University, St. Petersburg, Russia.^o Also at Department of Physics, The University of Michigan, Ann Arbor, MI, United States.^p Also at Louisiana Tech University, Ruston, LA, United States.^q Also at Institutio Catalana de Recerca i Estudis Avancats, ICREA, Barcelona, Spain.

- ^r Also at Graduate School of Science, Osaka University, Osaka, Japan.
^s Also at Department of Physics, National Tsing Hua University, Taiwan.
^t Also at Department of Physics, The University of Texas at Austin, Austin, TX, United States.
^u Also at Institute of Theoretical Physics, Ilia State University, Tbilisi, Georgia.
^v Also at CERN, Geneva, Switzerland.
^w Also at Georgian Technical University (GTU), Tbilisi, Georgia.
^x Also at Ochanomizu Academic Production, Ochanomizu University, Tokyo, Japan.
^y Also at Manhattan College, New York, NY, United States.
^z Also at Hellenic Open University, Patras, Greece.
^{aa} Also at Institute of Physics, Academia Sinica, Taipei, Taiwan.
^{ab} Also at Academia Sinica Grid Computing, Institute of Physics, Academia Sinica, Taipei, Taiwan.
^{ac} Also at School of Physics, Shandong University, Shandong, China.
^{ad} Also at Moscow Institute of Physics and Technology State University, Dolgoprudny, Russia.
^{ae} Also at Section de Physique, Université de Genève, Geneva, Switzerland.
^{af} Also at Eotvos Lorand University, Budapest, Hungary.
^{ag} Also at International School for Advanced Studies (SISSA), Trieste, Italy.
^{ah} Also at Department of Physics and Astronomy, University of South Carolina, Columbia, SC, United States.
^{ai} Also at School of Physics and Engineering, Sun Yat-sen University, Guangzhou, China.
^{aj} Also at Institute for Nuclear Research and Nuclear Energy (INRNE) of the Bulgarian Academy of Sciences, Sofia, Bulgaria.
^{ak} Also at Faculty of Physics, M.V. Lomonosov Moscow State University, Moscow, Russia.
^{al} Also at National Research Nuclear University MEPhI, Moscow, Russia.
^{am} Also at Department of Physics, Stanford University, Stanford, CA, United States.
^{an} Also at Institute for Particle and Nuclear Physics, Wigner Research Centre for Physics, Budapest, Hungary.
^{ao} Also at Flensburg University of Applied Sciences, Flensburg, Germany.
^{ap} Also at University of Malaya, Department of Physics, Kuala Lumpur, Malaysia.
^{aq} Also at CPPM, Aix-Marseille Université and CNRS/IN2P3, Marseille, France.
^{ar} Also affiliated with PKU-CHEP.

* Deceased.